

Mitsuo Ikebe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6367212/publications.pdf>

Version: 2024-02-01

64
papers

2,202
citations

201674

27
h-index

233421

45
g-index

64
all docs

64
docs citations

64
times ranked

1959
citing authors

#	ARTICLE	IF	CITATIONS
1	Head-Head and Head-Tail Interaction: A General Mechanism for Switching Off Myosin II Activity in Cells. <i>Molecular Biology of the Cell</i> , 2008, 19, 3234-3242.	2.1	168
2	Myosin X transports Mena/VASP to the tip of filopodia. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 214-220.	2.1	161
3	The motor activity of myosin-X promotes actin fiber convergence at the cell periphery to initiate filopodia formation. <i>Journal of Cell Biology</i> , 2007, 179, 229-238.	5.2	128
4	Single-molecule stepping and structural dynamics of myosin X. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 485-491.	8.2	100
5	Ca ²⁺ -induced activation of ATPase activity of myosin Va is accompanied with a large conformational change. <i>Biochemical and Biophysical Research Communications</i> , 2004, 315, 538-545.	2.1	99
6	Phospholipid-dependent regulation of the motor activity of myosin X. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 783-788.	8.2	98
7	Activation of Myosin Va Function by Melanophilin, a Specific Docking Partner of Myosin Va. <i>Journal of Biological Chemistry</i> , 2005, 280, 17815-17822.	3.4	84
8	The Globular Tail Domain of Myosin Va Functions as an Inhibitor of the Myosin Va Motor. <i>Journal of Biological Chemistry</i> , 2006, 281, 21789-21798.	3.4	78
9	The tail binds to the head-neck domain, inhibiting ATPase activity of myosin VIIA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8483-8488.	7.1	78
10	Myosin-I nomenclature. <i>Journal of Cell Biology</i> , 2001, 155, 703-704.	5.2	71
11	Myosin-X Induces Filopodia by Multiple Elongation Mechanism. <i>Journal of Biological Chemistry</i> , 2010, 285, 19605-19614.	3.4	70
12	Interacting-heads motif has been conserved as a mechanism of myosin II inhibition since before the origin of animals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1991-E2000.	7.1	70
13	The core of the motor domain determines the direction of myosin movement. <i>Nature</i> , 2001, 412, 831-834.	27.8	68
14	The globular tail domain puts on the brake to stop the ATPase cycle of myosin Va. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1140-1145.	7.1	65
15	Cargo binding activates myosin VIIA motor function in cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7028-7033.	7.1	63
16	Cryo-EM structure of the inhibited (10S) form of myosin II. <i>Nature</i> , 2020, 588, 521-525.	27.8	59
17	Regulation of the function of mammalian myosin and its conformational change. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 157-164.	2.1	53
18	Myosin X Is a High Duty Ratio Motor. <i>Journal of Biological Chemistry</i> , 2005, 280, 29381-29391.	3.4	50

#	ARTICLE	IF	CITATIONS
19	Complex Alteration and Enhanced Mitochondrial Fusion Are Associated With Prostate Cancer Progression. <i>Journal of Cellular Physiology</i> , 2016, 231, 1364-1374.	4.1	42
20	Mitochondrial Reprogramming Regulates Breast Cancer Progression. <i>Clinical Cancer Research</i> , 2016, 22, 3348-3360.	7.0	40
21	Myosin X is recruited to nascent focal adhesions at the leading edge and induces multi-cycle filopodial elongation. <i>Scientific Reports</i> , 2017, 7, 13685.	3.3	37
22	Structure and Regulation of the Movement of Human Myosin VIIA. <i>Journal of Biological Chemistry</i> , 2015, 290, 17587-17598.	3.4	34
23	NK-CD11c+ Cell Crosstalk in Diabetes Enhances IL-6-Mediated Inflammation during Mycobacterium tuberculosis Infection. <i>PLoS Pathogens</i> , 2016, 12, e1005972.	4.7	33
24	Mesomesenchymal transition of pleural mesothelial cells is PI3K and NF- κ B dependent. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 308, L1265-L1273.	2.9	32
25	The Interaction between the Regulatory Light Chain Domains on Two Heads Is Critical for Regulation of Smooth Muscle Myosin. <i>Biochemistry</i> , 2000, 39, 2254-2260.	2.5	31
26	Inhibition of Glycogen Synthase Kinase 3 β Blocks Mesomesenchymal Transition and Attenuates Streptococcus pneumoniae-Mediated Pleural Injury in Mice. <i>American Journal of Pathology</i> , 2017, 187, 2461-2472.	3.8	31
27	Fibrin turnover and pleural organization: bench to bedside. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018, 314, L757-L768.	2.9	30
28	A unique mechanism for the processive movement of single-headed myosin-IX. <i>Biochemical and Biophysical Research Communications</i> , 2006, 343, 1159-1164.	2.1	26
29	PD-L1 mediates lung fibroblast to myofibroblast transition through Smad3 and β -catenin signaling pathways. <i>Scientific Reports</i> , 2022, 12, 3053.	3.3	23
30	Mechanism of phosphorylation of the regulatory light chain of myosin from tarantula striated muscle. <i>Journal of Muscle Research and Cell Motility</i> , 2001, 22, 51-59.	2.0	22
31	The effect of novel mutations on the structure and enzymatic activity of unconventional myosins associated with autosomal dominant non-syndromic hearing loss. <i>Open Biology</i> , 2014, 4, 140107.	3.6	19
32	Organizing empyema induced in mice by <i>Streptococcus pneumoniae</i> : effects of plasminogen activator inhibitor-1 deficiency. <i>Clinical and Translational Medicine</i> , 2016, 5, 17.	4.0	19
33	KIF5A transports collagen vesicles of myofibroblasts during pleural fibrosis. <i>Scientific Reports</i> , 2017, 7, 4556.	3.3	18
34	Human myosin VIIa is a very slow processive motor protein on various cellular actin structures. <i>Journal of Biological Chemistry</i> , 2017, 292, 10950-10960.	3.4	17
35	Myocardin Is Involved in Mesothelial-Mesenchymal Transition of Human Pleural Mesothelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019, 61, 86-96.	2.9	16
36	Rac1 modulates G-protein-coupled receptor-induced bronchial smooth muscle contraction. <i>European Journal of Pharmacology</i> , 2018, 818, 74-83.	3.5	15

#	ARTICLE	IF	CITATIONS
37	The central role of the tail in switching off 10S myosin II activity. <i>Journal of General Physiology</i> , 2019, 151, 1081-1093.	1.9	15
38	Mitochondria-associated myosin 19 processively transports mitochondria on actin tracks in living cells. <i>Journal of Biological Chemistry</i> , 2022, 298, 101883.	3.4	15
39	Activated full-length myosin-X moves processively on filopodia with large steps toward diverse two-dimensional directions. <i>Scientific Reports</i> , 2017, 7, 44237.	3.3	12
40	The Antiparallel Dimerization of Myosin X Imparts Bundle Selectivity for Processive Motility. <i>Biophysical Journal</i> , 2018, 114, 1400-1410.	0.5	12
41	Proliferative regulation of alveolar epithelial type 2 progenitor cells by human <i>Scnn1d</i> gene. <i>Theranostics</i> , 2019, 9, 8155-8170.	10.0	12
42	DOCK2 Promotes Pleural Fibrosis by Modulating Mesothelial to Mesenchymal Transition. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2022, 66, 171-182.	2.9	11
43	Phosphorylation of myosin II regulatory light chain by ZIP kinase is responsible for cleavage furrow ingression during cell division in mammalian cultured cells. <i>Biochemical and Biophysical Research Communications</i> , 2015, 459, 686-691.	2.1	9
44	Visualization of stimulus-specific heterogeneous activation of individual vascular smooth muscle cells in aortic tissues. <i>Journal of Cellular Physiology</i> , 2018, 233, 434-446.	4.1	8
45	Mechanical Characterization of One-Headed Myosin-V Using Optical Tweezers. <i>PLoS ONE</i> , 2010, 5, e12224.	2.5	8
46	Identification of the Isoform-specific Interactions between the Tail and the Head of Class V Myosin. <i>Journal of Biological Chemistry</i> , 2016, 291, 8241-8250.	3.4	7
47	p116 ^{Rip} promotes myosin phosphatase activity in airway smooth muscle cells. <i>Journal of Cellular Physiology</i> , 2020, 235, 114-127.	4.1	7
48	NOX1 Promotes Mesothelial to Mesenchymal Transition through Modulation of Reactive Oxygen Species-mediated Signaling. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2021, 64, 492-503.	2.9	7
49	Calponin 1 contributes to myofibroblast differentiation of human pleural mesothelial cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2022, 322, L348-L364.	2.9	7
50	Myo5b Transports Fibronectin-Containing Vesicles and Facilitates FN1 Secretion from Human Pleural Mesothelial Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4823.	4.1	6
51	Analysis of stress in the active site of myosin accompanied by conformational changes in transient state intermediate complexes using photoaffinity labeling and 19F-NMR spectroscopy. <i>FEBS Journal</i> , 1998, 252, 520-529.	0.2	4
52	Myosin VI Lever Arm Rotation: Fixed or Variable?. <i>Nature Precedings</i> , 2010, , .	0.1	4
53	Conformational Change and Regulation of Myosin Molecules. , 2005, 565, 61-72.		2
54	Motor Function of Unconventional Myosin. <i>Advances in Experimental Medicine and Biology</i> , 2003, 538, 143-157.	1.6	2

#	ARTICLE	IF	CITATIONS
55	The E1841K Mutation in MYH-9 of a Patient with May-Hegglin Anomaly Inhibits the Disassembly of Non-Muscle Myosin IIA (MYH-9) Responsible for the Phenotype of the Disease.. Blood, 2004, 104, 736-736.	1.4	2
56	TGF- β^2 regulation of the uPA/uPAR axis modulates mesothelial-mesenchymal transition (MesoMT). Scientific Reports, 2021, 11, 21210.	3.3	2
57	Myosin X and Cytoskeletal Reorganization. Applied Microscopy, 2018, 48, 33-42.	1.4	1
58	Caveolin-1-Derived Peptide Reduces ER Stress and Enhances Gelatinolytic Activity in IPF Fibroblasts. International Journal of Molecular Sciences, 2022, 23, 3316.	4.1	1
59	The two-headed structure of myosin-V stabilizes its processive movement.. Seibutsu Butsuri, 2003, 43, S143.	0.1	0
60	1P303 Kinetic mechanism of the Fastest Motor Protein, Chara Myosin(9. Molecular motor (I),Poster) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.1	0
61	1P286 Analysis of unconventional myosins by spectroscopic electron cryomicroscopy.(9. Molecular) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 S218.	0.1	0
62	2P117 Analysis of unconventional myosins by spectroscopic electron cryo-microscopy(Molecular) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.1	0
63	1P-141 Interaction between myosin-X and integrin- β^2 acts as a crampon during filopodia protrusion(The) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.1	0
64	Protein kinase C epsilon translocates to the Receptor for Activated C α Kinase upon adenosine A1 receptor stimulation of the rat myocardium. FASEB Journal, 2008, 22, 748.5.	0.5	0