## Ahn Youngho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6368100/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparative growth characteristics and interspecific competitive interaction of two cyanobacteria, <i>Phormidium autumnale</i> and <i>Nostoc</i> sp Journal of Environmental Quality, 2022, 51, 78-89.	1.0	2
2	Terpinolene as an enhancer for ultrasonic disinfection of multi-drug-resistant bacteria in hospital wastewater. Environmental Science and Pollution Research, 2022, 29, 34500-34514.	2.7	7
3	Green phytoextracts as natural photosensitizers in LED-based photodynamic disinfection of multidrug-resistant bacteria in wastewater effluent. Chemosphere, 2022, 297, 134157.	4.2	10
4	Synthesis and characterization of sulfonated hafnium oxide nanoparticles for energy storage devices. Inorganic Chemistry Communication, 2022, 141, 109615.	1.8	6
5	Fabrication and application of novel high strength sulfonated PVDF ultrafiltration membrane for production of reclamation water. Chemosphere, 2022, 305, 135416.	4.2	7
6	Layered KTO/BiOCl nanostructures for the efficient visible light photocatalytic degradation of harmful dyes. Chemosphere, 2022, 306, 135659.	4.2	14
7	Self-healing functionalization of sulfonated hafnium oxide and copper oxide nanocomposite for effective biocidal control of multidrug-resistant bacteria. New Journal of Chemistry, 2021, 45, 9506-9517.	1.4	12
8	Enhanced Performance of Sulfonated GO in SPEEK Proton-Exchange Membrane for Microbial Fuel-Cell Application. Journal of Environmental Engineering, ASCE, 2021, 147, .	0.7	12
9	Influence of Abiotic Factors on the Growth of Cyanobacteria Isolated from Nakdong River, South Korea 1. Journal of Phycology, 2021, 57, 874-885.	1.0	6
10	Hormones induce the metabolic growth and cytotoxin production of Microcystis aeruginosa under terpinolene stress. Science of the Total Environment, 2021, 769, 145083.	3.9	14
11	Facile one-pot microwave assisted synthesis of rGO-CuS-ZnS hybrid nanocomposite cathode catalysts for microbial fuel cell application. Chemosphere, 2021, 278, 130426.	4.2	23
12	Antibacterial and Adsorption Properties of Sulfonated GO-PVDF Nanocomposite Ultrafiltration Membranes for Environmental Applications. Journal of Environmental Engineering, ASCE, 2021, 147, .	0.7	5
13	Growth characteristics of lytic cyanophages newly isolated from the Nakdong River, Korea. Virus Research, 2021, 306, 198600.	1.1	7
14	Enhanced antifouling performance of PVDF ultrafiltration membrane by blending zinc oxide with support of graphene oxide nanoparticle. Chemosphere, 2020, 241, 125068.	4.2	77
15	Auto-cleaning functionalization of the polyvinylidene fluoride membrane by the biocidal oxine/TiO2 nanocomposite for anti-biofouling properties. New Journal of Chemistry, 2020, 44, 807-816.	1.4	11
16	Fabrication of a Novel Nanocomposite Ultrafiltration Membrane with Improved Antifouling Properties Using Functionalized HfO <sub>2</sub> and Polyvinylidene Fluoride for Organic Foulant Mitigation. Industrial & Engineering Chemistry Research, 2020, 59, 19272-19284.	1.8	9
17	Nanocomposite membrane integrated phage enrichment process for the enhancement of high rate phage infection and productivity. Biochemical Engineering Journal, 2020, 163, 107740.	1.8	4
18	Antibacterial and photocatalytic activities of 5-nitroindole capped bimetal nanoparticles against multidrug resistant bacteria. Colloids and Surfaces B: Biointerfaces, 2020, 188, 110825.	2.5	25

Ани Youngho

#	Article	IF	CITATIONS
19	Enhanced cathode performance of Fe <sub>2</sub> O <sub>3</sub> , boron nitride-doped rGO nanosheets for microbial fuel cell applications. Sustainable Energy and Fuels, 2020, 4, 1454-1468.	2.5	16
20	Reductive dechlorination of perchloroethene (PCE) and bacterial community changes in a continuous-flow, two-stage anaerobic column. International Biodeterioration and Biodegradation, 2019, 138, 41-49.	1.9	12
21	A non-noble V2O5 nanorods as an alternative cathode catalyst for microbial fuel cell applications. International Journal of Hydrogen Energy, 2019, 44, 4974-4984.	3.8	42
22	Effectiveness of phase- and morphology-controlled MnO <sub>2</sub> nanomaterials derived from flower-like δ-MnO <sub>2</sub> as alternative cathode catalyst in microbial fuel cells. Dalton Transactions, 2019, 48, 5429-5443.	1.6	39
23	Characterization of Trichoderma asperellum RM-28 for its sodic/saline-alkali tolerance and plant growth promoting activities to alleviate toxicity of red mud. Science of the Total Environment, 2019, 662, 462-469.	3.9	41
24	Fabrication and characterization of anti-fouling and non-toxic polyvinylidene fluoride -Sulphonated carbon nanotube ultrafiltration membranes for membrane bioreactors applications. Chemical Engineering Research and Design, 2019, 142, 176-188.	2.7	42
25	Antibacterial and photocatalytic activity of hydrothermally synthesized SnO2 doped GO and CNT under visible light irradiation. Journal of Photochemistry and Photobiology B: Biology, 2019, 191, 18-25.	1.7	45
26	Improved visible light photocatalytic activity of rGO–Fe <sub>3</sub> O <sub>4</sub> –NiO hybrid nanocomposites synthesized by <i>in situ</i> facile method for industrial wastewater treatment applications. New Journal of Chemistry, 2018, 42, 4372-4383.	1.4	49
27	Enhanced Photocatalytic Degradation of Synthetic Dyes and Industrial Dye Wastewater by Hydrothermally Synthesized G–CuO–Co3O4 Hybrid Nanocomposites Under Visible Light Irradiation. Journal of Cluster Science, 2018, 29, 235-250.	1.7	17
28	Non-toxic properties of TiO2 and STiO2 nanocomposite PES ultrafiltration membranes for application in membrane-based environmental biotechnology. Ecotoxicology and Environmental Safety, 2018, 158, 248-255.	2.9	18
29	Enhanced cathode performance of a rGO–V <sub>2</sub> O <sub>5</sub> nanocomposite catalyst for microbial fuel cell applications. Dalton Transactions, 2018, 47, 16777-16788.	1.6	19
30	Fabrication and separation performance of polyethersulfone/sulfonated TiO2 (PES–STiO2) ultrafiltration membranes for fouling mitigation. Journal of Industrial and Engineering Chemistry, 2018, 67, 199-209.	2.9	49
31	Biofouling reduction in a MBR by the application of a lytic phage on a modified nanocomposite membrane. Environmental Science: Water Research and Technology, 2018, 4, 1624-1638.	1.2	28
32	A Review and Perspective of Constructed Wetlands as a Green Technology in Decentralization Practices. , 2017, , 1-43.		4
33	Microbial community analysis of bulk sludge/cake layers and biofouling-causing microbial consortia in a full-scale aerobic membrane bioreactor. Bioresource Technology, 2017, 227, 133-141.	4.8	65
34	Synthesis and application of graphene-αMoO 3 nanocomposite for improving visible light irradiated photocatalytic decolorization of methylene blue dye. Journal of the Taiwan Institute of Chemical Engineers, 2017, 80, 276-285.	2.7	13
35	Effectiveness of piggery waste treatment using microbial fuel cells coupled with elutriated-phased acid fermentation. Bioresource Technology, 2017, 244, 650-657.	4.8	40
36	Application of sulfonic acid group functionalized graphene oxide to improve hydrophilicity, permeability, and antifouling of PVDF nanocomposite ultrafiltration membranes. Journal of Membrane Science, 2017, 525, 210-219.	4.1	349

Ани Youngho

#	Article	IF	CITATIONS
37	Bacterial Communities and Antibiotic Resistance Communities in a Full-Scale Hospital Wastewater Treatment Plant by High-Throughput Pyrosequencing. Water (Switzerland), 2016, 8, 580.	1.2	24
38	Current State of Knowledge in Microbial Degradation of Polycyclic Aromatic Hydrocarbons (PAHs): A Review. Frontiers in Microbiology, 2016, 7, 1369.	1.5	595
39	Application of graphene-based nanomaterials as novel cathode catalysts for improving power generation in single chamber microbial fuel cells. Journal of Power Sources, 2016, 327, 548-556.	4.0	58
40	Desalination of Basal Water by Mesoporous Carbons Nanocomposite Membrane. Journal of Nanoscience and Nanotechnology, 2016, 16, 2084-2087.	0.9	1
41	Nanocomposite membranes based on sulfonated polystyrene ethylene butylene polystyrene (SSEBS) and sulfonated SiO 2 for microbial fuel cell application. Chemical Engineering Journal, 2016, 289, 442-451.	6.6	77
42	Constructed wetlands as sustainable ecotechnologies in decentralization practices: a review. Environmental Science and Pollution Research, 2016, 23, 180-197.	2.7	95
43	Effectiveness of Domestic Wastewater Treatment Using a Bio-Hedge Water Hyacinth Wetland System. Water (Switzerland), 2015, 7, 329-347.	1.2	69
44	Enhanced bioelectricity harvesting in microbial fuel cells treating food waste leachate produced from biohydrogen fermentation. Bioresource Technology, 2015, 183, 53-60.	4.8	39
45	Biohydrogen Fermentation from Sucrose and Piggery Waste with High Levels of Bicarbonate Alkalinity. Energies, 2015, 8, 1716-1729.	1.6	21
46	Performance evaluation of highly conductive graphene (RGO <sub>HI–AcOH</sub> ) and graphene/metal nanoparticle composites (RGO/Ni) coated on carbon cloth for supercapacitor applications. RSC Advances, 2015, 5, 92970-92979.	1.7	27
47	Characteristics of biohydrogen fermentation from various substrates. International Journal of Hydrogen Energy, 2014, 39, 3152-3159.	3.8	21
48	Effect of hydrogen producing mixed culture on performance of microbial fuel cells. International Journal of Hydrogen Energy, 2014, 39, 9482-9489.	3.8	10
49	Comparative performance of air-lift partial nitritation processes with attached growth and suspended growth without biomass retention. Environmental Technology (United Kingdom), 2014, 35, 1328-1337.	1.2	6
50	Performance of high-rate constructed phytoremediation process with attached growth for domestic wastewater treatment: Effect of high TDS and Cu. Journal of Environmental Management, 2014, 145, 1-8.	3.8	31
51	Increased power generation from primary sludge in microbial fuel cells coupled with prefermentation. Bioprocess and Biosystems Engineering, 2014, 37, 2549-2557.	1.7	18
52	Increased hydrazine during partial nitritation process in upflow air-lift reactor fed with supernatant of anaerobic digester effluent. Korean Journal of Chemical Engineering, 2013, 30, 1235-1240.	1.2	5
53	Continuous electricity generation in stacked air cathode microbial fuel cell treating domestic wastewater. Journal of Environmental Management, 2013, 130, 146-152.	3.8	82
54	Impedance and Thermodynamic Analysis of Bioanode, Abiotic Anode, and Riboflavin-Amended Anode in Microbial Fuel Cells. Bulletin of the Korean Chemical Society, 2012, 33, 3349-3354.	1.0	47

Ани Youngho

#	Article	IF	CITATIONS
55	Effectiveness of domestic wastewater treatment using microbial fuel cells at ambient and mesophilic temperatures. Bioresource Technology, 2010, 101, 469-475.	4.8	363
56	Comment on "Sustainable Power Generation in Microbial Fuel Cells Using Bicarbonate Buffer and Proton Transfer Mechanisms― Environmental Science & Technology, 2008, 42, 6303-6305.	4.6	3
57	Autotrophic nitrogen removal from sludge digester liquids in upflow sludge bed reactor with external aeration. Process Biochemistry, 2006, 41, 1945-1950.	1.8	52
58	Sustainable nitrogen elimination biotechnologies: A review. Process Biochemistry, 2006, 41, 1709-1721.	1.8	485
59	Comparative process stability and efficiency of anaerobic digestion; mesophilic vs. thermophilic. Water Research, 2002, 36, 4369-4385.	5.3	397
60	Pre-acidification in anaerobic sludge bed process treating brewery wastewater. Water Research, 2001, 35, 4267-4276.	5.3	32