Stanislav Sutovsky

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6368260/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	ADAMANT: a placebo-controlled randomized phase 2 study of AADvac1, an active immunotherapy against pathological tau in Alzheimer's disease. Nature Aging, 2021, 1, 521-534.	11.6	64
2	Acute and regular exercise distinctly modulate serum, plasma and skeletal muscle BDNF in the elderly. Neuropeptides, 2019, 78, 101961.	2.2	41
3	Decreased baroreflex sensitivity in Parkinson's disease is associated with orthostatic hypotension. Journal of the Neurological Sciences, 2017, 377, 207-211.	0.6	23
4	Aerobic-Strength Exercise Improves Metabolism and Clinical State in Parkinson's Disease Patients. Frontiers in Neurology, 2017, 8, 698.	2.4	23
5	Excessive Daytime Sleepiness in Acute Ischemic Stroke: Association With Restless Legs Syndrome, Diabetes Mellitus, Obesity, and Sleep-Disordered Breathing. Journal of Clinical Sleep Medicine, 2018, 14, 95-100.	2.6	22
6	Neuropathology and biochemistry of early onset familial Alzheimer's disease caused by presenilin-1 missense mutation Thr116Asn. Journal of Neural Transmission, 2018, 125, 965-976.	2.8	12
7	Characteristics of Sleep-Disordered Breathing in Etiologic Subtypes of Minor-to-Moderate Acute Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1087-1093.	1.6	8
8	Predictors of impaired endothelial function in obstructive sleep apnea syndrome. Neuroendocrinology Letters, 2014, 35, 142-8.	0.2	7
9	O2-08-05: Combined aerobic-strength exercise improves cognitive functions in patients with mild cognitive impairment. , 2015, 11, P193-P193.		6
10	Impairment of endothelial function in patients with multiple sclerosis. Neuroendocrinology Letters, 2015, 36, 67-71.	0.2	5
11	Allelic Distribution of Genes for Apolipoprotein E and MTHFR in Patients with Alzheimer's Disease and Their Epistatic Interaction. Journal of Alzheimer's Disease, 2020, 77, 1095-1105.	2.6	3
12	Atypical Huntington's disease with the clinical presentation of behavioural variant of frontotemporal dementia. Journal of Neural Transmission, 2016, 123, 1423-1433.	2.8	2
13	Prevalence, Recognition, and Treatment of Dementia in Assisted Living Facilities. Dementia and Geriatric Cognitive Disorders, 2018, 45, 27-37.	1.5	2
14	Association of <i>CD33</i> rs3865444:C˃A polymorphism with a reduced risk of lateâ€onset Alzheimer's disease in Slovaks is limited to subjects carrying the <i>APOE</i> ε4 allele. International Journal of Immunogenetics, 2020, 47, 397-405.	1.8	2
15	O3â€07â€03: A LINK BETWEEN COGNITIVE FUNCTION AND PHYSICAL ACTIVITY: THE IMPACT OF AEROBICâ€5TRE EXERCISE IN SENIORS WITH MILD COGNITIVE IMPAIRMENT AND/OR IMPAIRED GLUCOSE METABOLISM. Alzheimer's and Dementia, 2018, 14, P1030.	ENGTH 0.8	1
16	Differing clinical presentations of two unrelated cases of X-linked adrenoleukodystrophy with identical mutation Y296C in the ABCD1 gene. Neuroendocrinology Letters, 2014, 35, 411-6.	0.2	1
17	Proton magnetic resonance spectroscopy in patients with solitary and sporadic temporal lobe epileptic seizures. Biologia (Poland), 2012, 67, 1245-1250.	1.5	0
18	P2â€154: Effects of Aerobic‣trength Training on Selected Molecular Targets in Cerebrospinal Fluid of Seniors with Mild Cognitive Impairment. Alzheimer's and Dementia, 2016, 12, P673.	0.8	0

#	Article	IF	CITATIONS
19	P2-182: A Variant of Frontotemporal Lobar Degeneration with Expanded Trinucleotide CAG Repeats in the Huntingtin Gene. , 2016, 12, P687-P687.		0
20	[P2–021]: EFFECTS OF ENDURANCE‧TRENGTH TRAINING ON MOTOR FUNCTIONS, COGNITION AND GLUCC METABOLISM IN PATIENTS WITH PARKINSON'S DISEASE. Alzheimer's and Dementia, 2017, 13, P612.	0.8 0.8	0
21	[P3–109]: ALLELIC DISTRIBUTION OF GENES FOR APOLIPOPROTEIN E AND MTHFR IN PATIENTS WITH ALZHEIMER'S DISEASE AND THEIR EPISTATIC INTERACTION. Alzheimer's and Dementia, 2017, 13, P976.	0.8	0
22	P1â€500: NEUROPATHOLOGY OF EARLYâ€ONSET FAMILIAL ALZHEIMER'S DISEASE CAUSED BY PRESENILINâ€1 MISSENSE MUTATION THR116ASN. Alzheimer's and Dementia, 2018, 14, P521.	0.8	0