

Sarne De Vlieghe

List of Publications by Citations

Source: <https://exaly.com/author-pdf/636828/sarne-de-vlieghe-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

3,639
citations

35
h-index

53
g-index

141
ext. papers

4,330
ext. citations

3.3
avg, IF

5.29
L-index

#	Paper	IF	Citations
134	Invited review: Mastitis in dairy heifers: nature of the disease, potential impact, prevention, and control. <i>Journal of Dairy Science</i> , 2012 , 95, 1025-40	4	258
133	Some coagulase-negative Staphylococcus species affect udder health more than others. <i>Journal of Dairy Science</i> , 2011 , 94, 2329-40	4	143
132	Distribution of coagulase-negative Staphylococcus species from milk and environment of dairy cows differs between herds. <i>Journal of Dairy Science</i> , 2011 , 94, 2933-44	4	133
131	Prevalence and distribution of mastitis pathogens in subclinically infected dairy cows in Flanders, Belgium. <i>Journal of Dairy Research</i> , 2007 , 74, 478-83	1.6	129
130	Invited review: effect, persistence, and virulence of coagulase-negative Staphylococcus species associated with ruminant udder health. <i>Journal of Dairy Science</i> , 2014 , 97, 5275-93	4	102
129	Identification, typing, ecology and epidemiology of coagulase negative staphylococci associated with ruminants. <i>Veterinary Journal</i> , 2015 , 203, 44-51	2.5	90
128	Pig, cattle and poultry farmers with a known interest in research have comparable perspectives on disease prevention and on-farm biosecurity. <i>Preventive Veterinary Medicine</i> , 2014 , 115, 1-9	3.1	72
127	Performance of API Staph ID 32 and Staph-Zym for identification of coagulase-negative staphylococci isolated from bovine milk samples. <i>Veterinary Microbiology</i> , 2009 , 136, 300-5	3.3	72
126	Pathogen-specific incidence rate of clinical mastitis in Flemish dairy herds, severity, and association with herd hygiene. <i>Journal of Dairy Science</i> , 2014 , 97, 6926-34	4	68
125	Heifers infected with coagulase-negative staphylococci in early lactation have fewer cases of clinical mastitis and higher milk production in their first lactation than noninfected heifers. <i>Journal of Dairy Science</i> , 2010 , 93, 2014-24	4	63
124	Culture-independent exploration of the teat apex microbiota of dairy cows reveals a wide bacterial species diversity. <i>Veterinary Microbiology</i> , 2012 , 157, 383-90	3.3	62
123	Prepartum teat apex colonization with Staphylococcus chromogenes in dairy heifers is associated with low somatic cell count in early lactation. <i>Veterinary Microbiology</i> , 2003 , 92, 245-52	3.3	62
122	Quantification of antimicrobial consumption in adult cattle on dairy herds in Flanders, Belgium, and associations with udder health, milk quality, and production performance. <i>Journal of Dairy Science</i> , 2016 , 99, 2118-2130	4	61
121	Comparison of embryo quality in high-yielding dairy cows, in dairy heifers and in beef cows. <i>Theriogenology</i> , 2005 , 64, 2022-36	2.8	61
120	Interrelations between glucose-induced insulin response, metabolic indicators, and time of first ovulation in high-yielding dairy cows. <i>Journal of Dairy Science</i> , 2008 , 91, 3363-71	4	60
119	A Staphylococcus xylosus isolate with a new mecC allotype. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 1524-8	5.9	58
118	Identification of bovine-associated coagulase-negative staphylococci by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry using a direct transfer protocol. <i>Journal of Dairy Science</i> , 2017 , 100, 2137-2147	4	56

117	Pathogen group specific risk factors at herd, heifer and quarter levels for intramammary infections in early lactating dairy heifers. <i>Preventive Veterinary Medicine</i> , 2011 , 99, 91-101	3.1	56
116	In vitro growth inhibition of major mastitis pathogens by <i>Staphylococcus chromogenes</i> originating from teat apices of dairy heifers. <i>Veterinary Microbiology</i> , 2004 , 101, 215-21	3.3	56
115	<i>Staphylococcus agnetis</i> sp. nov., a coagulase-variable species from bovine subclinical and mild clinical mastitis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 61-65	2.2	53
114	Impact of early lactation somatic cell count in heifers on milk yield over the first lactation. <i>Journal of Dairy Science</i> , 2005 , 88, 938-47	4	50
113	Intra-species diversity and epidemiology varies among coagulase-negative <i>Staphylococcus</i> species causing bovine intramammary infections. <i>Veterinary Microbiology</i> , 2012 , 155, 62-71	3.3	47
112	Unraveling the microbiota of teat apices of clinically healthy lactating dairy cows, with special emphasis on coagulase-negative staphylococci. <i>Journal of Dairy Science</i> , 2013 , 96, 1499-510	4	47
111	Further evidence for the existence of environmental and host-associated species of coagulase-negative staphylococci in dairy cattle. <i>Veterinary Microbiology</i> , 2014 , 172, 466-74	3.3	46
110	Technical note: use of transfer RNA-intergenic spacer PCR combined with capillary electrophoresis to identify coagulase-negative <i>Staphylococcus</i> species originating from bovine milk and teat apices. <i>Journal of Dairy Science</i> , 2009 , 92, 3204-10	4	42
109	Management practices and heifer characteristics associated with early lactation somatic cell count of Belgian dairy heifers. <i>Journal of Dairy Science</i> , 2004 , 87, 937-47	4	42
108	Prevalence of non-aureus staphylococci species causing intramammary infections in Canadian dairy herds. <i>Journal of Dairy Science</i> , 2017 , 100, 5592-5612	4	41
107	Association between somatic cell count in early lactation and culling of dairy heifers using cox frailty models. <i>Journal of Dairy Science</i> , 2005 , 88, 560-8	4	41
106	Variability in acquired resistance of <i>Pasteurella</i> and <i>Mannheimia</i> isolates from the nasopharynx of calves, with particular reference to different herd types. <i>Microbial Drug Resistance</i> , 2005 , 11, 387-94	2.9	41
105	(GTG)5-PCR fingerprinting for the classification and identification of coagulase-negative <i>Staphylococcus</i> species from bovine milk and teat apices: a comparison of type strains and field isolates. <i>Veterinary Microbiology</i> , 2011 , 147, 67-74	3.3	39
104	Longitudinal field study to assess sow level risk factors associated with stillborn piglets. <i>Animal Reproduction Science</i> , 2010 , 120, 78-83	2.1	38
103	Intramammary infection with coagulase-negative staphylococci at parturition: Species-specific prevalence, risk factors, and effect on udder health. <i>Journal of Dairy Science</i> , 2016 , 99, 6457-6469	4	38
102	Impact of intramammary infections in dairy heifers on future udder health, milk production, and culling. <i>Veterinary Microbiology</i> , 2009 , 134, 113-20	3.3	37
101	Impact of early lactation somatic cell count in heifers on somatic cell counts over the first lactation. <i>Journal of Dairy Science</i> , 2004 , 87, 3672-82	4	37
100	Influence of counting chamber type on CASA outcomes of equine semen analysis. <i>Equine Veterinary Journal</i> , 2012 , 44, 542-9	2.4	36

99	The effect of intramammary infection with coagulase-negative staphylococci in early lactating heifers on milk yield throughout first lactation revisited. <i>Journal of Dairy Science</i> , 2013 , 96, 5095-105	4	35
98	Influence of different centrifugation protocols on equine semen preservation. <i>Theriogenology</i> , 2010 , 74, 118-26	2.8	34
97	Characterization of coagulase-negative staphylococcus species from cowsSmilk and environment based on bap, icaA, and mecA genes and phenotypic susceptibility to antimicrobials and teat dips. <i>Journal of Dairy Science</i> , 2012 , 95, 7027-38	4	33
96	Protocol of the Caesarean section as performed in daily bovine practice in Belgium. <i>Reproduction in Domestic Animals</i> , 2007 , 42, 583-9	1.6	33
95	The association between indicators of inflammation and liver variables during the transition period in high-yielding dairy cows: an observational study. <i>Veterinary Journal</i> , 2012 , 192, 222-5	2.5	32
94	Technical note: Flow cytometric identification of bovine milk neutrophils and simultaneous quantification of their viability. <i>Journal of Dairy Science</i> , 2009 , 92, 626-31	4	32
93	Antibacterial activities of coagulase-negative staphylococci from bovine teat apex skin and their inhibitory effect on mastitis-related pathogens. <i>Journal of Applied Microbiology</i> , 2014 , 116, 1084-93	4.7	31
92	Differences between coagulase-negative Staphylococcus species in persistence and in effect on somatic cell count and milk yield in dairy goats. <i>Journal of Dairy Science</i> , 2012 , 95, 5075-5084	4	31
91	Differences in the glucose-induced insulin response and the peripheral insulin responsiveness between neonatal calves of the Belgian Blue, Holstein-Friesian, and East Flemish breeds. <i>Journal of Dairy Science</i> , 2009 , 92, 4404-11	4	31
90	Optimization of the isolation, culture, and characterization of equine umbilical cord blood mesenchymal stromal cells. <i>Tissue Engineering - Part C: Methods</i> , 2011 , 17, 1061-70	2.9	29
89	Sperm selection using single layer centrifugation prior to cryopreservation can increase thawed sperm quality in stallions. <i>Equine Veterinary Journal</i> , 2011 , 43, 35-41	2.4	29
88	Coagulase-negative Staphylococcus species in bulk milk: Prevalence, distribution, and associated subgroup- and species-specific risk factors. <i>Journal of Dairy Science</i> , 2017 , 100, 629-642	4	28
87	Cost estimation of heifer mastitis in early lactation by stochastic modelling. <i>Veterinary Microbiology</i> , 2009 , 134, 121-7	3.3	23
86	Mastitis prevention and control practices and mastitis treatment strategies associated with the consumption of (critically important) antimicrobials on dairy herds in Flanders, Belgium. <i>Journal of Dairy Science</i> , 2016 , 99, 2896-2903	4	22
85	Staphylococcus devriesei sp. nov., isolated from teat apices and milk of dairy cows. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 2739-2744	2.2	22
84	Diagnosis and treatment of subclinical mastitis in early lactation in dairy goats. <i>Journal of Dairy Science</i> , 2010 , 93, 4710-21	4	22
83	Heifer and quarter characteristics associated with periparturient blood and milk neutrophil apoptosis in healthy heifers and in heifers with subclinical mastitis. <i>Journal of Dairy Science</i> , 2009 , 92, 4330-9	4	22
82	An investigation of the dynamics of intramammary infections acquired during the dry period on European dairy farms. <i>Journal of Dairy Science</i> , 2015 , 98, 6029-47	4	21

81	Teat apex colonization with coagulase-negative Staphylococcus species before parturition: Distribution and species-specific risk factors. <i>Journal of Dairy Science</i> , 2016 , 99, 1427-1439	4	20
80	Short communication: Associations between teat dimensions and milking-induced changes in teat dimensions and quarter milk somatic cell counts in dairy cows. <i>Journal of Dairy Science</i> , 2013 , 96, 1075-80	4	20
79	Variance components of teat dimensions in dairy cows and associated factors. <i>Journal of Dairy Science</i> , 2012 , 95, 4978-4988	4	19
78	Risk factors associated with subclinical mastitis as detected by California Mastitis Test in smallholder dairy farms in Jimma, Ethiopia using multilevel modelling. <i>Preventive Veterinary Medicine</i> , 2013 , 112, 68-75	3.1	18
77	Short communication: Species group-specific predictors at the cow and quarter level for intramammary infection with coagulase-negative staphylococci in dairy cattle throughout lactation. <i>Journal of Dairy Science</i> , 2015 , 98, 5448-53	4	17
76	Phenotypic and genotypic characterization of antimicrobial resistance profiles in <i>Streptococcus dysgalactiae</i> isolated from bovine clinical mastitis in 5 provinces of China. <i>Journal of Dairy Science</i> , 2018 , 101, 3344-3355	4	17
75	Interaction between bovine-associated coagulase-negative staphylococci species and strains and bovine mammary epithelial cells reflects differences in ecology and epidemiological behavior. <i>Journal of Dairy Science</i> , 2016 , 99, 2867-2874	4	17
74	Between-herd prevalence of <i>Mycoplasma bovis</i> in bulk milk in Flanders, Belgium. <i>Research in Veterinary Science</i> , 2012 , 92, 219-20	2.5	17
73	Validation of amplified fragment length polymorphism genotyping for species identification of bovine associated coagulase-negative staphylococci. <i>Journal of Microbiological Methods</i> , 2010 , 80, 287-94	2.8	17
72	Effect of prepartum dry cow antibiotic treatment in dairy heifers on udder health and milk production. <i>Journal of Dairy Science</i> , 2009 , 92, 4395-403	4	17
71	Evaluation of test-day milk somatic cell count information to predict intramammary infection with major pathogens in dairy cattle at drying off. <i>Journal of Dairy Science</i> , 2019 , 102, 4309-4321	4	16
70	Local host response following an intramammary challenge with <i>Staphylococcus fleurettii</i> and different strains of <i>Staphylococcus chromogenes</i> in dairy heifers. <i>Veterinary Research</i> , 2016 , 47, 56	3.8	16
69	Technical note: a pilot study using a mouse mastitis model to study differences between bovine associated coagulase-negative staphylococci. <i>Journal of Dairy Science</i> , 2015 , 98, 1090-100	4	16
68	Sources other than unused sawdust can introduce <i>Klebsiella pneumoniae</i> into dairy herds. <i>Journal of Dairy Science</i> , 2011 , 94, 2832-9	4	16
67	Pathogen-group specific association between CXCR1 polymorphisms and subclinical mastitis in dairy heifers. <i>Journal of Dairy Research</i> , 2012 , 79, 341-51	1.6	16
66	Effects of growth hormone secretagogues on the release of adenohipophyseal hormones in young and old healthy dogs. <i>Veterinary Journal</i> , 2006 , 172, 515-25	2.5	16
65	Genomic analysis of European bovine <i>Staphylococcus aureus</i> from clinical versus subclinical mastitis. <i>Scientific Reports</i> , 2020 , 10, 18172	4.9	16
64	Absence of zoonotic hepatitis E virus infection in Flemish dairy cows. <i>International Journal of Food Microbiology</i> , 2018 , 281, 54-59	5.8	16

63	Antimicrobial consumption on dairy herds and its association with antimicrobial inhibition zone diameters of non-aureus staphylococci and <i>Staphylococcus aureus</i> isolated from subclinical mastitis. <i>Journal of Dairy Science</i> , 2018 , 101, 3311-3322	4	15
62	Assessment of the suitability of mannitol salt agar for growing bovine-associated coagulase-negative staphylococci and its use under field conditions. <i>Research in Veterinary Science</i> , 2013 , 95, 347-51	2.5	15
61	Effects of growth hormone-releasing peptides in healthy dogs and in dogs with pituitary-dependent hyperadrenocorticism. <i>Molecular and Cellular Endocrinology</i> , 2002 , 197, 97-103	4.4	15
60	Investigation of differential somatic cell count as a potential new supplementary indicator to somatic cell count for identification of intramammary infection in dairy cows at the end of the lactation period. <i>Preventive Veterinary Medicine</i> , 2019 , 172, 104803	3.1	14
59	Immune response after an experimental intramammary challenge with killed <i>Staphylococcus aureus</i> in cows and heifers vaccinated and not vaccinated with Startvac, a polyvalent mastitis vaccine. <i>Journal of Dairy Science</i> , 2017 , 100, 769-782	4	14
58	Pathogen group specific risk factors for clinical mastitis, intramammary infection and blind quarters at the herd, cow and quarter level in smallholder dairy farms in Jimma, Ethiopia. <i>Preventive Veterinary Medicine</i> , 2015 , 120, 306-12	3.1	14
57	Short communication: Identification of coagulase-negative staphylococcus species from goat milk with the API Staph identification test and with transfer RNA-intergenic spacer PCR combined with capillary electrophoresis. <i>Journal of Dairy Science</i> , 2012 , 95, 7200-5	4	14
56	Calf-level factors associated with bovine neonatal pancytopenia--a multi-country case-control study. <i>PLoS ONE</i> , 2013 , 8, e80619	3.7	14
55	Motility characteristics of boar spermatozoa after addition of prostaglandin F2alpha. <i>Theriogenology</i> , 2003 , 60, 1435-43	2.8	14
54	In vitro and in vivo assessment of phage therapy against <i>Staphylococcus aureus</i> causing bovine mastitis. <i>Journal of Global Antimicrobial Resistance</i> , 2020 , 22, 762-770	3.4	12
53	Evaluation of the composite milk somatic cell count as a predictor of intramammary infection in dairy cattle. <i>Journal of Dairy Science</i> , 2016 , 99, 9271-9286	4	12
52	Short communication: Lactic acid bacteria from the honeybee inhibit the in vitro growth of mastitis pathogens. <i>Journal of Dairy Science</i> , 2016 , 99, 2940-2944	4	12
51	Effect of intramammary infection with non-aureus staphylococci in early lactation in dairy heifers on quarter somatic cell count and quarter milk yield during the first 4 months of lactation. <i>Journal of Dairy Science</i> , 2019 , 102, 6442-6453	4	12
50	Differential expression of CXCR1 and commonly used reference genes in bovine milk somatic cells following experimental intramammary challenge. <i>BMC Genetics</i> , 2015 , 16, 40	2.6	12
49	Oral supplementation of medium-chain fatty acids during the dry period supports the neutrophil viability of peripartum dairy cows. <i>Journal of Dairy Research</i> , 2013 , 80, 309-18	1.6	12
48	The effect of marine algae in the ration of high-yielding dairy cows during transition on metabolic parameters in serum and follicular fluid around parturition. <i>Journal of Dairy Science</i> , 2011 , 94, 4603-15	4	12
47	Short communication: In vitro antimicrobial susceptibility of <i>Mycoplasma bovis</i> isolates identified in milk from dairy cattle in Belgium, Germany, and Italy. <i>Journal of Dairy Science</i> , 2016 , 99, 6578-6584	4	12
46	Management and prevention of mastitis: A multifactorial approach with a focus on milking, bedding and data-management. <i>Journal of Integrative Agriculture</i> , 2018 , 17, 1214-1233	3.2	12

45	Herd level approach to high bulk milk somatic cell count problems in dairy cattle. <i>Veterinary Quarterly</i> , 2013 , 33, 82-93	8	11
44	Pre-operative and operative difficulties during bovine caesarean section in Belgium and associated risk factors. <i>Reproduction in Domestic Animals</i> , 2010 , 45, 1020-7	1.6	11
43	The effect of intramammary infection in early lactation with non-aureus staphylococci in general and <i>Staphylococcus chromogenes</i> specifically on quarter milk somatic cell count and quarter milk yield. <i>Journal of Dairy Science</i> , 2020 , 103, 768-782	4	10
42	Non- Staphylococci and Bovine Udder Health: Current Understanding and Knowledge Gaps. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 658031	3.1	10
41	Immune response in nonspecific mastitis: What can it tell us?. <i>Journal of Dairy Science</i> , 2020 , 103, 5376-5386	3.86	9
40	Manageable risk factors associated with bacterial and coliform counts in unpasteurized bulk milk in Flemish dairy herds. <i>Journal of Dairy Science</i> , 2014 , 97, 3409-19	4	9
39	Short communication: Subtyping of <i>Staphylococcus haemolyticus</i> isolates from milk and corresponding teat apices to verify the potential teat-skin origin of intramammary infections in dairy cows. <i>Journal of Dairy Science</i> , 2015 , 98, 7893-8	4	8
38	Pan-European agreement on dry cow therapy. <i>Veterinary Record</i> , 2018 , 182, 637	0.9	8
37	Effect of artificial insemination protocol and dose of frozen/thawed stallion semen on pregnancy results in mares. <i>Reproduction in Domestic Animals</i> , 2014 , 49, 487-91	1.6	8
36	Associations between CXCR1 polymorphisms and pathogen-specific incidence rate of clinical mastitis, test-day somatic cell count, and test-day milk yield. <i>Journal of Dairy Science</i> , 2014 , 97, 7927-39	4	8
35	Ghrelin-stimulation test in the diagnosis of canine pituitary dwarfism. <i>Research in Veterinary Science</i> , 2006 , 81, 24-30	2.5	8
34	Distribution of non-aureus staphylococci from quarter milk, teat apices, and rectal feces of dairy cows, and their virulence potential. <i>Journal of Dairy Science</i> , 2020 , 103, 10658-10675	4	8
33	The effect of mastitis management input and implementation of mastitis management on udder health, milk quality, and antimicrobial consumption in dairy herds. <i>Journal of Dairy Science</i> , 2019 , 102, 2401-2415	4	7
32	Pathogen group-specific risk factors for intramammary infection in treated and untreated dairy heifers participating in a prepartum antimicrobial treatment trial. <i>Journal of Dairy Science</i> , 2014 , 97, 6260-70	4.70	7
31	Association between herd exposure to BVDV-infection and bulk milk somatic cell count of Flemish dairy farms. <i>Preventive Veterinary Medicine</i> , 2013 , 109, 148-51	3.1	7
30	Effect on quarter milk somatic cell count and antimicrobial susceptibility of <i>Staphylococcus rostri</i> causing intramammary infection in dairy water buffaloes. <i>Journal of Dairy Science</i> , 2013 , 96, 3799-805	4	7
29	Short-term effect of transition from conventional to automated milking on teat skin and teat end condition. <i>Journal of Dairy Science</i> , 2003 , 86, 1646-52	4	7
28	Characteristics of Isolated From Bovine Mastitis Exposed to Subminimum Inhibitory Concentrations of Cefalotin or Ceftazidime. <i>BioMed Research International</i> , 2018 , 2018, 4301628	3	7

27	Somatic cell count and milk neutrophil viability of dairy heifers with specific CXCR1 genotypes following experimental intramammary infection with <i>Staphylococcus chromogenes</i> originating from milk. <i>Veterinary Journal</i> , 2015 , 204, 322-6	2.5	6
26	Validation and usefulness of the Sperm Quality Analyzer V equine for equine semen analysis. <i>Theriogenology</i> , 2011 , 75, 189-94	2.8	6
25	Infection dynamics across the dry period using Dairy Herd Improvement somatic cell count data and its effect on cow performance in the subsequent lactation. <i>Journal of Dairy Science</i> , 2019 , 102, 640-651	4	6
24	Milk losses and dynamics during perturbations in dairy cows differ with parity and lactation stage. <i>Journal of Dairy Science</i> , 2021 , 104, 405-418	4	6
23	Fecal non-aureus <i>Staphylococci</i> are a potential cause of bovine intramammary infection. <i>Veterinary Research</i> , 2020 , 51, 32	3.8	5
22	Systemic prepartum treatment of end-term dairy heifers with penethamate hydriodide: effect on udder health, milk yield, and culling until 120 days in milk. <i>Journal of Dairy Science</i> , 2013 , 96, 6324-35	4	5
21	Milk prolactin response and quarter milk yield after experimental infection with coagulase-negative <i>staphylococci</i> in dairy heifers. <i>Journal of Dairy Science</i> , 2015 , 98, 4593-600	4	5
20	Non-aureus <i>staphylococci</i> in fecal samples of dairy cows: First report and phenotypic and genotypic characterization. <i>Journal of Dairy Science</i> , 2019 , 102, 9345-9359	4	5
19	Longitudinal study on the effects of intramammary infection with non-aureus <i>staphylococci</i> on udder health and milk production in dairy heifers. <i>Journal of Dairy Science</i> , 2021 , 104, 899-914	4	5
18	Association of CXCR1 polymorphisms with apoptosis, necrosis and concentration of milk neutrophils in early lactating dairy heifers. <i>Research in Veterinary Science</i> , 2014 , 97, 55-9	2.5	4
17	Reactive oxygen species generation by bovine blood neutrophils with different CXCR1 (IL8RA) genotype following Interleukin-8 incubation. <i>BMC Veterinary Research</i> , 2015 , 11, 104	2.7	4
16	Topographic distribution of the different cell types, connective tissue and vascular tissue/lumina within a functional bovine corpus luteum and its association with breed, type of fixation protocol and stage during the cycle. <i>Reproduction in Domestic Animals</i> , 2013 , 48, 627-35	1.6	4
15	Aggressive angiomyxoma in a cow. <i>Veterinary Record</i> , 2001 , 149, 594-5	0.9	4
14	Milk losses linked to mastitis treatments at dairy farms with automatic milking systems. <i>Preventive Veterinary Medicine</i> , 2021 , 194, 105420	3.1	4
13	The bovine luteal histological composition: a topographic point of view. <i>Reproduction in Domestic Animals</i> , 2013 , 48, e29-32	1.6	3
12	Herd-level animal management factors associated with the occurrence of bovine neonatal pancytopenia in calves in a multi-country study. <i>PLoS ONE</i> , 2017 , 12, e0179878	3.7	3
11	Characterization of genetic diversity and population structure within <i>Staphylococcus chromogenes</i> by multilocus sequence typing. <i>PLoS ONE</i> , 2021 , 16, e0243688	3.7	3
10	Metabolites of bovine-associated non-aureus <i>staphylococci</i> influence expression of <i>Staphylococcus aureus</i> agr-related genes in vitro. <i>Veterinary Research</i> , 2021 , 52, 62	3.8	3

9	Bovine-associated non-aureus staphylococci suppress <i>Staphylococcus aureus</i> biofilm dispersal in vitro yet not through agr regulation. <i>Veterinary Research</i> , 2021 , 52, 114	3.8	3
8	Concentration of penicillin G in mammary tissue and secretion of end-term dairy heifers following systemic prepartum administration of penethamate hydriodide. <i>Journal of Dairy Research</i> , 2010 , 77, 33-6	1.6	2
7	Inhibition of the growth of major mastitis-causing pathogens by non-aureus <i>Staphylococcus</i> isolates using the cross-streaking method. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2019 , 71, 1745-1749	0.3	2
6	Alternative approach to mastitis management [How to prevent and control mastitis without antibiotics?]. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2018 , 55, e137149	0.3	2
5	Short communication: Intraoperator repeatability and interoperator reproducibility of devices measuring teat dimensions in dairy cows. <i>Journal of Dairy Science</i> , 2013 , 96, 366-71	4	1
4	Milk losses and dynamics during perturbations in dairy cows differ with parity and lactation stage		1
3	Colonization and local host response following intramammary <i>Staphylococcus chromogenes</i> challenge in dry cows. <i>Veterinary Research</i> , 2021 , 52, 137	3.8	0
2	Whole Genome Sequencing of <i>Staphylococci</i> Isolated From Bovine Milk Samples.. <i>Frontiers in Microbiology</i> , 2021 , 12, 715851	5.7	0
1	Short communication: Barrier characteristics of 3 external teat sealants to prevent bacterial penetration under in vitro conditions using rubber calf-feeding nipples. <i>Journal of Dairy Science</i> , 2020 , 103, 6569-6575	4	