

Yan Ling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6368367/publications.pdf>

Version: 2024-02-01

28
papers

490
citations

687220

13
h-index

713332

21
g-index

30
all docs

30
docs citations

30
times ranked

1000
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of thyroid function on pre- ¹²⁵ I high-density lipoprotein levels in patients with Graves' disease undergoing radioiodine treatment. <i>Endocrine</i> , 2022, , 1.	1.1	0
2	Weight Gain and Body Composition Changes during the Transition of Thyroid Function in Patients with Graves' Disease Undergoing Radioiodine Treatment. <i>International Journal of Endocrinology</i> , 2022, 2022, 1-9.	0.6	1
3	TNRC6C Functions as a Tumor Suppressor and Is Frequently Downregulated in Papillary Thyroid Cancer. <i>International Journal of Endocrinology</i> , 2021, 2021, 1-11.	0.6	5
4	Thyroid Peroxidase Antibody is Associated with Plasma Homocysteine Levels in Patients with Graves' Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 8-14.	0.6	5
5	Hepatocyte-derived extracellular vesicles promote endothelial inflammation and atherogenesis via microRNA-1. <i>Journal of Hepatology</i> , 2020, 72, 156-166.	1.8	138
6	Impact of Hypothyroidism on Echocardiographic Characteristics of Patients With Heart Valve Disease: A Single-Center Propensity Score-Based Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 554762.	1.5	5
7	The Association between eGFR and the Aldosterone-to-Renin Ratio and Its Effect on Screening for Primary Aldosteronism. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	0.6	2
8	Lipoprotein(a) concentration is associated with risk of type 2 diabetes and cardiovascular events in a Chinese population with very high cardiovascular risk. <i>Endocrine</i> , 2020, 69, 63-72.	1.1	10
9	Identification of gene co-expression modules and hub genes associated with lymph node metastasis of papillary thyroid cancer. <i>Endocrine</i> , 2019, 66, 573-584.	1.1	35
10	Contribution and interaction of the low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and triglyceride to diabetes in hypertensive patients: A cross-sectional study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 131-138.	1.1	16
11	Association of PAX4 gene R192H polymorphisms in Chinese Han type 2 diabetes. <i>International Journal of Diabetes in Developing Countries</i> , 2018, 38, 397-402.	0.3	0
12	Association of bone metabolism markers with coronary atherosclerosis and coronary artery disease in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 352-363.	1.3	7
13	Long Non-coding Antisense RNA TNRC6C-AS1 Is Activated in Papillary Thyroid Cancer and Promotes Cancer Progression by Suppressing TNRC6C Expression. <i>Frontiers in Endocrinology</i> , 2018, 9, 360.	1.5	17
14	Effect of Saxagliptin on Circulating Endothelial Progenitor Cells and Endothelial Function in Newly Diagnosed Type 2 Diabetic Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 400-407.	0.6	20
15	Serum triglyceride, high-density lipoprotein cholesterol, apolipoprotein B, and coronary heart disease in a Chinese population undergoing coronary angiography. <i>Journal of Clinical Lipidology</i> , 2017, 11, 646-656.	0.6	14
16	Postprandial Blood Glucose Outweighs Fasting Blood Glucose and HbA1c in screening Coronary Heart Disease. <i>Scientific Reports</i> , 2017, 7, 14212.	1.6	22
17	Serum-Free Thyroxine Levels Were Associated with Pulmonary Hypertension and Pulmonary Artery Systolic Pressure in Euthyroid Patients with Coronary Artery Disease. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-8.	0.6	1
18	Effect of Metabolic Syndrome Score, Metabolic Syndrome, and Its Individual Components on the Prevalence and Severity of Angiographic Coronary Artery Disease. <i>Chinese Medical Journal</i> , 2017, 130, 669-677.	0.9	18

#	ARTICLE	IF	CITATIONS
19	A novel APOC2 gene mutation identified in a Chinese patient with severe hypertriglyceridemia and recurrent pancreatitis. <i>Lipids in Health and Disease</i> , 2016, 15, 12.	1.2	15
20	Cdx-2 polymorphism in Vitamin D Receptor gene was associated with serum 25-hydroxyvitamin D levels, bone mineral density and fracture in middle-aged and elderly Chinese women. <i>Molecular and Cellular Endocrinology</i> , 2016, 427, 155-161.	1.6	16
21	Thyroid Function, Prevalent Coronary Heart Disease, and Severity of Coronary Atherosclerosis in Patients Undergoing Coronary Angiography. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-9.	0.6	18
22	p53 inhibition provides a pivotal protective effect against ischemia-reperfusion injury in vitro via mTOR signaling. <i>Brain Research</i> , 2015, 1605, 31-38.	1.1	20
23	A new mutation in the CSB gene in a Chinese patient with mild Cockayne syndrome. <i>Clinical Case Reports (discontinued)</i> , 2014, 2, 33-36.	0.2	3
24	Cross-sectional association of serum C-reactive protein and uric acid with albuminuria in Chinese type 2 diabetic patients. <i>Chinese Medical Journal</i> , 2013, 126, 4023-9.	0.9	4
25	Intensive versus conventional glucose control in critically ill patients: A meta-analysis of randomized controlled trials. <i>European Journal of Internal Medicine</i> , 2012, 23, 564-574.	1.0	46
26	Circulating ApoE Level is Independently Associated with Urinary Albumin Excretion in Type 2 Diabetic Patients. <i>Internal Medicine</i> , 2011, 50, 2961-2966.	0.3	3
27	Associations of common polymorphisms in GCKR with type 2 diabetes and related traits in a Han Chinese population: a case-control study. <i>BMC Medical Genetics</i> , 2011, 12, 66.	2.1	21
28	A common polymorphism rs3781637 in MTNR1B is associated with type 2 diabetes and lipids levels in Han Chinese individuals. <i>Cardiovascular Diabetology</i> , 2011, 10, 27.	2.7	25