

Lisa Barbera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6368488/publications.pdf>

Version: 2024-02-01

84
papers

2,858
citations

201575

27
h-index

189801

50
g-index

84
all docs

84
docs citations

84
times ranked

3633
citing authors

#	ARTICLE	IF	CITATIONS
1	Why do patients with cancer visit the emergency department near the end of life?. <i>Cmaj</i> , 2010, 182, 563-568.	0.9	323
2	Implementation of Patient-Reported Outcomes in Routine Medical Care. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018, 38, 122-134.	1.8	260
3	Symptom burden and performance status in a population-based cohort of ambulatory cancer patients. <i>Cancer</i> , 2010, 116, 5767-5776.	2.0	181
4	Impact of community based, specialist palliative care teams on hospitalisations and emergency department visits late in life and hospital deaths: a pooled analysis. <i>BMJ</i> , The, 2014, 348, g3496-g3496.	3.0	169
5	Impact of aggressive management and palliative care on cancer costs in the final month of life. <i>Cancer</i> , 2015, 121, 3307-3315.	2.0	133
6	Symptom Burden in the First Year After Cancer Diagnosis: An Analysis of Patient-Reported Outcomes. <i>Journal of Clinical Oncology</i> , 2018, 36, 1103-1111.	0.8	121
7	Do Patient-Reported Symptoms Predict Emergency Department Visits in Cancer Patients? A Population-Based Analysis. <i>Annals of Emergency Medicine</i> , 2013, 61, 427-437.e5.	0.3	102
8	Indicators of poor quality end-of-life cancer care in Ontario. <i>Journal of Palliative Care</i> , 2006, 22, 12-7.	0.4	100
9	Cancer survivorship and opioid prescribing rates: A population-based matched cohort study among individuals with and without a history of cancer. <i>Cancer</i> , 2017, 123, 4286-4293.	2.0	80
10	End-of-Life Care in Lung Cancer Patients in Ontario: Aggressiveness of Care in the Population and a Description of Hospital Admissions. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 267-274.	0.6	70
11	Management of Early and Locally Advanced Cervical Cancer. <i>Seminars in Oncology</i> , 2009, 36, 155-169.	0.8	57
12	Opioid Prescription After Pain Assessment: A Population-Based Cohort of Elderly Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1095-1099.	0.8	56
13	The impact of routine Edmonton Symptom Assessment System (ESAS) use on overall survival in cancer patients: Results of a population-based retrospective matched cohort analysis. <i>Cancer Medicine</i> , 2020, 9, 7107-7115.	1.3	52
14	Interventions to Address Sexual Problems in People with Cancer. <i>Current Oncology</i> , 2017, 24, 192-200.	0.9	50
15	Does Increasing Home Care Nursing Reduce Emergency Department Visits at the End of Life? A Population-Based Cohort Study of Cancer Decedents. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 204-212.	0.6	48
16	An international comparison of costs of end-of-life care for advanced lung cancer patients using health administrative data. <i>Palliative Medicine</i> , 2015, 29, 918-928.	1.3	43
17	Impact of Standardized Edmonton Symptom Assessment System Use on Emergency Department Visits and Hospitalization: Results of a Population-Based Retrospective Matched Cohort Analysis. <i>JCO Oncology Practice</i> , 2020, 16, e958-e965.	1.4	40
18	Patient-reported symptoms after breast cancer diagnosis and treatment: A retrospective cohort study. <i>European Journal of Cancer</i> , 2018, 101, 1-11.	1.3	39

#	ARTICLE	IF	CITATIONS
19	Identification of the physician workforce providing palliative care in Ontario using administrative claims data. <i>CMAJ Open</i> , 2015, 3, E292-E298.	1.1	36
20	Adapting Radiation Therapy Treatments for Patients with Breast Cancer During the COVID-19 Pandemic: Hypo-Fractionation and Accelerated Partial Breast Irradiation to Address World Health Organization Recommendations. <i>Advances in Radiation Oncology</i> , 2020, 5, 575-576.	0.6	35
21	Comparing an Artificial Neural Network to Logistic Regression for Predicting ED Visit Risk Among Patients With Cancer: A Population-Based Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 1-9.	0.6	35
22	Three-dimensional-guided perineal-based interstitial brachytherapy in cervical cancer: A systematic review of technique, local control and toxicities. <i>Radiotherapy and Oncology</i> , 2017, 123, 312-318.	0.3	34
23	The role of computed tomography in the T classification of laryngeal carcinoma. <i>Cancer</i> , 2001, 91, 394-407.	2.0	32
24	Symptom burden among head and neck cancer patients in the first year after diagnosis: Association with primary treatment modality. <i>Oral Oncology</i> , 2019, 99, 104434.	0.8	32
25	Selecting, implementing and evaluating patient-reported outcome measures for routine clinical use in cancer: the Cancer Care Ontario approach. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 101.	0.9	32
26	Factors Associated with End-of-Life Health Service Use in Patients Dying of Cancer. <i>Healthcare Policy</i> , 2010, 5, e125-43.	0.3	31
27	Population-Level Symptom Assessment Following Pancreaticoduodenectomy for Adenocarcinoma. <i>JAMA Surgery</i> , 2019, 154, e193348.	2.2	30
28	Customized vaginal vault brachytherapy with computed tomography imaging-derived applicator prototyping. <i>Brachytherapy</i> , 2015, 14, 380-384.	0.2	28
29	Integration of patient-reported outcomes (PROs) for personalized symptom management in "real-world" oncology practices: a population-based cohort comparison study of impact on healthcare utilization. <i>Supportive Care in Cancer</i> , 2020, 28, 4933-4942.	1.0	28
30	Venous thromboembolism in cervical cancer. <i>Lancet Oncology</i> , The, 2008, 9, 54-60.	5.1	26
31	Circulating Human Papillomavirus DNA as a Biomarker of Response in Patients With Locally Advanced Cervical Cancer Treated With Definitive Chemoradiation. <i>JCO Precision Oncology</i> , 2018, 2, 1-8.	1.5	26
32	Effect of Early Palliative Care on End-of-Life Health Care Costs: A Population-Based, Propensity Score-Matched Cohort Study. <i>JCO Oncology Practice</i> , 2022, 18, e183-e192.	1.4	25
33	Opioid Prescribing Among Cancer and Non-cancer Patients: Time Trend Analysis in the Elderly Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 484-492.e1.	0.6	23
34	Gender differences in the effect of grief reactions and burnout on emotional distress among clinical oncologists. <i>Cancer</i> , 2016, 122, 3705-3714.	2.0	22
35	Oncologists' negative attitudes towards expressing emotion over patient death and burnout. <i>Supportive Care in Cancer</i> , 2017, 25, 1607-1614.	1.0	22
36	Patient-Reported Symptom Severity Among 22,650 Cancer Outpatients in the Last Six Months of Life. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 58-66.e4.	0.6	22

#	ARTICLE	IF	CITATIONS
37	Erythropoiesis stimulating agents, thrombosis and cancer. <i>Radiotherapy and Oncology</i> , 2010, 95, 269-276.	0.3	20
38	Patient-Reported Symptoms Improve Performance of Risk Prediction Models for Emergency Department Visits Among Patients With Cancer: A Population-Wide Study in Ontario Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 745-755.	0.6	20
39	Use of patient-reported outcomes in regional cancer centres over time: a retrospective study. <i>CMAJ Open</i> , 2019, 7, E101-E108.	1.1	20
40	Estimating the benefit and cost of radiotherapy for lung cancer. <i>International Journal of Technology Assessment in Health Care</i> , 2004, 20, 545-551.	0.2	19
41	Factors Associated With Opioid Use in Long-term Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 100-107.e2.	0.6	18
42	Repeated Assessments of Symptom Severity Improve Predictions for Risk of Death Among Patients With Cancer. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 1041-1049.	0.6	16
43	Factors associated with not receiving homecare, end-of-life homecare, or early homecare referral among cancer decedents: A population-based cohort study. <i>Health Policy</i> , 2015, 119, 831-839.	1.4	16
44	Development and Validation of a Prognostic Survival Model With Patient-Reported Outcomes for Patients With Cancer. <i>JAMA Network Open</i> , 2020, 3, e201768.	2.8	16
45	End-of-life outcomes with or without early palliative care: a propensity score matched, population-based cancer cohort study. <i>BMJ Open</i> , 2021, 11, e041432.	0.8	15
46	Are population-based patient-reported outcomes associated with overall survival in patients with advanced pancreatic cancer?. <i>Cancer Medicine</i> , 2020, 9, 215-224.	1.3	13
47	Radiation therapy quality-of-care indicators for locally advanced cervical cancer: A consensus guideline. <i>Practical Radiation Oncology</i> , 2016, 6, 315-323.	1.1	12
48	Using Markov Multistate Models to Examine the Progression of Symptom Severity Among an Ambulatory Population of Cancer Patients: Are Certain Symptoms Better Managed Than Others?. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 232-239.	0.6	12
49	Opioid consumption and pain in gynecological cancer patients treated with interstitial brachytherapy. <i>Brachytherapy</i> , 2017, 16, 870-876.	0.2	12
50	Quality Indicator Rates for Seriously Ill Home Care Clients: Analysis of Resident Assessment Instrument for Home Care Data in Six Canadian Provinces. <i>Journal of Palliative Medicine</i> , 2019, 22, 1346-1356.	0.6	12
51	Patient-reported symptoms following mastectomy alone or lumpectomy plus radiation for early stage breast cancer: a cohort study. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 721-731.	1.1	12
52	Increasing Demand on Human Capital and Resource Utilization in Radiation Therapy: The Past Decade. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 457-462.	0.4	10
53	Do repeated assessments of performance status improve predictions for risk of death among patients with cancer? A population-based cohort study. <i>Palliative Medicine</i> , 2015, 29, 547-553.	1.3	9
54	Determinants of Home Death in Patients With Cancer. <i>Journal of Palliative Care</i> , 2017, 32, 11-18.	0.4	9

#	ARTICLE	IF	CITATIONS
55	Comparison of Opioid Prescribing Among Cancer and Noncancer Patients Aged 18–64: Analysis Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 72-79.	0.6	9
56	MRI-based interstitial brachytherapy for vaginal tumors: A multi-institutional study on practice patterns, contouring, and consensus definitions of target volumes. <i>Brachytherapy</i> , 2019, 18, 598-605.	0.2	9
57	A Decade in Review. <i>Medical Care</i> , 2019, 57, S80-S84.	1.1	9
58	The impact of routine Edmonton symptom assessment system use on receiving palliative care services: results of a population-based retrospective-matched cohort analysis. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e144-e149.	0.8	9
59	Improving patient outcomes and radiotherapy systems: A pan-Canadian approach to patient-reported outcome use. <i>Medical Physics</i> , 2018, 45, e841-e844.	1.6	8
60	A prospective analysis of catheter complications for gynecological cancers treated with interstitial brachytherapy in the 3D era. <i>Brachytherapy</i> , 2019, 18, 44-49.	0.2	8
61	The Added Value of Pathology Review in Vulvar Cancer. <i>International Journal of Gynecological Pathology</i> , 2017, 36, 107-110.	0.9	7
62	Characterizing the impact of adaptive planning on image-guided perineal interstitial brachytherapy for gynecologic malignancies. <i>Brachytherapy</i> , 2018, 17, 352-359.	0.2	7
63	Vaginal brachytherapy alone for patients with Stage II endometrial cancer with inner half cervical stromal invasion. <i>Brachytherapy</i> , 2019, 18, 606-611.	0.2	7
64	Comparison of Patient-Reported Experience of Patients Receiving Radiotherapy Measured by Two Validated Surveys. <i>Current Oncology</i> , 2021, 28, 2180-2189.	0.9	7
65	Development and validation of a prediction model of poor performance status and severe symptoms over time in cancer patients (PROVIEW+). <i>Palliative Medicine</i> , 2021, 35, 1713-1723.	1.3	7
66	Feasibility of implementing a cervix cancer-specific patient-reported outcome measure in routine ambulatory clinics. <i>Supportive Care in Cancer</i> , 2021, 29, 499-507.	1.0	6
67	Higher-risk breast cancer in women aged 80 and older: Exploring the effect of treatment on survival. <i>Breast</i> , 2021, 59, 203-210.	0.9	6
68	Patient, tumor, and health system factors affecting groin node dissection rates in vulvar carcinoma: A population-based cohort study. <i>Gynecologic Oncology</i> , 2015, 139, 465-470.	0.6	5
69	Dosimetric comparison of interstitial brachytherapy with multi-channel vaginal cylinder plans in patients with vaginal tumors. <i>Radiation Oncology</i> , 2017, 12, 84.	1.2	5
70	Symptom trajectories and predictors of severe symptoms in pancreatic adenocarcinoma at the end-of-life: a population based analysis of 2,538 patients. <i>Hpb</i> , 2019, 21, 1744-1752.	0.1	5
71	Uptake of sentinel lymph node procedures in women with vulvar cancer over time in a population based study. <i>Gynecologic Oncology</i> , 2019, 153, 574-579.	0.6	5
72	Operationalizing Outpatient Palliative Care Referral Criteria in Lung Cancer Patients: A Population-Based Cohort Study Using Health Administrative Data. <i>Journal of Palliative Medicine</i> , 2020, 23, 670-677.	0.6	5

#	ARTICLE	IF	CITATIONS
73	Multistate Models for Examining the Progression of Intermittently Measured Patient-Reported Symptoms Among Patients With Cancer: The Importance of Accounting for Interval Censoring. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 54-62.	0.6	5
74	Does a groin node dissection in vulvar cancer affect groin recurrence and overall survival?: Results from a population-based cohort study. <i>Gynecologic Oncology</i> , 2017, 144, 318-323.	0.6	4
75	Patient-Reported Outcomes-Guided Adaptive Radiation Therapy for Head and Neck Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 759724.	1.3	4
76	Acute Care Use by Breast Cancer Patients on Adjuvant Chemotherapy in Alberta: Demonstrating the Importance of Measurement to Improving Quality. <i>Current Oncology</i> , 2021, 28, 4420-4431.	0.9	4
77	Has Province-Wide Symptom Screening Changed Opioid Prescribing Rates in Older Patients With Cancer?. <i>Journal of Oncology Practice</i> , 2017, 13, e927-e934.	2.5	3
78	The impact of symptom screening on survival among patients with cancer across varying levels of pre-diagnosis psychiatric care. <i>Cancer Medicine</i> , 2022, 11, 838-846.	1.3	3
79	Striving to Fill in Gaps between Clinical Practice and Standards: The Evolution of a Pan-Canadian Approach to Patient-Reported Outcomes Use. <i>Current Oncology</i> , 2022, 29, 3698-3707.	0.9	3
80	I'm here because I was told to come: a study of cancer patients' reasons for attending the emergency department. <i>Supportive Care in Cancer</i> , 2021, 29, 6565-6578.	1.0	2
81	Diagnostic timelines and self-reported symptoms of patients with lung and gastrointestinal cancers undergoing radiation therapy. Retrospective case control study. <i>Supportive Care in Cancer</i> , 2022, 30, 1501-1509.	1.0	1
82	Comparing the M.D. Anderson Symptom and Dysphagia Inventories for Head and Neck Cancer Patients. <i>Laryngoscope</i> , 2022, 132, 2388-2395.	1.1	1
83	Reply to Opioid use among cancer survivors: A call to action for oncology and primary care providers. <i>Cancer</i> , 2018, 124, 649-649.	2.0	0
84	Going Lean to Improve the Patient Experience in a High-Throughput Brachytherapy Program. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2018, 49, 130-135.	0.2	0