

Lisa Barbera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6368488/publications.pdf>

Version: 2024-02-01

84
papers

2,858
citations

230014

27
h-index

214428

50
g-index

84
all docs

84
docs citations

84
times ranked

3815
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | The impact of routine Edmonton symptom assessment system use on receiving palliative care services: results of a population-based retrospective-matched cohort analysis. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e144-e149. | 0.8 | 9 |
| 2 | Effect of Early Palliative Care on End-of-Life Health Care Costs: A Population-Based, Propensity Score-Matched Cohort Study. <i>JCO Oncology Practice</i> , 2022, 18, e183-e192. | 1.4 | 25 |
| 3 | Increasing Demand on Human Capital and Resource Utilization in Radiation Therapy: The Past Decade. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 457-462. | 0.4 | 10 |
| 4 | Diagnostic timelines and self-reported symptoms of patients with lung and gastrointestinal cancers undergoing radiation therapy. Retrospective case control study. <i>Supportive Care in Cancer</i> , 2022, 30, 1501-1509. | 1.0 | 1 |
| 5 | Comparing the M.D. Anderson Symptom and Dysphagia Inventories for Head and Neck Cancer Patients. <i>Laryngoscope</i> , 2022, 132, 2388-2395. | 1.1 | 1 |
| 6 | The impact of symptom screening on survival among patients with cancer across varying levels of pre-diagnosis psychiatric care. <i>Cancer Medicine</i> , 2022, 11, 838-846. | 1.3 | 3 |
| 7 | Striving to Fill in Gaps between Clinical Practice and Standards: The Evolution of a Pan-Canadian Approach to Patient-Reported Outcomes Use. <i>Current Oncology</i> , 2022, 29, 3698-3707. | 0.9 | 3 |
| 8 | Feasibility of implementing a cervix cancer-specific patient-reported outcome measure in routine ambulatory clinics. <i>Supportive Care in Cancer</i> , 2021, 29, 499-507. | 1.0 | 6 |
| 9 | Multistate Models for Examining the Progression of Intermittently Measured Patient-Reported Symptoms Among Patients With Cancer: The Importance of Accounting for Interval Censoring. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 54-62. | 0.6 | 5 |
| 10 | End-of-life outcomes with or without early palliative care: a propensity score matched, population-based cancer cohort study. <i>BMJ Open</i> , 2021, 11, e041432. | 0.8 | 15 |
| 11 | I'm here because I was told to come: a study of cancer patients' reasons for attending the emergency department. <i>Supportive Care in Cancer</i> , 2021, 29, 6565-6578. | 1.0 | 2 |
| 12 | Comparison of Patient-Reported Experience of Patients Receiving Radiotherapy Measured by Two Validated Surveys. <i>Current Oncology</i> , 2021, 28, 2180-2189. | 0.9 | 7 |
| 13 | Development and validation of a prediction model of poor performance status and severe symptoms over time in cancer patients (PROVIEW+). <i>Palliative Medicine</i> , 2021, 35, 1713-1723. | 1.3 | 7 |
| 14 | Higher-risk breast cancer in women aged 80 and older: Exploring the effect of treatment on survival. <i>Breast</i> , 2021, 59, 203-210. | 0.9 | 6 |
| 15 | Patient-Reported Outcomes-Guided Adaptive Radiation Therapy for Head and Neck Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 759724. | 1.3 | 4 |
| 16 | Acute Care Use by Breast Cancer Patients on Adjuvant Chemotherapy in Alberta: Demonstrating the Importance of Measurement to Improving Quality. <i>Current Oncology</i> , 2021, 28, 4420-4431. | 0.9 | 4 |
| 17 | Patient-Reported Symptom Severity Among 22,650 Cancer Outpatients in the Last Six Months of Life. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 58-66.e4. | 0.6 | 22 |
| 18 | Are population-based patient-reported outcomes associated with overall survival in patients with advanced pancreatic cancer?. <i>Cancer Medicine</i> , 2020, 9, 215-224. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Impact of Standardized Edmonton Symptom Assessment System Use on Emergency Department Visits and Hospitalization: Results of a Population-Based Retrospective Matched Cohort Analysis. <i>JCO Oncology Practice</i> , 2020, 16, e958-e965. | 1.4 | 40 |
| 20 | The impact of routine Edmonton Symptom Assessment System (ESAS) use on overall survival in cancer patients: Results of a population-based retrospective matched cohort analysis. <i>Cancer Medicine</i> , 2020, 9, 7107-7115. | 1.3 | 52 |
| 21 | Adapting Radiation Therapy Treatments for Patients with Breast Cancer During the COVID-19 Pandemic: Hypo-Fractionation and Accelerated Partial Breast Irradiation to Address World Health Organization Recommendations. <i>Advances in Radiation Oncology</i> , 2020, 5, 575-576. | 0.6 | 35 |
| 22 | Comparing an Artificial Neural Network to Logistic Regression for Predicting ED Visit Risk Among Patients With Cancer: A Population-Based Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 1-9. | 0.6 | 35 |
| 23 | Operationalizing Outpatient Palliative Care Referral Criteria in Lung Cancer Patients: A Population-Based Cohort Study Using Health Administrative Data. <i>Journal of Palliative Medicine</i> , 2020, 23, 670-677. | 0.6 | 5 |
| 24 | Development and Validation of a Prognostic Survival Model With Patient-Reported Outcomes for Patients With Cancer. <i>JAMA Network Open</i> , 2020, 3, e201768. | 2.8 | 16 |
| 25 | Integration of patient-reported outcomes (PROs) for personalized symptom management in real-world oncology practices: a population-based cohort comparison study of impact on healthcare utilization. <i>Supportive Care in Cancer</i> , 2020, 28, 4933-4942. | 1.0 | 28 |
| 26 | Selecting, implementing and evaluating patient-reported outcome measures for routine clinical use in cancer: the Cancer Care Ontario approach. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 101. | 0.9 | 32 |
| 27 | MRI-based interstitial brachytherapy for vaginal tumors: A multi-institutional study on practice patterns, contouring, and consensus definitions of target volumes. <i>Brachytherapy</i> , 2019, 18, 598-605. | 0.2 | 9 |
| 28 | Patient-Reported Symptoms Improve Performance of Risk Prediction Models for Emergency Department Visits Among Patients With Cancer: A Population-Wide Study in Ontario Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 745-755. | 0.6 | 20 |
| 29 | Vaginal brachytherapy alone for patients with Stage II endometrial cancer with inner half cervical stromal invasion. <i>Brachytherapy</i> , 2019, 18, 606-611. | 0.2 | 7 |
| 30 | Symptom burden among head and neck cancer patients in the first year after diagnosis: Association with primary treatment modality. <i>Oral Oncology</i> , 2019, 99, 104434. | 0.8 | 32 |
| 31 | Population-Level Symptom Assessment Following Pancreaticoduodenectomy for Adenocarcinoma. <i>JAMA Surgery</i> , 2019, 154, e193348. | 2.2 | 30 |
| 32 | Symptom trajectories and predictors of severe symptoms in pancreatic adenocarcinoma at the end-of-life: a population based analysis of 2,538 patients. <i>Hpb</i> , 2019, 21, 1744-1752. | 0.1 | 5 |
| 33 | Quality Indicator Rates for Seriously Ill Home Care Clients: Analysis of Resident Assessment Instrument for Home Care Data in Six Canadian Provinces. <i>Journal of Palliative Medicine</i> , 2019, 22, 1346-1356. | 0.6 | 12 |
| 34 | Patient-reported symptoms following mastectomy alone or lumpectomy plus radiation for early stage breast cancer: a cohort study. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 721-731. | 1.1 | 12 |
| 35 | Factors Associated With Opioid Use in Long-term Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 100-107.e2. | 0.6 | 18 |
| 36 | Uptake of sentinel lymph node procedures in women with vulvar cancer over time in a population based study. <i>Gynecologic Oncology</i> , 2019, 153, 574-579. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Use of patient-reported outcomes in regional cancer centres over time: a retrospective study. <i>CMAJ Open</i> , 2019, 7, E101-E108. | 1.1 | 20 |
| 38 | A Decade in Review. <i>Medical Care</i> , 2019, 57, S80-S84. | 1.1 | 9 |
| 39 | A prospective analysis of catheter complications for gynecological cancers treated with interstitial brachytherapy in the 3D era. <i>Brachytherapy</i> , 2019, 18, 44-49. | 0.2 | 8 |
| 40 | Reply to Opioid use among cancer survivors: A call to action for oncology and primary care providers. <i>Cancer</i> , 2018, 124, 649-649. | 2.0 | 0 |
| 41 | Characterizing the impact of adaptive planning on image-guided perineal interstitial brachytherapy for gynecologic malignancies. <i>Brachytherapy</i> , 2018, 17, 352-359. | 0.2 | 7 |
| 42 | Comparison of Opioid Prescribing Among Cancer and Noncancer Patients Aged 18-64: Analysis Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 72-79. | 0.6 | 9 |
| 43 | Implementation of Patient-Reported Outcomes in Routine Medical Care. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018, 38, 122-134. | 1.8 | 260 |
| 44 | Symptom Burden in the First Year After Cancer Diagnosis: An Analysis of Patient-Reported Outcomes. <i>Journal of Clinical Oncology</i> , 2018, 36, 1103-1111. | 0.8 | 121 |
| 45 | Circulating Human Papillomavirus DNA as a Biomarker of Response in Patients With Locally Advanced Cervical Cancer Treated With Definitive Chemoradiation. <i>JCO Precision Oncology</i> , 2018, 2, 1-8. | 1.5 | 26 |
| 46 | Improving patient outcomes and radiotherapy systems: A pan-Canadian approach to patient-reported outcome use. <i>Medical Physics</i> , 2018, 45, e841-e844. | 1.6 | 8 |
| 47 | Patient-reported symptoms after breast cancer diagnosis and treatment: A retrospective cohort study. <i>European Journal of Cancer</i> , 2018, 101, 1-11. | 1.3 | 39 |
| 48 | Going Lean to Improve the Patient Experience in a High-Throughput Brachytherapy Program. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2018, 49, 130-135. | 0.2 | 0 |
| 49 | Oncologists' negative attitudes towards expressing emotion over patient death and burnout. <i>Supportive Care in Cancer</i> , 2017, 25, 1607-1614. | 1.0 | 22 |
| 50 | Opioid consumption and pain in gynecological cancer patients treated with interstitial brachytherapy. <i>Brachytherapy</i> , 2017, 16, 870-876. | 0.2 | 12 |
| 51 | Three-dimensional-guided perineal-based interstitial brachytherapy in cervical cancer: A systematic review of technique, local control and toxicities. <i>Radiotherapy and Oncology</i> , 2017, 123, 312-318. | 0.3 | 34 |
| 52 | Opioid Prescribing Among Cancer and Non-cancer Patients: Time Trend Analysis in the Elderly Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 484-492.e1. | 0.6 | 23 |
| 53 | Determinants of Home Death in Patients With Cancer. <i>Journal of Palliative Care</i> , 2017, 32, 11-18. | 0.4 | 9 |
| 54 | Cancer survivorship and opioid prescribing rates: A population-based matched cohort study among individuals with and without a history of cancer. <i>Cancer</i> , 2017, 123, 4286-4293. | 2.0 | 80 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | The Added Value of Pathology Review in Vulvar Cancer. <i>International Journal of Gynecological Pathology</i> , 2017, 36, 107-110. | 0.9 | 7 |
| 56 | Dosimetric comparison of interstitial brachytherapy with multi-channel vaginal cylinder plans in patients with vaginal tumors. <i>Radiation Oncology</i> , 2017, 12, 84. | 1.2 | 5 |
| 57 | Does a groin node dissection in vulvar cancer affect groin recurrence and overall survival?: Results from a population-based cohort study. <i>Gynecologic Oncology</i> , 2017, 144, 318-323. | 0.6 | 4 |
| 58 | Interventions to Address Sexual Problems in People with Cancer. <i>Current Oncology</i> , 2017, 24, 192-200. | 0.9 | 50 |
| 59 | Has Province-Wide Symptom Screening Changed Opioid Prescribing Rates in Older Patients With Cancer?. <i>Journal of Oncology Practice</i> , 2017, 13, e927-e934. | 2.5 | 3 |
| 60 | Gender differences in the effect of grief reactions and burnout on emotional distress among clinical oncologists. <i>Cancer</i> , 2016, 122, 3705-3714. | 2.0 | 22 |
| 61 | Radiation therapy quality-of-care indicators for locally advanced cervical cancer: A consensus guideline. <i>Practical Radiation Oncology</i> , 2016, 6, 315-323. | 1.1 | 12 |
| 62 | Using Markov Multistate Models to Examine the Progression of Symptom Severity Among an Ambulatory Population of Cancer Patients: Are Certain Symptoms Better Managed Than Others?. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 232-239. | 0.6 | 12 |
| 63 | Does Increasing Home Care Nursing Reduce Emergency Department Visits at the End of Life? A Population-Based Cohort Study of Cancer Decedents. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 204-212. | 0.6 | 48 |
| 64 | Impact of aggressive management and palliative care on cancer costs in the final month of life. <i>Cancer</i> , 2015, 121, 3307-3315. | 2.0 | 133 |
| 65 | An international comparison of costs of end-of-life care for advanced lung cancer patients using health administrative data. <i>Palliative Medicine</i> , 2015, 29, 918-928. | 1.3 | 43 |
| 66 | Identification of the physician workforce providing palliative care in Ontario using administrative claims data. <i>CMAJ Open</i> , 2015, 3, E292-E298. | 1.1 | 36 |
| 67 | Customized vaginal vault brachytherapy with computed tomography imaging-derived applicator prototyping. <i>Brachytherapy</i> , 2015, 14, 380-384. | 0.2 | 28 |
| 68 | Do repeated assessments of performance status improve predictions for risk of death among patients with cancer? A population-based cohort study. <i>Palliative Medicine</i> , 2015, 29, 547-553. | 1.3 | 9 |
| 69 | Patient, tumor, and health system factors affecting groin node dissection rates in vulvar carcinoma: A population-based cohort study. <i>Gynecologic Oncology</i> , 2015, 139, 465-470. | 0.6 | 5 |
| 70 | Factors associated with not receiving homecare, end-of-life homecare, or early homecare referral among cancer decedents: A population-based cohort study. <i>Health Policy</i> , 2015, 119, 831-839. | 1.4 | 16 |
| 71 | Impact of community based, specialist palliative care teams on hospitalisations and emergency department visits late in life and hospital deaths: a pooled analysis. <i>BMJ, The</i> , 2014, 348, g3496-g3496. | 3.0 | 169 |
| 72 | Repeated Assessments of Symptom Severity Improve Predictions for Risk of Death Among Patients With Cancer. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 1041-1049. | 0.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Do Patient-Reported Symptoms Predict Emergency Department Visits in Cancer Patients? A Population-Based Analysis. <i>Annals of Emergency Medicine</i> , 2013, 61, 427-437.e5. | 0.3 | 102 |
| 74 | Opioid Prescription After Pain Assessment: A Population-Based Cohort of Elderly Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1095-1099. | 0.8 | 56 |
| 75 | Symptom burden and performance status in a population-based cohort of ambulatory cancer patients. <i>Cancer</i> , 2010, 116, 5767-5776. | 2.0 | 181 |
| 76 | Why do patients with cancer visit the emergency department near the end of life?. <i>Cmaj</i> , 2010, 182, 563-568. | 0.9 | 323 |
| 77 | Erythropoiesis stimulating agents, thrombosis and cancer. <i>Radiotherapy and Oncology</i> , 2010, 95, 269-276. | 0.3 | 20 |
| 78 | Factors Associated with End-of-Life Health Service Use in Patients Dying of Cancer. <i>Healthcare Policy</i> , 2010, 5, e125-43. | 0.3 | 31 |
| 79 | Management of Early and Locally Advanced Cervical Cancer. <i>Seminars in Oncology</i> , 2009, 36, 155-169. | 0.8 | 57 |
| 80 | End-of-Life Care in Lung Cancer Patients in Ontario: Aggressiveness of Care in the Population and a Description of Hospital Admissions. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 267-274. | 0.6 | 70 |
| 81 | Venous thromboembolism in cervical cancer. <i>Lancet Oncology</i> , The, 2008, 9, 54-60. | 5.1 | 26 |
| 82 | Indicators of poor quality end-of-life cancer care in Ontario. <i>Journal of Palliative Care</i> , 2006, 22, 12-7. | 0.4 | 100 |
| 83 | Estimating the benefit and cost of radiotherapy for lung cancer. <i>International Journal of Technology Assessment in Health Care</i> , 2004, 20, 545-551. | 0.2 | 19 |
| 84 | The role of computed tomography in the T classification of laryngeal carcinoma. <i>Cancer</i> , 2001, 91, 394-407. | 2.0 | 32 |