

Jiřň- Friml

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6368664/publications.pdf>

Version: 2024-02-01

274
papers

47,382
citations

1877
105
h-index

2289
206
g-index

307
all docs

307
docs citations

307
times ranked

18903
citing authors

#	ARTICLE	IF	CITATIONS
1	Fourteen Stations of Auxin. <i>Cold Spring Harbor Perspectives in Biology</i> , 2022, 14, a039859.	2.3	49
2	Evaluation of Gravitropism in Non-seed Plants. <i>Methods in Molecular Biology</i> , 2022, 2368, 43-51.	0.4	1
3	Mutually opposing activity of PIN7 splicing isoforms is required for auxin-mediated tropic responses in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2022, 233, 329-343.	3.5	13
4	Automated Time-Lapse Imaging and Manipulation of Cell Divisions in <i>Arabidopsis</i> Roots by Vertical-Stage Confocal Microscopy. <i>Methods in Molecular Biology</i> , 2022, 2382, 105-114.	0.4	0
5	Transcriptional Analysis in the <i>Arabidopsis</i> Roots Reveals New Regulators that Link <i>rac</i> -GR24 Treatment with Changes in Flavonol Accumulation, Root Hair Elongation and Lateral Root Density. <i>Plant and Cell Physiology</i> , 2022, 63, 104-119.	1.5	5
6	Bending to auxin: fast acid growth for tropisms. <i>Trends in Plant Science</i> , 2022, 27, 440-449.	4.3	34
7	Auxin analog-induced Ca ²⁺ signaling is independent of inhibition of endosomal aggregation in <i>Arabidopsis</i> roots. <i>Journal of Experimental Botany</i> , 2022, , .	2.4	4
8	Auxin canalization: From speculative models toward molecular players. <i>Current Opinion in Plant Biology</i> , 2022, 65, 102174.	3.5	20
9	Proteomic characterization of isolated <i>Arabidopsis</i> clathrin-coated vesicles reveals evolutionarily conserved and plant-specific components. <i>Plant Cell</i> , 2022, 34, 2150-2173.	3.1	31
10	Proteome-wide cellular thermal shift assay reveals unexpected cross-talk between brassinosteroid and auxin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2118220119.	3.3	15
11	The Hydrophilic Loop of <i>Arabidopsis</i> PIN1 Auxin Efflux Carrier Harbors Hallmarks of an Intrinsically Disordered Protein. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6352.	1.8	3
12	Auxin-Regulated Reversible Inhibition of TMK1 Signaling by MAKR2 Modulates the Dynamics of Root Gravitropism. <i>Current Biology</i> , 2021, 31, 228-237.e10.	1.8	39
13	Developmental roles of Auxin Binding Protein 1 in <i>Arabidopsis thaliana</i> . <i>Plant Science</i> , 2021, 303, 110750.	1.7	26
14	Pho-view of Auxin: Reversible Protein Phosphorylation in Auxin Biosynthesis, Transport and Signaling. <i>Molecular Plant</i> , 2021, 14, 151-165.	3.9	56
15	Cellular requirements for PIN polar cargo clustering in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2021, 229, 351-369.	3.5	22
16	Salicylic acid regulates PIN2 auxin transporter hyperclustering and root gravitropic growth via Remorin-dependent lipid nanodomain organisation in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2021, 229, 963-978.	3.5	40
17	Systematic analysis of specific and nonspecific auxin effects on endocytosis and trafficking. <i>Plant Physiology</i> , 2021, 186, 1122-1142.	2.3	33
18	INDITTO2 transposon conveys auxin-mediated DRO1 transcription for rice drought avoidance. <i>Plant, Cell and Environment</i> , 2021, 44, 1846-1857.	2.8	18

#	ARTICLE	IF	CITATIONS
19	Cell kinetics of auxin transport and activity in Arabidopsis root growth and skewing. <i>Nature Communications</i> , 2021, 12, 1657.	5.8	30
20	Seedling developmental defects upon blocking CINNAMATEâ€”HYDROXYLASE are caused by perturbations in auxin transport. <i>New Phytologist</i> , 2021, 230, 2275-2291.	3.5	27
21	mRNA surveillance complex PELOTAâ€”HBS1 regulates phosphoinositide-dependent protein kinase1 and plant growth. <i>Plant Physiology</i> , 2021, 186, 2003-2020.	2.3	7
22	Synaptotagmins at the endoplasmic reticulumâ€”plasma membrane contact sites maintain diacylglycerol homeostasis during abiotic stress. <i>Plant Cell</i> , 2021, 33, 2431-2453.	3.1	41
23	AGC kinases and MAB4/MEL proteins maintain PIN polarity by limiting lateral diffusion in plant cells. <i>Current Biology</i> , 2021, 31, 1918-1930.e5.	1.8	28
24	The Arabidopsis Root Tip (Phospho)Proteomes at Growth-Promoting versus Growth-Repressing Conditions Reveal Novel Root Growth Regulators. <i>Cells</i> , 2021, 10, 1665.	1.8	8
25	GmPIN-dependent polar auxin transport is involved in soybean nodule development. <i>Plant Cell</i> , 2021, 33, 2981-3003.	3.1	26
26	PINâ€”mediated polar auxin transport regulations in plant tropic responses. <i>New Phytologist</i> , 2021, 232, 510-522.	3.5	43
27	Modulation of plant root growth by nitrogen sourceâ€”defined regulation of polar auxin transport. <i>EMBO Journal</i> , 2021, 40, e106862.	3.5	60
28	Naphthylphthalamic acid associates with and inhibits PIN auxin transporters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	79
29	Cell surface and intracellular auxin signalling for H ⁺ fluxes in root growth. <i>Nature</i> , 2021, 599, 273-277.	13.7	128
30	The TPLATE complex mediates membrane bending during plant clathrinâ€”mediated endocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	26
31	Auxin guides roots to avoid obstacles during gravitropic growth. <i>New Phytologist</i> , 2020, 225, 1049-1052.	3.5	23
32	Root Growth Adaptation is Mediated by PYLs ABA Receptorâ€”PP2A Protein Phosphatase Complex. <i>Advanced Science</i> , 2020, 7, 1901455.	5.6	32
33	Auxin signalling in growth: Schrâ€”dingerâ€”s cat out of the bag. <i>Current Opinion in Plant Biology</i> , 2020, 53, 43-49.	3.5	81
34	Strigolactones inhibit auxin feedback on PIN-dependent auxin transport canalization. <i>Nature Communications</i> , 2020, 11, 3508.	5.8	51
35	Non-steroidal Anti-inflammatory Drugs Target TWISTED DWARF1-Regulated Actin Dynamics and Auxin Transport-Mediated Plant Development. <i>Cell Reports</i> , 2020, 33, 108463.	2.9	11
36	Receptor kinase module targets PIN-dependent auxin transport during canalization. <i>Science</i> , 2020, 370, 550-557.	6.0	56

#	ARTICLE	IF	CITATIONS
37	Endocytosis of BRASSINOSTEROID INSENSITIVE1 Is Partly Driven by a Canonical Tyr-Based Motif. <i>Plant Cell</i> , 2020, 32, 3598-3612.	3.1	30
38	Cell-surface receptors enable perception of extracellular cytokinins. <i>Nature Communications</i> , 2020, 11, 4284.	5.8	47
39	Functional innovations of PIN auxin transporters mark crucial evolutionary transitions during rise of flowering plants. <i>Science Advances</i> , 2020, 6, .	4.7	24
40	The lipid code-dependent phosphoswitch PDK1â€D6PK activates PIN-mediated auxin efflux in Arabidopsis. <i>Nature Plants</i> , 2020, 6, 556-569.	4.7	39
41	High Temporal Resolution Reveals Simultaneous Plasma Membrane Recruitment of TPLATE Complex Subunits. <i>Plant Physiology</i> , 2020, 183, 986-997.	2.3	26
42	Wounding-induced changes in cellular pressure and localized auxin signalling spatially coordinate restorative divisions in roots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15322-15331.	3.3	55
43	Rare earth elements induce cytoskeleton-dependent and PI4P-associated rearrangement of SYT1/SYT5 endoplasmic reticulumâ€plasma membrane contact site complexes in Arabidopsis. <i>Journal of Experimental Botany</i> , 2020, 71, 3986-3998.	2.4	34
44	Arabidopsis Flippases Cooperate with ARF GTPase Exchange Factors to Regulate the Trafficking and Polarity of PIN Auxin Transporters. <i>Plant Cell</i> , 2020, 32, 1644-1664.	3.1	49
45	Molecular Evolution and Diversification of Proteins Involved in miRNA Maturation Pathway. <i>Plants</i> , 2020, 9, 299.	1.6	10
46	Experimental toolbox for quantitative evaluation of clathrin-mediated endocytosis in the plant model <i>Arabidopsis</i> . <i>Journal of Cell Science</i> , 2020, 133, .	1.2	17
47	Clathrin-mediated trafficking and PIN trafficking are required for auxin canalization and vascular tissue formation in Arabidopsis. <i>Plant Science</i> , 2020, 293, 110414.	1.7	24
48	Salicylic Acid Targets Protein Phosphatase 2A to Attenuate Growth in Plants. <i>Current Biology</i> , 2020, 30, 381-395.e8.	1.8	76
49	Auxin canalization and vascular tissue formation by TIR1/AFBâ€mediated auxin signaling in Arabidopsis. <i>New Phytologist</i> , 2020, 226, 1375-1383.	3.5	33
50	Directional auxin fluxes in plants by intramolecular domainâ€domain coevolution of PIN auxin transporters. <i>New Phytologist</i> , 2020, 227, 1406-1416.	3.5	20
51	SCF ^{TIR1} /AFB ^{sup} Auxin Signaling for Bending Termination during Shoot Gravitropism. <i>Plant Physiology</i> , 2020, 183, 37-40.	2.3	9
52	Direct ETTIN-auxin interaction controls chromatin states in gynoecium development. <i>ELife</i> , 2020, 9, .	2.8	40
53	Evolutionarily unique mechanistic framework of clathrin-mediated endocytosis in plants. <i>ELife</i> , 2020, 9, .	2.8	80
54	Evolution of fast root gravitropism in seed plants. <i>Nature Communications</i> , 2019, 10, 3480.	5.8	68

#	ARTICLE	IF	CITATIONS
55	Reorientation of Cortical Microtubule Arrays in the Hypocotyl of <i>Arabidopsis thaliana</i> Is Induced by the Cell Growth Process and Independent of Auxin Signaling. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3337.	1.8	31
56	Salicylic acid-mediated plasmodesmal closure via Remorin-dependent lipid organization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21274-21284.	3.3	102
57	PIN-driven auxin transport emerged early in streptophyte evolution. <i>Nature Plants</i> , 2019, 5, 1114-1119.	4.7	44
58	Targeted cell ablation-based insights into wound healing and restorative patterning. <i>Current Opinion in Plant Biology</i> , 2019, 52, 124-130.	3.5	14
59	Root Adaptation to H ₂ O ₂ -Induced Oxidative Stress by ARF-GEF BEN1- and Cytoskeleton-Mediated PIN2 Trafficking. <i>Plant and Cell Physiology</i> , 2019, 60, 255-273.	1.5	34
60	PIN2 Polarity Establishment in <i>Arabidopsis</i> in the Absence of an Intact Cytoskeleton. <i>Biomolecules</i> , 2019, 9, 222.	1.8	17
61	Auxin-mediated statolith production for root gravitropism. <i>New Phytologist</i> , 2019, 224, 761-774.	3.5	55
62	A Mobile Auxin Signal Connects Temperature Sensing in Cotyledons with Growth Responses in Hypocotyls. <i>Plant Physiology</i> , 2019, 180, 757-766.	2.3	94
63	Disruption of endocytosis through chemical inhibition of clathrin heavy chain function. <i>Nature Chemical Biology</i> , 2019, 15, 641-649.	3.9	86
64	Re-activation of Stem Cell Pathways for Pattern Restoration in Plant Wound Healing. <i>Cell</i> , 2019, 177, 957-969.e13.	13.5	92
65	Genetic screen for factors mediating PIN polarization in gravistimulated <i>Arabidopsis thaliana</i> hypocotyls. <i>Plant Journal</i> , 2019, 98, 1048-1059.	2.8	17
66	TMK1-mediated auxin signalling regulates differential growth of the apical hook. <i>Nature</i> , 2019, 568, 240-243.	13.7	156
67	Pinstatic Acid Promotes Auxin Transport by Inhibiting PIN Internalization. <i>Plant Physiology</i> , 2019, 180, 1152-1165.	2.3	21
68	A SOSEKI-based coordinate system interprets global polarity cues in <i>Arabidopsis</i> . <i>Nature Plants</i> , 2019, 5, 160-166.	4.7	71
69	Nitrate Modulates the Differentiation of Root Distal Stem Cells. <i>Plant Physiology</i> , 2019, 180, 22-25.	2.3	7
70	Defying gravity: a plant's quest for moisture. <i>Cell Research</i> , 2019, 29, 965-966.	5.7	1
71	Ionic stress enhances ER-PM connectivity via phosphoinositide-associated SYT1 contact site expansion in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1420-1429.	3.3	95
72	A Functional Study of AUXILIN-LIKE1 and 2, Two Putative Clathrin Uncoating Factors in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2018, 30, 700-716.	3.1	75

#	ARTICLE	IF	CITATIONS
73	Gibberellin DELLA signaling targets the retromer complex to redirect protein trafficking to the plasma membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3716-3721.	3.3	72
74	Molecular evolution and diversification of the SMXL gene family. <i>Journal of Experimental Botany</i> , 2018, 69, 2367-2378.	2.4	41
75	Na ⁺ ,K ⁺ /H ⁺ antiporters regulate the pH of endoplasmic reticulum and auxin-mediated development. <i>Plant, Cell and Environment</i> , 2018, 41, 850-864.	2.8	19
76	Relative Contribution of PIN-Containing Secretory Vesicles and Plasma Membrane PINs to the Directed Auxin Transport: Theoretical Estimation. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3566.	1.8	11
77	Mechanistic framework for cell-intrinsic re-establishment of PIN2 polarity after cell division. <i>Nature Plants</i> , 2018, 4, 1082-1088.	4.7	52
78	Rapid and reversible root growth inhibition by TIR1 auxin signalling. <i>Nature Plants</i> , 2018, 4, 453-459.	4.7	198
79	The dynamics of root cap sloughing in <i>Arabidopsis</i> is regulated by peptide signalling. <i>Nature Plants</i> , 2018, 4, 596-604.	4.7	62
80	PID/WAG-mediated phosphorylation of the <i>Arabidopsis</i> PIN3 auxin transporter mediates polarity switches during gravitropism. <i>Scientific Reports</i> , 2018, 8, 10279.	1.6	56
81	Maternal auxin supply contributes to early embryo patterning in <i>Arabidopsis</i> . <i>Nature Plants</i> , 2018, 4, 548-553.	4.7	123
82	The Chara Genome: Secondary Complexity and Implications for Plant Terrestrialization. <i>Cell</i> , 2018, 174, 448-464.e24.	13.5	420
83	The Inhibitor Endosidin 4 Targets SEC7 Domain-Type ARF GTPase Exchange Factors and Interferes with Subcellular Trafficking in Eukaryotes. <i>Plant Cell</i> , 2018, 30, 2553-2572.	3.1	16
84	Auxin methylation is required for differential growth in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 6864-6869.	3.3	37
85	WRKY23 is a component of the transcriptional network mediating auxin feedback on PIN polarity. <i>PLoS Genetics</i> , 2018, 14, e1007177.	1.5	56
86	Real-time Analysis of Auxin Response, Cell Wall pH and Elongation in <i>Arabidopsis thaliana</i> Hypocotyls. <i>Bio-protocol</i> , 2018, 8, e2685.	0.2	11
87	Flavonol-induced changes in PIN2 polarity and auxin transport in the <i>Arabidopsis thaliana</i> rol1-2 mutant require phosphatase activity. <i>Scientific Reports</i> , 2017, 7, 41906.	1.6	41
88	BEN3/BIG2 ARF GEF is Involved in Brefeldin A-Sensitive Trafficking at the trans-Golgi Network/Early Endosome in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 2017, 58, 1801-1811.	1.5	27
89	Light Sheet Fluorescence Microscopy of Plant Roots Growing on the Surface of a Gel. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	15
90	PATELLINS are regulators of auxin-mediated PIN1 relocation and plant development in <i>Arabidopsis thaliana</i> . <i>Journal of Cell Science</i> , 2017, 131, .	1.2	29

#	ARTICLE	IF	CITATIONS
91	cis-Cinnamic Acid Is a Novel, Natural Auxin Efflux Inhibitor That Promotes Lateral Root Formation. <i>Plant Physiology</i> , 2017, 173, 552-565.	2.3	61
92	Vascular Tissue Development and Regeneration in the Model Plant <i>Arabidopsis</i> . , 2017, , .		1
93	Live tracking of moving samples in confocal microscopy for vertically grown roots. <i>ELife</i> , 2017, 6, .	2.8	123
94	PIN6 auxin transporter at endoplasmic reticulum and plasma membrane mediates auxin homeostasis and organogenesis in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2016, 211, 65-74.	3.5	119
95	Cytokinins influence root gravitropism via differential regulation of auxin transporter expression and localization in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2016, 212, 497-509.	3.5	54
96	Auxin flow-mediated competition between axillary buds to restore apical dominance. <i>Scientific Reports</i> , 2016, 6, 35955.	1.6	44
97	TWISTED DWARF1 Mediates the Action of Auxin Transport Inhibitors on Actin Cytoskeleton Dynamics. <i>Plant Cell</i> , 2016, 28, 930-948.	3.1	88
98	Sorting Motifs Involved in the Trafficking and Localization of the PIN1 Auxin Efflux Carrier. <i>Plant Physiology</i> , 2016, 171, 1965-1982.	2.3	22
99	Mitochondrial uncouplers inhibit clathrin-mediated endocytosis largely through cytoplasmic acidification. <i>Nature Communications</i> , 2016, 7, 11710.	5.8	98
100	A noncanonical auxin-sensing mechanism is required for organ morphogenesis in <i>Arabidopsis</i> . <i>Genes and Development</i> , 2016, 30, 2286-2296.	2.7	122
101	Enquiry into the Topology of Plasma Membrane-Localized PIN Auxin Transport Components. <i>Molecular Plant</i> , 2016, 9, 1504-1519.	3.9	28
102	Danger-associated peptide signaling in <i>Arabidopsis</i> requires clathrin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11028-11033.	3.3	114
103	A Model of Differential Growth-Guided Apical Hook Formation in Plants. <i>Plant Cell</i> , 2016, 28, 2464-2477.	3.1	53
104	Vascular cambium regeneration and vessel formation in wounded inflorescence stems of <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2016, 6, 33754.	1.6	57
105	Plasma membrane: Negative attraction. <i>Nature Plants</i> , 2016, 2, 16102.	4.7	7
106	Cellular mechanisms for cargo delivery and polarity maintenance at different polar domains in plant cells. <i>Cell Discovery</i> , 2016, 2, 16018.	3.1	54
107	Phosphatidylinositol 4-phosphate 5-kinases 1 and 2 are involved in the regulation of vacuole morphology during <i>Arabidopsis thaliana</i> pollen development. <i>Plant Science</i> , 2016, 250, 10-19.	1.7	28
108	Targeted cell elimination reveals an auxin-guided biphasic mode of lateral root initiation. <i>Genes and Development</i> , 2016, 30, 471-483.	2.7	82

#	ARTICLE	IF	CITATIONS
109	ROTUNDA3 function in plant development by phosphatase 2A-mediated regulation of auxin transporter recycling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 2768-2773.	3.3	37
110	A Forward Genetic Screen for New Regulators of Auxin-mediated Degradation of Auxin Transport Proteins in <i>Arabidopsis thaliana</i> . <i>Journal of Plant Growth Regulation</i> , 2016, 35, 465-476.	2.8	1
111	Termination of Shoot Gravitropic Responses by Auxin Feedback on PIN3 Polarity. <i>Current Biology</i> , 2016, 26, 3026-3032.	1.8	76
112	Strong morphological defects in conditional <i>Arabidopsis abp1</i> knock-down mutants generated in absence of functional ABP1 protein. <i>F1000Research</i> , 2016, 5, 86.	0.8	22
113	TIR1/AFB-Aux/IAA auxin perception mediates rapid cell wall acidification and growth of <i>Arabidopsis hypocotyls</i> . <i>ELife</i> , 2016, 5, .	2.8	156
114	V-ATPase activity in the TGN/EE is required for exocytosis and recycling in <i>Arabidopsis</i> . <i>Nature Plants</i> , 2015, 1, 15094.	4.7	127
115	A coherent transcriptional feed-forward motif model for mediating auxin-sensitive PIN3 expression during lateral root development. <i>Nature Communications</i> , 2015, 6, 8821.	5.8	70
116	Auxin transporters and binding proteins at a glance. <i>Journal of Cell Science</i> , 2015, 128, 1-7.	1.2	137
117	Intracellular trafficking and PIN-mediated cell polarity during tropic responses in plants. <i>Current Opinion in Plant Biology</i> , 2015, 23, 116-123.	3.5	57
118	The cyclophilin A <i>DIAGEOTROPICA</i> gene affects auxin transport in both root and shoot to control lateral root formation. <i>Development (Cambridge)</i> , 2015, 142, 712-21.	1.2	57
119	An early secretory pathway mediated by GNOM-LIKE 1 and GNOM is essential for basal polarity establishment in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E806-15.	3.3	56
120	Plant embryogenesis requires AUX/LAX-mediated auxin influx. <i>Development (Cambridge)</i> , 2015, 142, 702-11.	1.2	92
121	PIN-Dependent Auxin Transport: Action, Regulation, and Evolution. <i>Plant Cell</i> , 2015, 27, 20-32.	3.1	643
122	Auxin-binding pocket of ABP1 is crucial for its gain-of-function cellular and developmental roles. <i>Journal of Experimental Botany</i> , 2015, 66, 5055-5065.	2.4	55
123	ABP1: Finally Docking. <i>Molecular Plant</i> , 2015, 8, 356-358.	3.9	12
124	Osmotic Stress Modulates the Balance between Exocytosis and Clathrin-Mediated Endocytosis in <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2015, 8, 1175-1187.	3.9	95
125	The <i>Arabidopsis</i> Synaptotagmin1 Is Enriched in Endoplasmic Reticulum-Plasma Membrane Contact Sites and Confers Cellular Resistance to Mechanical Stresses. <i>Plant Physiology</i> , 2015, 168, 132-143.	2.3	150
126	Calcium is an organizer of cell polarity in plants. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2168-2172.	1.9	35

#	ARTICLE	IF	CITATIONS
127	Cytokinin response factors regulate PIN-FORMED auxin transporters. <i>Nature Communications</i> , 2015, 6, 8717.	5.8	108
128	Transcriptional regulation of PIN genes by FOUR LIPS and MYB88 during Arabidopsis root gravitropism. <i>Nature Communications</i> , 2015, 6, 8822.	5.8	74
129	Embryo-lethal phenotypes in early abp1 mutants are due to disruption of the neighboring BSM gene. <i>F1000Research</i> , 2015, 4, 1104.	0.8	37
130	SAC phosphoinositide phosphatases at the tonoplast mediate vacuolar function in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2818-2823.	3.3	62
131	Polar delivery in plants; commonalities and differences to animal epithelial cells. <i>Open Biology</i> , 2014, 4, 140017.	1.5	36
132	BEX1/ARF1A1C is Required for BFA-Sensitive Recycling of PIN Auxin Transporters and Auxin-Mediated Development in Arabidopsis. <i>Plant and Cell Physiology</i> , 2014, 55, 737-749.	1.5	52
133	Expression of <sc>TWISTED DWARF</sc>1 lacking its inâ€plane membrane anchor leads to increased cell elongation and hypermorphic growth. <i>Plant Journal</i> , 2014, 77, 108-118.	2.8	19
134	Bimodal regulation of ICR1 levels generates self-organizing auxin distribution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E5471-9.	3.3	20
135	Cytokinin Controls Polarity of PIN1-Dependent Auxin Transport during Lateral Root Organogenesis. <i>Current Biology</i> , 2014, 24, 1031-1037.	1.8	152
136	The TPLATE Adaptor Complex Drives Clathrin-Mediated Endocytosis in Plants. <i>Cell</i> , 2014, 156, 691-704.	13.5	238
137	Cellular events during interfascicular cambium ontogenesis in inflorescence stems of Arabidopsis. <i>Protoplasma</i> , 2014, 251, 1125-1139.	1.0	30
138	Cell Surface ABP1-TMK Auxin-Sensing Complex Activates ROP GTPase Signaling. <i>Science</i> , 2014, 343, 1025-1028.	6.0	276
139	VAN4 Encodes a Putative TRS120 That is Required for Normal Cell Growth and Vein Development in Arabidopsis. <i>Plant and Cell Physiology</i> , 2014, 55, 750-763.	1.5	35
140	Auxin transport and activity regulate stomatal patterning and development. <i>Nature Communications</i> , 2014, 5, 3090.	5.8	118
141	Inhibition of cell expansion by rapid ABP1-mediated auxin effect on microtubules. <i>Nature</i> , 2014, 516, 90-93.	13.7	129
142	Directional Auxin Transport Mechanisms in Early Diverging Land Plants. <i>Current Biology</i> , 2014, 24, 2786-2791.	1.8	113
143	Rho-GTPase-regulated vesicle trafficking in plant cell polarity. <i>Biochemical Society Transactions</i> , 2014, 42, 212-218.	1.6	23
144	An Auxin-Mediated Shift toward Growth Isotropy Promotes Organ Formation at the Shoot Meristem in Arabidopsis. <i>Current Biology</i> , 2014, 24, 2335-2342.	1.8	161

#	ARTICLE	IF	CITATIONS
145	Insights into the Localization and Function of the Membrane Trafficking Regulator GNOM ARF-GEF at the Golgi Apparatus in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 3062-3076.	3.1	121
146	Auxin on the Road Navigated by Cellular PIN Polarity. , 2014, , 143-170.		3
147	Bipolar Plasma Membrane Distribution of Phosphoinositides and Their Requirement for Auxin-Mediated Cell Polarity and Patterning in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2114-2128.	3.1	144
148	Plant Biology: Gatekeepers of the Road to Protein Perdition. <i>Current Biology</i> , 2014, 24, R27-R29.	1.8	6
149	Analyzing the In Vivo Status of Exogenously Applied Auxins: A HPLC-Based Method to Characterize the Intracellularly Localized Auxin Transporters. <i>Methods in Molecular Biology</i> , 2014, 1056, 255-264.	0.4	2
150	Defining the selectivity of processes along the auxin response chain: a study using auxin analogues. <i>New Phytologist</i> , 2013, 200, 1034-1048.	3.5	59
151	Single-cell-based system to monitor carrier driven cellular auxin homeostasis. <i>BMC Plant Biology</i> , 2013, 13, 20.	1.6	28
152	Salicylic acid interferes with clathrin-mediated endocytic protein trafficking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7946-7951.	3.3	101
153	The Clathrin Adaptor Complex AP-2 Mediates Endocytosis of BRASSINOSTEROID INSENSITIVE1 in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 2986-2997.	3.1	171
154	Adaptor Protein Complex 2-Mediated Endocytosis Is Crucial for Male Reproductive Organ Development in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 2970-2985.	3.1	106
155	Tightly controlled WRKY23 expression mediates <i>Arabidopsis</i> embryo development. <i>EMBO Reports</i> , 2013, 14, 1136-1142.	2.0	61
156	Local Auxin Sources Orient the Apical-Basal Axis in <i>Arabidopsis</i> Embryos. <i>Current Biology</i> , 2013, 23, 2506-2512.	1.8	182
157	Asymmetric gibberellin signaling regulates vacuolar trafficking of PIN auxin transporters during root gravitropism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3627-3632.	3.3	126
158	Modeling Framework for the Establishment of the Apical-Basal Embryonic Axis in Plants. <i>Current Biology</i> , 2013, 23, 2513-2518.	1.8	84
159	Origin and evolution of PIN auxin transporters in the green lineage. <i>Trends in Plant Science</i> , 2013, 18, 5-10.	4.3	109
160	Cell Polarity and Patterning by PIN Trafficking through Early Endosomal Compartments in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , 2013, 9, e1003540.	1.5	71
161	ECHIDNA-mediated post-Golgi trafficking of auxin carriers for differential cell elongation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16259-16264.	3.3	85
162	<i>Arabidopsis</i> TWISTED DWARF1 Functionally Interacts with Auxin Exporter ABCB1 on the Root Plasma Membrane. <i>Plant Cell</i> , 2013, 25, 202-214.	3.1	83

#	ARTICLE	IF	CITATIONS
163	A Major Facilitator Superfamily Transporter Plays a Dual Role in Polar Auxin Transport and Drought Stress Tolerance in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 901-926.	3.1	187
164	A map of cell type-specific auxin responses. <i>Molecular Systems Biology</i> , 2013, 9, 688.	3.2	150
165	Sequential induction of auxin efflux and influx carriers regulates lateral root emergence. <i>Molecular Systems Biology</i> , 2013, 9, 699.	3.2	104
166	Retromer Subunits VPS35A and VPS29 Mediate Prevacuolar Compartment (PVC) Function in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2013, 6, 1849-1862.	3.9	47
167	Calcium: The Missing Link in Auxin Action. <i>Plants</i> , 2013, 2, 650-675.	1.6	86
168	Overexpression of the Auxin Binding PROTEIN1 Modulates PIN-Dependent Auxin Transport in Tobacco Cells. <i>PLoS ONE</i> , 2013, 8, e70050.	1.1	19
169	Role of the <i>Arabidopsis</i> PIN6 Auxin Transporter in Auxin Homeostasis and Auxin-Mediated Development. <i>PLoS ONE</i> , 2013, 8, e70069.	1.1	65
170	Fluorescence Imaging-Based Forward Genetic Screens to Identify Trafficking Regulators in Plants. <i>Frontiers in Plant Science</i> , 2012, 3, 97.	1.7	10
171	A PP6-Type Phosphatase Holoenzyme Directly Regulates PIN Phosphorylation and Auxin Efflux in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 2497-2514.	3.1	84
172	BEX5/RabA1b Regulates <i>trans</i> -Golgi Network-to-Plasma Membrane Protein Trafficking in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2012, 24, 3074-3086.	3.1	102
173	Transcription factor WRKY23 assists auxin distribution patterns during <i>Arabidopsis</i> root development through local control on flavonol biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 1554-1559.	3.3	184
174	ROP GTPase-Dependent Actin Microfilaments Promote PIN1 Polarization by Localized Inhibition of Clathrin-Dependent Endocytosis. <i>PLoS Biology</i> , 2012, 10, e1001299.	2.6	186
175	SCFTIR1/AFB-auxin signalling regulates PIN vacuolar trafficking and auxin fluxes during root gravitropism. <i>EMBO Journal</i> , 2012, 32, 260-274.	3.5	152
176	A ROP GTPase-Dependent Auxin Signaling Pathway Regulates the Subcellular Distribution of PIN2 in <i>Arabidopsis</i> Roots. <i>Current Biology</i> , 2012, 22, 1319-1325.	1.8	177
177	ABP1 and ROP6 GTPase Signaling Regulate Clathrin-Mediated Endocytosis in <i>Arabidopsis</i> Roots. <i>Current Biology</i> , 2012, 22, 1326-1332.	1.8	145
178	GOLVEN Secretory Peptides Regulate Auxin Carrier Turnover during Plant Gravitropic Responses. <i>Developmental Cell</i> , 2012, 22, 678-685.	3.1	182
179	ER-localized auxin transporter PIN8 regulates auxin homeostasis and male gametophyte development in <i>Arabidopsis</i> . <i>Nature Communications</i> , 2012, 3, 941.	5.8	233
180	A novel putative auxin carrier family regulates intracellular auxin homeostasis in plants. <i>Nature</i> , 2012, 485, 119-122.	13.7	345

#	ARTICLE	IF	CITATIONS
181	Fluorescent castasterone reveals BRI1 signaling from the plasma membrane. <i>Nature Chemical Biology</i> , 2012, 8, 583-589.	3.9	203
182	Cell wall constrains lateral diffusion of plant plasma-membrane proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12805-12810.	3.3	224
183	Inositol Trisphosphate-Induced Ca ²⁺ Signaling Modulates Auxin Transport and PIN Polarity. <i>Developmental Cell</i> , 2011, 20, 855-866.	3.1	121
184	Cytokinin Modulates Endocytic Trafficking of PIN1 Auxin Efflux Carrier to Control Plant Organogenesis. <i>Developmental Cell</i> , 2011, 21, 796-804.	3.1	268
185	Developmental regulation of CYCA2s contributes to tissue-specific proliferation in <i>Arabidopsis</i> . <i>EMBO Journal</i> , 2011, 30, 3430-3441.	3.5	113
186	Feedback models for polarized auxin transport: an emerging trend. <i>Molecular BioSystems</i> , 2011, 7, 2352.	2.9	42
187	Prototype cell-to-cell auxin transport mechanism by intracellular auxin compartmentalization. <i>Trends in Plant Science</i> , 2011, 16, 468-475.	4.3	45
188	Competitive canalization of PIN-dependent auxin flow from axillary buds controls pea bud outgrowth. <i>Plant Journal</i> , 2011, 65, 571-577.	2.8	152
189	Polarization of PIN3-dependent auxin transport for hypocotyl gravitropic response in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2011, 67, 817-826.	2.8	171
190	Auxin minimum defines a developmental window for lateral root initiation. <i>New Phytologist</i> , 2011, 191, 970-983.	3.5	103
191	Light-mediated polarization of the PIN3 auxin transporter for the phototropic response in <i>Arabidopsis</i> . <i>Nature Cell Biology</i> , 2011, 13, 447-452.	4.6	295
192	Clathrin-mediated endocytosis: the gateway into plant cells. <i>Current Opinion in Plant Biology</i> , 2011, 14, 674-682.	3.5	163
193	PIN Polarity Maintenance by the Cell Wall in <i>Arabidopsis</i> . <i>Current Biology</i> , 2011, 21, 338-343.	1.8	336
194	A Mutually Inhibitory Interaction between Auxin and Cytokinin Specifies Vascular Pattern in Roots. <i>Current Biology</i> , 2011, 21, 917-926.	1.8	359
195	Cell Plate Restricted Association of DRP1A and PIN Proteins Is Required for Cell Polarity Establishment in <i>Arabidopsis</i> . <i>Current Biology</i> , 2011, 21, 1055-1060.	1.8	89
196	Cell polarity in plants: when two do the same, it is not the same..... <i>Current Opinion in Cell Biology</i> , 2011, 23, 686-696.	2.6	46
197	The AP-3 adaptor complex is required for vacuolar function in <i>Arabidopsis</i> . <i>Cell Research</i> , 2011, 21, 1711-1722.	5.7	114
198	Polar-localized NPH3-like proteins regulate polarity and endocytosis of PIN-FORMED auxin efflux carriers. <i>Development (Cambridge)</i> , 2011, 138, 2069-2078.	1.2	72

#	ARTICLE	IF	CITATIONS
199	ARF1 Localizes to the Golgi and the <i>Trans</i>-Golgi Network. <i>Plant Cell</i> , 2011, 23, 846-849.	3.1	30
200	Clusters of bioactive compounds target dynamic endomembrane networks in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 17850-17855.	3.3	122
201	Clathrin Mediates Endocytosis and Polar Distribution of PIN Auxin Transporters in <i>Arabidopsis</i>. <i>Plant Cell</i> , 2011, 23, 1920-1931.	3.1	291
202	Recycling, clustering, and endocytosis jointly maintain PIN auxin carrier polarity at the plasma membrane. <i>Molecular Systems Biology</i> , 2011, 7, 540.	3.2	232
203	Monoubiquitin-dependent endocytosis of the IRON-REGULATED TRANSPORTER 1 (IRT1) transporter controls iron uptake in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E450-8.	3.3	406
204	Subcellular trafficking of PIN auxin efflux carriers in auxin transport. <i>European Journal of Cell Biology</i> , 2010, 89, 231-235.	1.6	175
205	Trafficking to the Outer Polar Domain Defines the Root-Soil Interface. <i>Current Biology</i> , 2010, 20, 904-908.	1.8	80
206	Probing plant membranes with FM dyes: tracking, dragging or blocking?. <i>Plant Journal</i> , 2010, 61, 883-892.	2.8	104
207	The march of the PINs: developmental plasticity by dynamic polar targeting in plant cells. <i>EMBO Journal</i> , 2010, 29, 2700-2714.	3.5	259
208	PIN phosphorylation is sufficient to mediate PIN polarity and direct auxin transport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 918-922.	3.3	175
209	Emergence of tissue polarization from synergy of intracellular and extracellular auxin signaling. <i>Molecular Systems Biology</i> , 2010, 6, 447.	3.2	126
210	Gravity-induced PIN transcytosis for polarization of auxin fluxes in gravity-sensing root cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 22344-22349.	3.3	287
211	Role of PIN-mediated auxin efflux in apical hook development of <i>Arabidopsis thaliana</i>. <i>Development (Cambridge)</i> , 2010, 137, 607-617.	1.2	297
212	PIN Auxin Efflux Carrier Polarity Is Regulated by PINOID Kinase-Mediated Recruitment into GNOM-Independent Trafficking in <i>Arabidopsis</i>. <i>Plant Cell</i> , 2010, 21, 3839-3849.	3.1	165
213	Plasma membrane-bound AGC3 kinases phosphorylate PIN auxin carriers at TPRXS(N/S) motifs to direct apical PIN recycling. <i>Development (Cambridge)</i> , 2010, 137, 3245-3255.	1.2	201
214	ADP-ribosylation factor machinery mediates endocytosis in plant cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21890-21895.	3.3	129
215	The AP-3 $\hat{1}^2$ Adaptin Mediates the Biogenesis and Function of Lytic Vacuoles in <i>Arabidopsis</i>. <i>Plant Cell</i> , 2010, 22, 2812-2824.	3.1	128
216	A Rho Scaffold Integrates the Secretory System with Feedback Mechanisms in Regulation of Auxin Distribution. <i>PLoS Biology</i> , 2010, 8, e1000282.	2.6	101

#	ARTICLE	IF	CITATIONS
217	Cell Surface- and Rho GTPase-Based Auxin Signaling Controls Cellular Interdigitation in Arabidopsis. <i>Cell</i> , 2010, 143, 99-110.	13.5	454
218	ABP1 Mediates Auxin Inhibition of Clathrin-Dependent Endocytosis in Arabidopsis. <i>Cell</i> , 2010, 143, 111-121.	13.5	386
219	Endoplasmic Reticulum: The Rising Compartment in Auxin Biology. <i>Plant Physiology</i> , 2010, 154, 458-462.	2.3	71
220	Immunolocalization of Proteins in Plants. <i>Methods in Molecular Biology</i> , 2010, 655, 253-263.	0.4	24
221	Auxin regulates distal stem cell differentiation in <i>Arabidopsis</i> roots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 12046-12051.	3.3	346
222	Phosphoinositide-dependent regulation of VAN3 ARF-GAP localization and activity essential for vascular tissue continuity in plants. <i>Development (Cambridge)</i> , 2009, 136, 1529-1538.	1.2	77
223	Fluorescence Imaging-Based Screen Identifies ARF GEF Component of Early Endosomal Trafficking. <i>Current Biology</i> , 2009, 19, 391-397.	1.8	167
224	ABCB19/PGP19 stabilises PIN1 in membrane microdomains in Arabidopsis. <i>Plant Journal</i> , 2009, 57, 27-44.	2.8	239
225	A regulated auxin minimum is required for seed dispersal in Arabidopsis. <i>Nature</i> , 2009, 459, 583-586.	13.7	237
226	Subcellular homeostasis of phytohormone auxin is mediated by the ER-localized PIN5 transporter. <i>Nature</i> , 2009, 459, 1136-1140.	13.7	462
227	Auxin: A Trigger for Change in Plant Development. <i>Cell</i> , 2009, 136, 1005-1016.	13.5	1,102
228	Cytokinin regulates root meristem activity via modulation of the polar auxin transport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4284-4289.	3.3	340
229	The PIN-FORMED (PIN) protein family of auxin transporters. <i>Genome Biology</i> , 2009, 10, 249.	13.9	410
230	Auxin transport routes in plant development. <i>Development (Cambridge)</i> , 2009, 136, 2675-2688.	1.2	678
231	Generation of cell polarity in plants links endocytosis, auxin distribution and cell fate decisions. <i>Nature</i> , 2008, 456, 962-966.	13.7	228
232	The auxin influx carrier LAX3 promotes lateral root emergence. <i>Nature Cell Biology</i> , 2008, 10, 946-954.	4.6	715
233	ARF GEF-Dependent Transcytosis and Polar Delivery of PIN Auxin Carriers in Arabidopsis. <i>Current Biology</i> , 2008, 18, 526-531.	1.8	250
234	Polar Targeting and Endocytic Recycling in Auxin-Dependent Plant Development. <i>Annual Review of Cell and Developmental Biology</i> , 2008, 24, 447-473.	4.0	252

#	ARTICLE	IF	CITATIONS
235	In Vitro Culture of Arabidopsis Embryos. <i>Methods in Molecular Biology</i> , 2008, 427, 71-76.	0.4	12
236	PIN Polar Targeting. <i>Plant Physiology</i> , 2008, 147, 1553-1559.	2.3	130
237	Interaction of PIN and PGP transport mechanisms in auxin distribution-dependent development. <i>Development (Cambridge)</i> , 2008, 135, 3345-3354.	1.2	196
238	Auxin transport inhibitors impair vesicle motility and actin cytoskeleton dynamics in diverse eukaryotes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4489-4494.	3.3	239
239	Flavonoids Redirect PIN-mediated Polar Auxin Fluxes during Root Gravitropic Responses. <i>Journal of Biological Chemistry</i> , 2008, 283, 31218-31226.	1.6	187
240	Cellular and Molecular Requirements for Polar PIN Targeting and Transcytosis in Plants. <i>Molecular Plant</i> , 2008, 1, 1056-1066.	3.9	124
241	Auxin acts as a local morphogenetic trigger to specify lateral root founder cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8790-8794.	3.3	527
242	Differential degradation of PIN2 auxin efflux carrier by retromer-dependent vacuolar targeting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17812-17817.	3.3	389
243	Molecular and cellular aspects of auxin-transport-mediated development. <i>Trends in Plant Science</i> , 2007, 12, 160-168.	4.3	304
244	Antagonistic Regulation of PIN Phosphorylation by PP2A and PINOID Directs Auxin Flux. <i>Cell</i> , 2007, 130, 1044-1056.	13.5	590
245	Interactions among PIN-FORMED and P-Glycoprotein Auxin Transporters in Arabidopsis. <i>Plant Cell</i> , 2007, 19, 131-147.	3.1	387
246	Clathrin-Mediated Constitutive Endocytosis of PIN Auxin Efflux Carriers in Arabidopsis. <i>Current Biology</i> , 2007, 17, 520-527.	1.8	586
247	A Molecular Framework for Plant Regeneration. <i>Science</i> , 2006, 311, 385-388.	6.0	312
248	Subcellular Trafficking of the Arabidopsis Auxin Influx Carrier AUX1 Uses a Novel Pathway Distinct from PIN1. <i>Plant Cell</i> , 2006, 18, 3171-3181.	3.1	239
249	PIN Proteins Perform a Rate-Limiting Function in Cellular Auxin Efflux. <i>Science</i> , 2006, 312, 914-918.	6.0	805
250	Endocytosis of Cell Surface Material Mediates Cell Plate Formation during Plant Cytokinesis. <i>Developmental Cell</i> , 2006, 10, 137-150.	3.1	254
251	Intracellular trafficking and proteolysis of the Arabidopsis auxin-efflux facilitator PIN2 are involved in root gravitropism. <i>Nature Cell Biology</i> , 2006, 8, 249-256.	4.6	557
252	Immunocytochemical techniques for whole-mount in situ protein localization in plants. <i>Nature Protocols</i> , 2006, 1, 98-103.	5.5	201

#	ARTICLE	IF	CITATIONS
253	Immunocytochemical technique for protein localization in sections of plant tissues. <i>Nature Protocols</i> , 2006, 1, 104-107.	5.5	63
254	In situ hybridization technique for mRNA detection in whole mount Arabidopsis samples. <i>Nature Protocols</i> , 2006, 1, 1939-1946.	5.5	141
255	Polar PIN Localization Directs Auxin Flow in Plants. <i>Science</i> , 2006, 312, 883-883.	6.0	754
256	Auxin signaling. <i>Journal of Cell Science</i> , 2006, 119, 1199-1202.	1.2	74
257	Canalization of auxin flow by Aux/IAA-ARF-dependent feedback regulation of PIN polarity. <i>Genes and Development</i> , 2006, 20, 2902-2911.	2.7	395
258	Control of leaf vascular patterning by polar auxin transport. <i>Genes and Development</i> , 2006, 20, 1015-1027.	2.7	692
259	The PIN auxin efflux facilitator network controls growth and patterning in Arabidopsis roots. <i>Nature</i> , 2005, 433, 39-44.	13.7	1,789
260	Auxin inhibits endocytosis and promotes its own efflux from cells. <i>Nature</i> , 2005, 435, 1251-1256.	13.7	712
261	Maintenance of Embryonic Auxin Distribution for Apical-Basal Patterning by PIN-FORMED-Dependent Auxin Transport in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 2517-2526.	3.1	135
262	Functional redundancy of PIN proteins is accompanied by auxin-dependent cross-regulation of PIN expression. <i>Development (Cambridge)</i> , 2005, 132, 4521-4531.	1.2	574
263	A PINOID-Dependent Binary Switch in Apical-Basal PIN Polar Targeting Directs Auxin Efflux. <i>Science</i> , 2004, 306, 862-865.	6.0	703
264	Auxin transport – shaping the plant. <i>Current Opinion in Plant Biology</i> , 2003, 6, 7-12.	3.5	648
265	Automated whole mount localisation techniques for plant seedlings. <i>Plant Journal</i> , 2003, 34, 115-124.	2.8	126
266	Regulation of phyllotaxis by polar auxin transport. <i>Nature</i> , 2003, 426, 255-260.	13.7	1,361
267	Efflux-dependent auxin gradients establish the apical-basal axis of Arabidopsis. <i>Nature</i> , 2003, 426, 147-153.	13.7	1,672
268	Local, Efflux-Dependent Auxin Gradients as a Common Module for Plant Organ Formation. <i>Cell</i> , 2003, 115, 591-602.	13.5	2,313
269	AtPIN4 Mediates Sink-Driven Auxin Gradients and Root Patterning in Arabidopsis. <i>Cell</i> , 2002, 108, 661-673.	13.5	763
270	Lateral relocation of auxin efflux regulator PIN3 mediates tropism in Arabidopsis. <i>Nature</i> , 2002, 415, 806-809.	13.7	1,299

#	ARTICLE	IF	CITATIONS
271	Polar auxin transport--old questions and new concepts?. <i>Plant Molecular Biology</i> , 2002, 49, 273-84.	2.0	98
272	Auxin transport inhibitors block PIN1 cycling and vesicle trafficking. <i>Nature</i> , 2001, 413, 425-428.	13.7	1,174
273	BIG: a calossin-like protein required for polar auxin transport in <i>Arabidopsis</i> . <i>Genes and Development</i> , 2001, 15, 1985-1997.	2.7	250
274	Constitutive Active CPK30 Interferes With Root Growth and Endomembrane Trafficking in <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	1