

Xingyong Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6368825/publications.pdf>

Version: 2024-02-01

26
papers

747
citations

623734

14
h-index

610901

24
g-index

26
all docs

26
docs citations

26
times ranked

797
citing authors

#	ARTICLE	IF	CITATIONS
1	A Kinesin Vdkin2 Required for Vacuole Formation, Mycelium Growth, and Penetration Structure Formation of <i>Verticillium dahliae</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 391.	3.5	4
2	Identification of VdASP F2-interacting protein as a regulator of microsclerotial formation in <i>Verticillium dahliae</i> . <i>Microbial Biotechnology</i> , 2022, 15, 2040-2054.	4.2	2
3	<i>Bacillus circulans</i> GN03 Alters the Microbiota, Promotes Cotton Seedling Growth and Disease Resistance, and Increases the Expression of Phytohormone Synthesis and Disease Resistance-Related Genes. <i>Frontiers in Plant Science</i> , 2021, 12, 644597.	3.6	10
4	Plant antimicrobial peptides: structures, functions, and applications. , 2021, 62, 5.		102
5	Cu/Zn superoxide dismutase (VdSOD1) mediates reactive oxygen species detoxification and modulates virulence in <i>Verticillium dahliae</i> . <i>Molecular Plant Pathology</i> , 2021, 22, 1092-1108.	4.2	17
6	Biocontrol Effect and Possible Mechanism of Food-Borne Sulfide 3-Methylthio-1-Propanol Against <i>Botrytis cinerea</i> in Postharvest Tomato. <i>Frontiers in Plant Science</i> , 2021, 12, 763755.	3.6	1
7	VdNPS, a Nonribosomal Peptide Synthetase, Is Involved in Regulating Virulence in <i>Verticillium dahliae</i> . <i>Phytopathology</i> , 2020, 110, 1398-1409.	2.2	5
8	Co-occurrence network analyses of rhizosphere soil microbial PLFAs and metabolites over continuous cropping seasons in tobacco. <i>Plant and Soil</i> , 2020, 452, 119-135.	3.7	32
9	An Overview of the Molecular Genetics of Plant Resistance to the <i>Verticillium</i> Wilt Pathogen <i>Verticillium dahliae</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 1120.	4.1	78
10	Insights from the Complete Genome Sequence of <i>Bacillus circulans</i> GN03, a Plant Growth-Promoting Bacterium Isolated from Pak Choi Cabbage (<i>Brassica chinensis</i> L.) Root Surface. <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.6	0
11	Comparative transcriptome analysis reveals regulatory networks and key genes of microsclerotia formation in the cotton vascular wilt pathogen. <i>Fungal Genetics and Biology</i> , 2019, 126, 25-36.	2.1	14
12	Accumulation and tolerance to cadmium heavy metal ions and induction of 14-3-3 gene expression in response to cadmium exposure in <i>Coprinus atramentarius</i> . <i>Microbiological Research</i> , 2017, 196, 1-6.	5.3	14
13	The fungal-specific transcription factor <i>Vdvpf</i> influences conidia production, melanized microsclerotia formation and pathogenicity in <i>Verticillium dahliae</i> . <i>Molecular Plant Pathology</i> , 2016, 17, 1364-1381.	4.2	55
14	Isolation and Characterization of a Novel Seed-Specific Promoter from <i>Malaytea Scurfpea</i> . <i>Plant Molecular Biology Reporter</i> , 2015, 33, 1171-1179.	1.8	2
15	Characterization of cadmium-resistant endophytic fungi from <i>Salix variegata</i> Franch. in Three Gorges Reservoir Region, China. <i>Microbiological Research</i> , 2015, 176, 29-37.	5.3	40
16	Purification and characterisation of an antifungal protein, MCha-Pr, from the intercellular fluid of bitter melon (<i>Momordica charantia</i>) leaves. <i>Protein Expression and Purification</i> , 2015, 107, 43-49.	1.3	16
17	Interactions between <i>Verticillium dahliae</i> and its host: vegetative growth, pathogenicity, plant immunity. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 6921-6932.	3.6	56
18	Proteomics-based analysis reveals that <i>Verticillium dahliae</i> toxin induces cell death by modifying the synthesis of host proteins. <i>Journal of General Plant Pathology</i> , 2013, 79, 335-345.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Molecular cloning and characterization of an achene-seed-specific promoter from motherwort (<i>Leonurus japonicus</i> Houtt). <i>Biotechnology Letters</i> , 2011, 33, 167-172.	2.2	3
20	Enhanced resistance to fungal pathogens in transgenic <i>Populus tomentosa</i> Carr. by overexpression of an nsLTP-like antimicrobial protein gene from motherwort (<i>Leonurus japonicus</i>). <i>Tree Physiology</i> , 2010, 30, 1599-1605.	3.1	71
21	Protein Extraction Methods Compatible with Proteomic Analysis for the Cotton Seedling. <i>Crop Science</i> , 2009, 49, 395-402.	1.8	19
22	Characterization and expression of an nsLTPs-like antimicrobial protein gene from motherwort (<i>Leonurus japonicus</i>). <i>Plant Cell Reports</i> , 2008, 27, 759-766.	5.6	15
23	A novel small antifungal peptide from <i>Bacillus</i> strain B-TL2 isolated from tobacco stems. <i>Peptides</i> , 2008, 29, 350-355.	2.4	34
24	Expression of a Novel Small Antimicrobial Protein from the Seeds of Motherwort (<i>Leonurus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 T 939-946.	3.1	53
25	Psc-AFP, an antifungal protein with trypsin inhibitor activity from <i>Psoralea corylifolia</i> seeds. <i>Peptides</i> , 2006, 27, 1726-1731.	2.4	49
26	Isolation and characterization of a novel thermostable non-specific lipid transfer protein-like antimicrobial protein from motherwort (<i>Leonurus japonicus</i> Houtt) seeds. <i>Peptides</i> , 2006, 27, 3122-3128.	2.4	37