## Mark H Wener

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6369591/mark-h-wener-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

1,212
h-index

34
g-index

45
ext. papers

1,560
ext. citations

7.9
avg, IF

L-index

#	Paper	IF	Citations
37	Performance Characteristics of the Abbott Architect SARS-CoV-2 IgG Assay and Seroprevalence in Boise, Idaho. <i>Journal of Clinical Microbiology</i> , <b>2020</b> , 58,	9.7	377
36	Absence of antibodies to cyclic citrullinated peptide in sera of patients with hepatitis C virus infection and cryoglobulinemia. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2305-8		98
35	Policies and Guidelines for COVID-19 Preparedness: Experiences from the University of Washington. <i>Radiology</i> , <b>2020</b> , 296, E26-E31	20.5	92
34	Viral oncoprotein antibodies as a marker for recurrence of Merkel cell carcinoma: A prospective validation study. <i>Cancer</i> , <b>2017</b> , 123, 1464-1474	6.4	88
33	Antibodies to the collagen-like region of C1q in sera of patients with autoimmune rheumatic diseases. <i>Arthritis and Rheumatism</i> , <b>1989</b> , 32, 544-51		88
32	Utility of laboratory testing in autoimmune inner ear disease. <i>Laryngoscope</i> , <b>1999</b> , 109, 1749-54	3.6	76
31	A transient increase in eosinophils is associated with prolonged survival in men with metastatic castration-resistant prostate cancer who receive sipuleucel-T. <i>Cancer Immunology Research</i> , <b>2014</b> , 2, 98	38 <del>-99</del> 5	40
30	Clinical, laboratory, and temporal predictors of neutralizing antibodies against SARS-CoV-2 among COVID-19 convalescent plasma donor candidates. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	39
29	Hydroxychloroquine as Postexposure Prophylaxis to Prevent Severe Acute Respiratory Syndrome Coronavirus 2 Infection: A Randomized Trial. <i>Annals of Internal Medicine</i> , <b>2021</b> , 174, 344-352	8	36
28	Prevalence of autoantibody responses in acute coronavirus disease 2019 (COVID-19). <i>Journal of Translational Autoimmunity</i> , <b>2020</b> , 3, 100073	4.1	30
27	Hydroxychloroquine with or without azithromycin for treatment of early SARS-CoV-2 infection among high-risk outpatient adults: A randomized clinical trial. <i>EClinicalMedicine</i> , <b>2021</b> , 33, 100773	11.3	28
26	SARS-CoV-2 Viral Load on Admission Is Associated With 30-Day Mortality. <i>Open Forum Infectious Diseases</i> , <b>2020</b> , 7, ofaa535	1	23
25	Efficacy of hydroxychloroquine for post-exposure prophylaxis to prevent severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection among adults exposed to coronavirus disease (COVID-19): a structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , <b>2020</b>	2.8	21
24	Blood spot-based measures of glucose homeostasis and diabetes prevalence in a nationally representative population of young US adults. <i>Annals of Epidemiology</i> , <b>2014</b> , 24, 903-9.e1	6.4	14
23	Toxicology evaluation of radiotracer doses of 3Vdeoxy-3V[18F]fluorothymidine (18F-FLT) for human PET imaging: Laboratory analysis of serial blood samples and comparison to previously investigated therapeutic FLT doses. <i>BMC Nuclear Medicine</i> , <b>2007</b> , 7, 3		13
22	Bloodborne Viral Pathogen Contamination in the Era of Laboratory Automation. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 973-81	5.5	12
21	Low HDL-cholesterol among HIV-1 infected and HIV-1 uninfected individuals in Nairobi, Kenya. <i>Lipids in Health and Disease</i> , <b>2017</b> , 16, 110	4.4	11

20	Renal malakoplakia in a patient with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>1984</b> , 27, 704-7		11
19	Policies and Guidelines for COVID-19 Preparedness: Experiences from the University of Washington. <i>Radiology</i> , <b>2020</b> , 296, E26-E31	20.5	11
18	Rapid Screening Evaluation of SARS-CoV-2 IgG Assays Using Z-Scores to Standardize Results. <i>Emerging Infectious Diseases</i> , <b>2020</b> , 26, 2501-2503	10.2	11
17	Establishment of an international autoantibody reference standard for human anti-DFS70 antibodies: proof-of-concept study for a novel Megapool strategy by pooling individual specific sera. Clinical Chemistry and Laboratory Medicine, <b>2019</b> , 57, 1754-1763	5.9	10
16	Prevalence and correlates of hepatitis C virus-associated inflammatory arthritis in a population-based cohort. <i>Seminars in Arthritis and Rheumatism</i> , <b>2017</b> , 47, 445-450	5.3	9
15	Tests for circulating immune complexes. <i>Methods in Molecular Biology</i> , <b>2014</b> , 1134, 47-57	1.4	9
14	Assessment of antinuclear antibodies by indirect immunofluorescence assay: report from a survey by the American Association of Medical Laboratory Immunologists. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 1489-1497	5.9	7
13	Serology Is More Sensitive Than Urea Breath Test or Stool Antigen for the Initial Diagnosis of Helicobacter pylori Gastritis When Compared With Histopathology. <i>American Journal of Clinical Pathology</i> , <b>2020</b> , 154, 255-265	1.9	6
12	Plasma polychlorinated biphenyl concentrations and immune function in postmenopausal women. <i>Environmental Research</i> , <b>2014</b> , 131, 174-80	7.9	6
11	Self-collection of capillary blood using Tasso-SST devices for Anti-SARS-CoV-2 IgG antibody testing. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255841	3.7	5
10	Long-Term Variability in Immunofluorescence Titer of Antibodies to Nuclear Antigens Observed in Clinical Laboratory Proficiency Testing Surveys. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2021</b> , 145, 937-942	5	4
9	Clinical, laboratory, and temporal predictors of neutralizing antibodies to SARS-CoV-2 after COVID-19 <b>2020</b> ,		4
8	Performance of perpendicular drop versus tangent skimming gating of M-protein in proficiency testing challenges. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 59, e19-e22	5.9	3
7	The antinuclear antibody HEp-2 indirect immunofluorescence assay: a survey of laboratory performance, pattern recognition and interpretation. <i>Autoimmunity Highlights</i> , <b>2021</b> , 12, 4	3.7	3
6	Trajectory of Viral RNA Load Among Persons With Incident SARS-CoV-2 G614 Infection (Wuhan Strain) in Association With COVID-19 Symptom Onset and Severity <i>JAMA Network Open</i> , <b>2022</b> , 5, e214	2 <del>7</del> 96	2
5	Establishment of international autoantibody reference standards for the detection of autoantibodies directed against PML bodies, GW bodies, and NuMA protein. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 59, 197-207	5.9	2
4	Anti-Nuclear Antibody Quantitation: Calibration and Harmonization Adjustment via Population Interrogation <i>journal of applied laboratory medicine, The</i> , <b>2022</b> , 7, 46-56	2	1
3	The Case of Missing Immunofixation Bands. <i>Clinical Chemistry</i> , <b>2019</b> , 65, 601-602	5.5	

2 Commentary. Clinical Chemistry, 2014, 60, 1156-7

5.5

Patient and External Quality Assessment Samples Demonstrate Similar Bias Between
Manufacturers in Titer of Antibodies to Nuclear Antigens: Implications for Commutability. *Archives of Pathology and Laboratory Medicine*, **2021**, 145, 919-920

5