

Mark H Wener

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6369591/mark-h-wener-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

1,212
citations

14
h-index

34
g-index

45
ext. papers

1,560
ext. citations

7.9
avg, IF

4.81
L-index

#	Paper	IF	Citations
37	Trajectory of Viral RNA Load Among Persons With Incident SARS-CoV-2 G614 Infection (Wuhan Strain) in Association With COVID-19 Symptom Onset and Severity.. <i>JAMA Network Open</i> , 2022 , 5, e2142796	10.4	2
36	Anti-Nuclear Antibody Quantitation: Calibration and Harmonization Adjustment via Population Interrogation.. <i>journal of applied laboratory medicine, The</i> , 2022 , 7, 46-56	2	1
35	Long-Term Variability in Immunofluorescence Titer of Antibodies to Nuclear Antigens Observed in Clinical Laboratory Proficiency Testing Surveys. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 937-942	5	4
34	Hydroxychloroquine with or without azithromycin for treatment of early SARS-CoV-2 infection among high-risk outpatient adults: A randomized clinical trial. <i>EClinicalMedicine</i> , 2021 , 33, 100773	11.3	28
33	Patient and External Quality Assessment Samples Demonstrate Similar Bias Between Manufacturers in Titer of Antibodies to Nuclear Antigens: Implications for Commutability. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 919-920	5	
32	Hydroxychloroquine as Postexposure Prophylaxis to Prevent Severe Acute Respiratory Syndrome Coronavirus 2 Infection : A Randomized Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 344-352	8	36
31	The antinuclear antibody HEp-2 indirect immunofluorescence assay: a survey of laboratory performance, pattern recognition and interpretation. <i>Autoimmunity Highlights</i> , 2021 , 12, 4	3.7	3
30	Clinical, laboratory, and temporal predictors of neutralizing antibodies against SARS-CoV-2 among COVID-19 convalescent plasma donor candidates. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	39
29	Self-collection of capillary blood using Tasso-SST devices for Anti-SARS-CoV-2 IgG antibody testing. <i>PLoS ONE</i> , 2021 , 16, e0255841	3.7	5
28	Performance Characteristics of the Abbott Architect SARS-CoV-2 IgG Assay and Seroprevalence in Boise, Idaho. <i>Journal of Clinical Microbiology</i> , 2020 , 58,	9.7	377
27	Serology Is More Sensitive Than Urea Breath Test or Stool Antigen for the Initial Diagnosis of Helicobacter pylori Gastritis When Compared With Histopathology. <i>American Journal of Clinical Pathology</i> , 2020 , 154, 255-265	1.9	6
26	Efficacy of hydroxychloroquine for post-exposure prophylaxis to prevent severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection among adults exposed to coronavirus disease (COVID-19): a structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2020	2.8	21
25	Assessment of antinuclear antibodies by indirect immunofluorescence assay: report from a survey by the American Association of Medical Laboratory Immunologists. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 1489-1497	5.9	7
24	Performance of perpendicular drop versus tangent skimming gating of M-protein in proficiency testing challenges. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, e19-e22	5.9	3
23	Establishment of international autoantibody reference standards for the detection of autoantibodies directed against PML bodies, GW bodies, and NuMA protein. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 197-207	5.9	2
22	SARS-CoV-2 Viral Load on Admission Is Associated With 30-Day Mortality. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa535	1	23
21	Clinical, laboratory, and temporal predictors of neutralizing antibodies to SARS-CoV-2 after COVID-19 2020 ,		4

20	Policies and Guidelines for COVID-19 Preparedness: Experiences from the University of Washington. <i>Radiology</i> , 2020 , 296, E26-E31	20.5	11
19	Rapid Screening Evaluation of SARS-CoV-2 IgG Assays Using Z-Scores to Standardize Results. <i>Emerging Infectious Diseases</i> , 2020 , 26, 2501-2503	10.2	11
18	Prevalence of autoantibody responses in acute coronavirus disease 2019 (COVID-19). <i>Journal of Translational Autoimmunity</i> , 2020 , 3, 100073	4.1	30
17	Policies and Guidelines for COVID-19 Preparedness: Experiences from the University of Washington. <i>Radiology</i> , 2020 , 296, E26-E31	20.5	92
16	Establishment of an international autoantibody reference standard for human anti-DFS70 antibodies: proof-of-concept study for a novel Megapool strategy by pooling individual specific sera. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1754-1763	5.9	10
15	The Case of Missing Immunofixation Bands. <i>Clinical Chemistry</i> , 2019 , 65, 601-602	5.5	
14	Prevalence and correlates of hepatitis C virus-associated inflammatory arthritis in a population-based cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 445-450	5.3	9
13	Viral oncoprotein antibodies as a marker for recurrence of Merkel cell carcinoma: A prospective validation study. <i>Cancer</i> , 2017 , 123, 1464-1474	6.4	88
12	Low HDL-cholesterol among HIV-1 infected and HIV-1 uninfected individuals in Nairobi, Kenya. <i>Lipids in Health and Disease</i> , 2017 , 16, 110	4.4	11
11	Bloodborne Viral Pathogen Contamination in the Era of Laboratory Automation. <i>Clinical Chemistry</i> , 2016 , 62, 973-81	5.5	12
10	Blood spot-based measures of glucose homeostasis and diabetes prevalence in a nationally representative population of young US adults. <i>Annals of Epidemiology</i> , 2014 , 24, 903-9.e1	6.4	14
9	A transient increase in eosinophils is associated with prolonged survival in men with metastatic castration-resistant prostate cancer who receive sipuleucel-T. <i>Cancer Immunology Research</i> , 2014 , 2, 988-995	12.5	40
8	Commentary. <i>Clinical Chemistry</i> , 2014 , 60, 1156-7	5.5	
7	Plasma polychlorinated biphenyl concentrations and immune function in postmenopausal women. <i>Environmental Research</i> , 2014 , 131, 174-80	7.9	6
6	Tests for circulating immune complexes. <i>Methods in Molecular Biology</i> , 2014 , 1134, 47-57	1.4	9
5	Toxicology evaluation of radiotracer doses of 3-deoxy-3-[¹⁸ F]fluorothymidine (18F-FLT) for human PET imaging: Laboratory analysis of serial blood samples and comparison to previously investigated therapeutic FLT doses. <i>BMC Nuclear Medicine</i> , 2007 , 7, 3		13
4	Absence of antibodies to cyclic citrullinated peptide in sera of patients with hepatitis C virus infection and cryoglobulinemia. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2305-8		98
3	Utility of laboratory testing in autoimmune inner ear disease. <i>Laryngoscope</i> , 1999 , 109, 1749-54	3.6	76

- 2 Antibodies to the collagen-like region of C1q in sera of patients with autoimmune rheumatic diseases. *Arthritis and Rheumatism*, **1989**, 32, 544-51 88
- 1 Renal malakoplakia in a patient with systemic lupus erythematosus. *Arthritis and Rheumatism*, **1984**, 27, 704-7 11