

Frans R J Verhey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6371058/publications.pdf>

Version: 2024-02-01

338
papers

17,387
citations

16451

64
h-index

20961

115
g-index

369
all docs

369
docs citations

369
times ranked

17887
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Cerebral Amyloid Pathology in Persons Without Dementia. JAMA - Journal of the American Medical Association, 2015, 313, 1924.	7.4	1,166
2	New insights into the genetic etiology of Alzheimer's disease and related dementias. Nature Genetics, 2022, 54, 412-436.	21.4	700
3	Blood-Brain Barrier Leakage in Patients with Early Alzheimer Disease. Radiology, 2016, 281, 527-535.	7.3	411
4	Target risk factors for dementia prevention: a systematic review and Delphi consensus study on the evidence from observational studies. International Journal of Geriatric Psychiatry, 2015, 30, 234-246.	2.7	363
5	Depression and Risk of Mortality in People with Diabetes Mellitus: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e57058.	2.5	324
6	A European consensus on outcome measures for psychosocial intervention research in dementia care. Aging and Mental Health, 2008, 12, 14-29.	2.8	323
7	Neuropsychiatric Syndromes in Dementia. Dementia and Geriatric Cognitive Disorders, 2007, 24, 457-463.	1.5	305
8	Higher incidence of depression preceding the onset of Parkinson's disease: A register study. Movement Disorders, 2003, 18, 414-418.	3.9	301
9	Duration of preclinical, prodromal, and dementia stages of Alzheimer's disease in relation to age, sex, and <i>APOE</i> genotype. Alzheimer's and Dementia, 2019, 15, 888-898.	0.8	290
10	Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. Brain, 2015, 138, 1327-1338.	7.6	284
11	The validity of the Hamilton and Montgomery-Åsberg depression rating scales as screening and diagnostic tools for depression in Parkinson's disease. International Journal of Geriatric Psychiatry, 2000, 15, 644-649.	2.7	271
12	The validity of the Beck Depression Inventory as a screening and diagnostic instrument for depression in patients with Parkinson's disease. Movement Disorders, 2000, 15, 1221-1224.	3.9	258
13	Anxiety as a Predictor for Cognitive Decline and Dementia: A Systematic Review and Meta-Analysis. American Journal of Geriatric Psychiatry, 2016, 24, 823-842.	1.2	239
14	Efficacy of a medical food in mild Alzheimer's disease: A randomized, controlled trial. Alzheimer's and Dementia, 2010, 6, 1.	0.8	235
15	Prevalence of neuropsychiatric symptoms in a large sample of Dutch nursing home patients with dementia. International Journal of Geriatric Psychiatry, 2007, 22, 632-638.	2.7	227
16	The course of neuropsychiatric symptoms in dementia. Part I: findings from the two-year longitudinal Maasbed study. International Journal of Geriatric Psychiatry, 2005, 20, 523-530.	2.7	220
17	Automatic speech analysis for the assessment of patients with predementia and Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 112-124.	2.4	217
18	Parietal cortex matters in Alzheimer's disease: An overview of structural, functional and metabolic findings. Neuroscience and Biobehavioral Reviews, 2012, 36, 297-309.	6.1	203

#	ARTICLE	IF	CITATIONS
19	Impact of Behavioural Problems on Spousal Caregivers: A Comparison between Alzheimer's Disease and Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 35-41.	1.5	195
20	Impact of early onset dementia on caregivers: a review. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 1091-1100.	2.7	194
21	Ten-year risk of dementia in subjects with mild cognitive impairment. <i>Neurology</i> , 2006, 67, 1201-1207.	1.1	191
22	A systematic review of social support interventions for caregivers of people with dementia: Are they doing what they promise?. <i>Maturitas</i> , 2016, 85, 117-130.	2.4	180
23	Do caregiver management strategies influence patient behaviour in dementia?. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 85-92.	2.7	176
24	Coronary heart disease and risk for cognitive impairment or dementia: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0184244.	2.5	173
25	Neuroanatomical correlates of apathy in Parkinson's disease: A magnetic resonance imaging study using voxel-based morphometry. <i>Movement Disorders</i> , 2010, 25, 2318-2325.	3.9	171
26	The impact of early dementia diagnosis and intervention on informal caregivers. <i>Progress in Neurobiology</i> , 2013, 110, 54-62.	5.7	168
27	Consistency of Neuropsychiatric Syndromes across Dementias: Results from the European Alzheimer Disease Consortium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 1-8.	1.5	167
28	A prospective study of the effects of behavioral symptoms on the institutionalization of patients with dementia. <i>International Psychogeriatrics</i> , 2005, 17, 577-589.	1.0	166
29	Effectiveness of Nonpharmacological Interventions in Delaying the Institutionalization of Patients with Dementia: A Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1116-1128.	2.6	165
30	Impact of molecular imaging on the diagnostic process in a memory clinic. <i>Alzheimer's and Dementia</i> , 2013, 9, 414-421.	0.8	159
31	Behavioural disturbances in dementia patients and quality of the marital relationship. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 149-154.	2.7	149
32	Social health and dementia: a European consensus on the operationalization of the concept and directions for research and practice. <i>Aging and Mental Health</i> , 2017, 21, 4-17.	2.8	143
33	Dementia, awareness and depression. <i>International Journal of Geriatric Psychiatry</i> , 1993, 8, 851-856.	2.7	135
34	Association of Cerebral Amyloid- β 2 Aggregation With Cognitive Functioning in Persons Without Dementia. <i>JAMA Psychiatry</i> , 2018, 75, 84.	11.0	133
35	Nilvadipine in mild to moderate Alzheimer disease: A randomised controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002660.	8.4	131
36	New MRI Markers for Alzheimer's Disease: A Meta-Analysis of Diffusion Tensor Imaging and a Comparison with Medial Temporal Lobe Measurements. <i>Journal of Alzheimer's Disease</i> , 2012, 29, 405-429.	2.6	125

#	ARTICLE	IF	CITATIONS
37	Global Prevalence of Young-Onset Dementia. JAMA Neurology, 2021, 78, 1080.	9.0	124
38	Strategic infarct locations for post-stroke cognitive impairment: a pooled analysis of individual patient data from 12 acute ischaemic stroke cohorts. Lancet Neurology, The, 2021, 20, 448-459.	10.2	120
39	Psychometric properties and feasibility of instruments for the detection of delirium in older hospitalized patients: a systematic review. International Journal of Geriatric Psychiatry, 2016, 31, 974-989.	2.7	114
40	Depressive Symptoms and Cognitive Decline in Community-Dwelling Older Adults. Journal of the American Geriatrics Society, 2010, 58, 873-879.	2.6	111
41	Awareness in dementia: A review of clinical correlates. Aging and Mental Health, 2005, 9, 414-422.	2.8	110
42	The care needs and experiences with the use of services of people with young-onset dementia and their caregivers: a systematic review. International Journal of Geriatric Psychiatry, 2016, 31, 1261-1276.	2.7	110
43	Qualitative study on needs and wishes of early-stage dementia caregivers: the paradox between needing and accepting help. International Psychogeriatrics, 2015, 27, 927-936.	1.0	107
44	Diagnostic impact of [18F]flutemetamol PET in early-onset dementia. Alzheimer's Research and Therapy, 2017, 9, 2.	6.2	98
45	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228.	9.0	97
46	Increase in blood-brain barrier leakage in healthy, older adults. GeroScience, 2020, 42, 1183-1193.	4.6	96
47	Modifiable Risk Factors for Prevention of Dementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. Journal of Alzheimer's Disease, 2017, 58, 537-547.	2.6	95
48	A systematic review on the implementation of eHealth interventions for informal caregivers of people with dementia. Internet Interventions, 2018, 13, 51-59.	2.7	95
49	Caregivers' perspectives on the pre-diagnostic period in early onset dementia: a long and winding road. International Psychogeriatrics, 2011, 23, 1393-1404.	1.0	94
50	Behavioral Problems in Dementia Patients and Salivary Cortisol Patterns in Caregivers. Journal of Neuropsychiatry and Clinical Neurosciences, 2005, 17, 201-207.	1.8	92
51	Temporal Evolution of Cognitive Changes in Incident Hypertension. Hypertension, 2014, 63, 245-251.	2.7	92
52	The Use of Formal and Informal Care in Early Onset Dementia: Results From the NeedYD Study. American Journal of Geriatric Psychiatry, 2013, 21, 37-45.	1.2	90
53	Pathophysiological subtypes of Alzheimer's disease based on cerebrospinal fluid proteomics. Brain, 2020, 143, 3776-3792.	7.6	89
54	Modifiable Risk Factors Explain Socioeconomic Inequalities in Dementia Risk: Evidence from a Population-Based Prospective Cohort Study. Journal of Alzheimer's Disease, 2019, 71, 549-557.	2.6	88

#	ARTICLE	IF	CITATIONS
55	Measurements of medial temporal lobe atrophy for prediction of Alzheimer's disease in subjects with mild cognitive impairment. <i>Neurobiology of Aging</i> , 2013, 34, 2003-2013.	3.1	86
56	Biomarker-based prognosis for people with mild cognitive impairment (ABIDE): a modelling study. <i>Lancet Neurology</i> , The, 2019, 18, 1034-1044.	10.2	85
57	Lifestyle for Brain Health (LIBRA): a new model for dementia prevention. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 167-175.	2.7	82
58	Longitudinal cerebrospinal fluid biomarker trajectories along the Alzheimer's disease continuum in the BIOMARKAPD study. <i>Alzheimer's and Dementia</i> , 2019, 15, 742-753.	0.8	82
59	Cognitive functioning in spousal caregivers of dementia patients: findings from the prospective MAASBED study. <i>Age and Ageing</i> , 2006, 35, 160-166.	1.6	81
60	Imaging Markers of Post-Stroke Depression and Apathy: a Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2017, 27, 202-219.	4.9	79
61	Predictors of the Time to Institutionalization in Young- Versus Late-Onset Dementia: Results From the Needs in Young Onset Dementia (NeedYD) Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 248-253.	2.5	78
62	Integrated multidisciplinary diagnostic approach for dementia care: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 192, 300-305.	2.8	75
63	Differences in Nutritional Status Between Very Mild Alzheimer's Disease Patients and Healthy Controls. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 261-271.	2.6	75
64	Subtle blood-brain barrier leakage rate and spatial extent: Considerations for dynamic contrast-enhanced MRI. <i>Medical Physics</i> , 2017, 44, 4112-4125.	3.0	75
65	Variability of CSF Alzheimer's Disease Biomarkers: Implications for Clinical Practice. <i>PLoS ONE</i> , 2014, 9, e100784.	2.5	72
66	A metabolite-based machine learning approach to diagnose Alzheimer's type dementia in blood: Results from the European Medical Information Framework for Alzheimer disease biomarker discovery cohort. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 933-938.	3.7	70
67	Gait Speed and Grip Strength Reflect Cognitive Impairment and Are Modestly Related to Incident Cognitive Decline in Memory Clinic Patients With Subjective Cognitive Decline and Mild Cognitive Impairment: Findings From the 4C Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 846-854.	3.6	69
68	Functional analysis-based interventions for challenging behaviour in dementia. <i>The Cochrane Library</i> , 2012, , CD006929.	2.8	68
69	Rational decision-making about treatment and care in dementia: A contradiction in terms?. <i>Patient Education and Counseling</i> , 2012, 87, 43-48.	2.2	67
70	Prediction of Fitness to Drive in Patients with Alzheimer's Dementia. <i>PLoS ONE</i> , 2016, 11, e0149566.	2.5	66
71	MRI predictors of amyloid pathology: results from the EMIF-AD Multimodal Biomarker Discovery study. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 100.	6.2	64
72	Dementia awareness and risk perception in middle-aged and older individuals: baseline results of the MijBreincoach survey on the association between lifestyle and brain health. <i>BMC Public Health</i> , 2019, 19, 678.	2.9	62

#	ARTICLE	IF	CITATIONS
73	Agitation in Dutch Institutionalized Patients with Dementia: Factor Analysis of the Dutch Version of the Cohen-Mansfield Agitation Inventory. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 35-41.	1.5	60
74	Detection and management of hyperactive and hypoactive delirium in older patients during hospitalization: a retrospective cohort study evaluating daily practice. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1521-1529.	2.7	59
75	The experiences and needs of children living with a parent with young onset dementia: results from the NeedYD study. <i>International Psychogeriatrics</i> , 2014, 26, 2001-2010.	1.0	58
76	Prevalence of the apolipoprotein E ϵ 4 allele in amyloid β 2 positive subjects across the spectrum of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018, 14, 913-924.	0.8	58
77	Alzheimer's disease pathology: pathways between central norepinephrine activity, memory, and neuropsychiatric symptoms. <i>Molecular Psychiatry</i> , 2021, 26, 897-906.	7.9	58
78	The Dutch Parelinoer Institute - Neurodegenerative diseases; methods, design and baseline results. <i>BMC Neurology</i> , 2014, 14, 254.	1.8	57
79	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. <i>Aging and Mental Health</i> , 2018, 22, 897-902.	2.8	57
80	Effectiveness of a Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10017.	4.3	57
81	The relationship between unmet care needs in young-onset dementia and the course of neuropsychiatric symptoms: a two-year follow-up study. <i>International Psychogeriatrics</i> , 2014, 26, 1991-2000.	1.0	56
82	Development and feasibility of Inlife: A pilot study of an online social support intervention for informal caregivers of people with dementia. <i>PLoS ONE</i> , 2017, 12, e0183386.	2.5	55
83	Development and Initial Evaluation of the Web-Based Self-Management Program "Partner in Balance" for Family Caregivers of People With Early Stage Dementia: An Exploratory Mixed-Methods Study. <i>JMIR Research Protocols</i> , 2016, 5, e33.	1.0	55
84	Brain SPECT in subtypes of mild cognitive impairment. <i>Journal of Neurology</i> , 2008, 255, 1344-1353.	3.6	54
85	Diagnostic accuracy of the Preclinical AD Scale (PAS) in cognitively mildly impaired subjects. <i>Journal of Neurology</i> , 2002, 249, 312-319.	3.6	51
86	Implementation of the Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Process Evaluation of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e423.	4.3	51
87	Effectiveness of an electronic cognitive aid in patients with acquired brain injury: A multicentre randomised parallel-group study. <i>Neuropsychological Rehabilitation</i> , 2013, 23, 133-156.	1.6	50
88	Psychological and personality factors in type 2 diabetes mellitus, presenting the rationale and exploratory results from The Maastricht Study, a population-based cohort study. <i>BMC Psychiatry</i> , 2016, 16, 17.	2.6	50
89	Subjective forgetfulness is associated with lower quality of life in middle-aged and young-old individuals: A 9-year follow-up in older participants from the Maastricht Aging Study. <i>Aging and Mental Health</i> , 2009, 13, 699-705.	2.8	49
90	Review of Goal Attainment Scaling as a Useful Outcome Measure in Psychogeriatric Patients with Cognitive Disorders. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 528-540.	1.5	48

#	ARTICLE	IF	CITATIONS
91	Economic Evaluation of an Integrated Diagnostic Approach for Psychogeriatric Patients. Archives of General Psychiatry, 2009, 66, 313.	12.3	48
92	Atrophy of the parietal lobe in preclinical dementia. Brain and Cognition, 2011, 75, 154-163.	1.8	48
93	Symptoms of Preclinical Dementia in General Practice up to Five Years before Dementia Diagnosis. Dementia and Geriatric Cognitive Disorders, 2007, 24, 300-306.	1.5	47
94	Cross-national comparison and validation of the Alzheimer's Disease Assessment Scale: results from the European Harmonization Project for Instruments in Dementia (EURO-HARPID). International Journal of Geriatric Psychiatry, 2004, 19, 41-50.	2.7	46
95	Discovery and validation of plasma proteomic biomarkers relating to brain amyloid burden by SOMAscan assay. Alzheimer's and Dementia, 2019, 15, 1478-1488.	0.8	46
96	Course of objective memory impairment in non-demented subjects attending a memory clinic and predictors of outcome. International Journal of Geriatric Psychiatry, 2000, 15, 363-372.	2.7	45
97	Unmet Needs and Health-Related Quality of Life in Young-Onset Dementia. American Journal of Geriatric Psychiatry, 2014, 22, 1121-1130.	1.2	45
98	Vascular risk factors are associated with longitudinal changes in cerebrospinal fluid tau markers and cognition in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2019, 15, 1149-1159.	0.8	45
99	A study into the psychosocial determinants of perceived forgetfulness: implications for future interventions. Aging and Mental Health, 2008, 12, 167-176.	2.8	44
100	Tolerability and Safety of Souvenaid in Patients with Mild Alzheimer's Disease: Results of Multi-Center, 24-Week, Open-Label Extension Study. Journal of Alzheimer's Disease, 2015, 44, 471-480.	2.6	44
101	Cerebrovascular and amyloid pathology in predementia stages: the relationship with neurodegeneration and cognitive decline. Alzheimer's Research and Therapy, 2017, 9, 101.	6.2	43
102	Dynamic behavior of the locus coeruleus during arousal-related memory processing in a multi-modal 7T fMRI paradigm. ELife, 2020, 9, .	6.0	43
103	SPECT Predictors of Cognitive Decline and Alzheimer's Disease in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2009, 17, 761-772.	2.6	42
104	Visuospatial processing in early Alzheimer's disease: A multimodal neuroimaging study. Cortex, 2015, 64, 394-406.	2.4	42
105	White matter hyperintensities mediate the association between blood-brain barrier leakage and information processing speed. Neurobiology of Aging, 2020, 85, 113-122.	3.1	42
106	Imaging the role of blood-brain barrier disruption in normal cognitive ageing. GeroScience, 2020, 42, 1751-1764.	4.6	42
107	Bridging the divide between biomedical and psychosocial approaches in dementia research: the 2019 INTERDEM manifesto. Aging and Mental Health, 2021, 25, 206-212.	2.8	42
108	STROKOG (stroke and cognition consortium): An international consortium to examine the epidemiology, diagnosis, and treatment of neurocognitive disorders in relation to cerebrovascular disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 11-23.	2.4	41

#	ARTICLE	IF	CITATIONS
109	Recommendations for the Nonpharmacological Treatment of Apathy in Brain Disorders. American Journal of Geriatric Psychiatry, 2020, 28, 410-420.	1.2	41
110	Unraveling the contributions to the neuromelanin-MRI contrast. Brain Structure and Function, 2020, 225, 2757-2774.	2.3	41
111	Are physically frail older persons more at risk of adverse outcomes if they also suffer from cognitive, social, and psychological frailty?. European Journal of Ageing, 2014, 11, 213-219.	2.8	40
112	Long-Term Cognitive Decline After Stroke: An Individual Participant Data Meta-Analysis. Stroke, 2022, 53, 1318-1327.	2.0	40
113	White matter hyperintensities and medial temporal lobe atrophy in clinical subtypes of mild cognitive impairment: the DESCRIPA study. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 1069-1074.	1.9	39
114	The trajectory of cognitive decline in the pre-dementia phase in memory clinic visitors: findings from the 4C-MCI study. Psychological Medicine, 2015, 45, 1509-1519.	4.5	39
115	Temporal Associations between Fatigue, Depression, and Apathy after Stroke: Results of the Cognition and Affect after Stroke, a Prospective Evaluation of Risks Study. Cerebrovascular Diseases, 2017, 44, 330-337.	1.7	39
116	Lack of associations between modifiable risk factors and dementia in the very old: findings from the Cambridge City over-75s cohort study. Aging and Mental Health, 2018, 22, 1272-1278.	2.8	38
117	Validation of an Automatic Video Monitoring System for the Detection of Instrumental Activities of Daily Living in Dementia Patients. Journal of Alzheimer's Disease, 2015, 44, 675-685.	2.6	37
118	The Impact of Young Onset Dementia on Informal Caregivers Compared with Late Onset Dementia: Results from the NeedYD Study. American Journal of Geriatric Psychiatry, 2016, 24, 467-474.	1.2	37
119	The Central Biobank and Virtual Biobank of BIOMARKAPD: A Resource for Studies on Neurodegenerative Diseases. Frontiers in Neurology, 2015, 6, 216.	2.4	36
120	The Patient Health Questionnaire-9 as a Screening Tool for Depression in Individuals with Type 2 Diabetes Mellitus: The Maastricht Study. Journal of the American Geriatrics Society, 2016, 64, e201-e206.	2.6	36
121	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal) Tj ETQq1 1 0.784314 rgBT /Over	2.2	36
122	Gender and Educational Differences in the Association between Lifestyle and Cognitive Decline over 10 Years: The Doetinchem Cohort Study. Journal of Alzheimer's Disease, 2019, 70, S31-S41.	2.6	36
123	Long-term dementia risk prediction by the LIBRA score: A 30-year follow-up of the CAIDE study. International Journal of Geriatric Psychiatry, 2020, 35, 195-203.	2.7	36
124	Empowered or overpowered? Service use, needs, wants and demands in elderly patients with cognitive impairments. International Journal of Geriatric Psychiatry, 2010, 25, 1006-1012.	2.7	35
125	A mismatch between supply and demand of social support in dementia care: a qualitative study on the perspectives of spousal caregivers and their social network members. International Psychogeriatrics, 2018, 30, 881-892.	1.0	35
126	The Influence of Co-Morbidity and Frailty on the Clinical Manifestation of Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 42, 501-509.	2.6	34

#	ARTICLE	IF	CITATIONS
127	Effectiveness of an online social support intervention for caregivers of people with dementia: the study protocol of a randomised controlled trial. <i>Trials</i> , 2017, 18, 395.	1.6	34
128	Research protocol of the NeedYD-study (Needs in Young onset Dementia): a prospective cohort study on the needs and course of early onset dementia. <i>BMC Geriatrics</i> , 2010, 10, 13.	2.7	33
129	Diagnosing Alzheimer's disease: A systematic review of economic evaluations. <i>Alzheimer's and Dementia</i> , 2014, 10, 225-237.	0.8	33
130	Relation of Odor Identification with Alzheimer's Disease Markers in Cerebrospinal Fluid and Cognition. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1025-1034.	2.6	33
131	The Association Between Biomarkers and Neuropsychiatric Symptoms Across the Alzheimer's Disease Spectrum. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 735-744.	1.2	33
132	Decreased gray matter diffusivity: A potential early Alzheimer's disease biomarker?. <i>Alzheimer's and Dementia</i> , 2013, 9, 93-97.	0.8	32
133	Advanced Glycation End Product (AGE) Accumulation in the Skin is Associated with Depression: The Maastricht Study. <i>Depression and Anxiety</i> , 2017, 34, 59-67.	4.1	32
134	Predicting progression to dementia in persons with mild cognitive impairment using cerebrospinal fluid markers. <i>Alzheimer's and Dementia</i> , 2017, 13, 903-912.	0.8	32
135	Determinants of quality of life in young onset dementia – results from a European multicenter assessment. <i>Aging and Mental Health</i> , 2017, 21, 24-30.	2.8	32
136	The Effects of Technological Interventions on Social Participation of Community-Dwelling Older Adults with and Without Dementia: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 2308.	2.4	32
137	Increasing knowledge on dementia risk reduction in the general population: Results of a public awareness campaign. <i>Preventive Medicine</i> , 2021, 147, 106522.	3.4	32
138	Diagnosis of Preclinical Alzheimer's Disease in a Clinical Setting. <i>International Psychogeriatrics</i> , 2001, 13, 411-423.	1.0	31
139	Co-occurrence of Different Pathologies in Dementia: Implications for Dementia Diagnosis. <i>Journal of Alzheimer's Disease</i> , 2012, 30, 909-917.	2.6	31
140	White Matter Hyperintensities are Positively Associated with Cortical Thickness in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 39, 409-422.	2.6	31
141	Association of Rare APOE Missense Variants V236E and R251G With Risk of Alzheimer Disease. <i>JAMA Neurology</i> , 2022, 79, 652.	9.0	31
142	The added value of a multidisciplinary approach in diagnosing dementia: a review. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 223-232.	2.7	30
143	Reducing dementia risk by targeting modifiable risk factors in mid-life: study protocol for the Innovative Midlife Intervention for Dementia Deterrence (In-MINDD) randomised controlled feasibility trial. <i>Pilot and Feasibility Studies</i> , 2015, 1, 40.	1.2	30
144	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1027-1040.	2.6	30

#	ARTICLE	IF	CITATIONS
145	Development of memory clinics in the Netherlands over the last 20 years. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1267-1274.	2.7	30
146	Cerebrospinal fluid tau levels are associated with abnormal neuronal plasticity markers in Alzheimer's disease. <i>Molecular Neurodegeneration</i> , 2022, 17, 27.	10.8	30
147	Development of memory clinics in the Netherlands: 1998 to 2009. <i>Aging and Mental Health</i> , 2011, 15, 34-39.	2.8	29
148	Associations between executive functioning, coping, and psychosocial functioning after acquired brain injury. <i>British Journal of Clinical Psychology</i> , 2015, 54, 291-306.	3.5	29
149	The Cognition and Affect after Stroke - a Prospective Evaluation of Risks (CASPER) study: rationale and design. <i>BMC Neurology</i> , 2016, 16, 65.	1.8	29
150	Affective symptoms and AT(N) biomarkers in mild cognitive impairment and Alzheimer's disease: A systematic literature review. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 107, 346-359.	6.1	29
151	Process evaluation of a social support platform "Inlife" for caregivers of people with dementia. <i>Internet Interventions</i> , 2019, 15, 18-27.	2.7	29
152	A comparison of self and proxy quality of life ratings for people with dementia and their carers: a European prospective cohort study. <i>Aging and Mental Health</i> , 2020, 24, 162-170.	2.8	29
153	Association of Prediabetes and Type 2 Diabetes With Cognitive Function After Stroke. <i>Stroke</i> , 2020, 51, 1640-1646.	2.0	29
154	APOE ϵ 4 genotype-dependent cerebrospinal fluid proteomic signatures in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 65.	6.2	28
155	The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017, 56, 33-40.	3.1	27
156	Memory Correlates of Alzheimer's Disease Cerebrospinal Fluid Markers: A Longitudinal Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1119-1128.	2.6	27
157	Pericortical Enhancement on Delayed Postgadolinium Fluid-Attenuated Inversion Recovery Images in Normal Aging, Mild Cognitive Impairment, and Alzheimer Disease. <i>American Journal of Neuroradiology</i> , 2017, 38, 1742-1747.	2.4	27
158	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017, 21, 49-57.	2.8	27
159	Assessing fitness to drive: A validation study on patients with mild cognitive impairment. <i>Traffic Injury Prevention</i> , 2017, 18, 145-149.	1.4	27
160	Association of Cerebrospinal Fluid (CSF) Insulin with Cognitive Performance and CSF Biomarkers of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 61, 309-320.	2.6	27
161	Association of tear fluid amyloid and tau levels with disease severity and neurodegeneration. <i>Scientific Reports</i> , 2021, 11, 22675.	3.3	27
162	Assessing Fitness to Drive in Patients With Different Types of Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2018, 32, 70-75.	1.3	26

#	ARTICLE	IF	CITATIONS
163	The Meta VCI Map consortium for meta-analyses on strategic lesion locations for vascular cognitive impairment using lesion-symptom mapping: Design and multicenter pilot study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 310-326.	2.4	26
164	A narrative synthesis systematic review of digital self-monitoring interventions for middle-aged and older adults. <i>Internet Interventions</i> , 2019, 18, 100283.	2.7	25
165	Raising awareness for dementia risk reduction through a public health campaign: a pre-post study. <i>BMJ Open</i> , 2020, 10, e041211.	1.9	25
166	Efficacy of integrated interventions combining psychiatric care and nursing home care for nursing home residents: a review of the literature. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 3-13.	2.7	24
167	Diagnostic and economic evaluation of new biomarkers for Alzheimer's disease: the research protocol of a prospective cohort study. <i>BMC Neurology</i> , 2012, 12, 72.	1.8	24
168	Association Between Later Life Lifestyle Factors and Alzheimer's Disease Biomarkers in Non-Demented Individuals: A Longitudinal Descriptive Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1387-1395.	2.6	24
169	Access to community care for people with dementia and their informal carers. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018, 51, 530-536.	1.8	24
170	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. <i>Epigenomics</i> , 2015, 7, 533-537.	2.1	23
171	Blood-Brain Barrier Dysfunction in Small Vessel Disease Related Intracerebral Hemorrhage. <i>Frontiers in Neurology</i> , 2018, 9, 926.	2.4	23
172	Apolipoprotein E and affective symptoms in mild cognitive impairment and Alzheimer's disease dementia: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 96, 302-315.	6.1	23
173	Quantifying dementia prevention potential in the FINGER randomized controlled trial using the LIBRA prevention index. <i>Alzheimer's and Dementia</i> , 2021, 17, 1205-1212.	0.8	23
174	Ecological Assessment of Autonomy in Instrumental Activities of Daily Living in Dementia Patients by the Means of an Automatic Video Monitoring System. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 98.	3.4	22
175	Comparative Study of Clinical and Neuropsychological Characteristics Between Early-, Late and Very-Late-Onset Schizophrenia-Spectrum Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 852-862.	1.2	22
176	The clinical course and interrelations of dementia related symptoms. <i>International Psychogeriatrics</i> , 2018, 30, 859-866.	1.0	22
177	Characteristics of subjective cognitive decline associated with amyloid positivity. <i>Alzheimer's and Dementia</i> , 2022, 18, 1832-1845.	0.8	22
178	The development of an automated ward independent delirium risk prediction model. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 915-923.	2.1	21
179	Associations between pattern separation and hippocampal subfield structure and function vary along the lifespan: A 7T imaging study. <i>Scientific Reports</i> , 2020, 10, 7572.	3.3	21
180	The Diagnostic and Prognostic Value of Neuropsychological Assessment in Memory Clinic Patients. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 679-689.	2.6	20

#	ARTICLE	IF	CITATIONS
181	Exploring perspectives of young onset dementia caregivers with high versus low unmet needs. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 340-347.	2.7	20
182	The risks of social distancing for older adults: a call to balance. <i>International Psychogeriatrics</i> , 2020, 32, 1235-1237.	1.0	20
183	Early cost-utility analysis of general and cerebrospinal fluid-specific Alzheimer's disease biomarkers for hypothetical disease-modifying treatment decision in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2015, 11, 896-905.	0.8	19
184	Neuropsychological assessment and diagnostic disclosure at a memory clinic: A qualitative study of the experiences of patients and their family members. <i>Clinical Neuropsychologist</i> , 2021, 35, 1398-1414.	2.3	19
185	Tailoring and evaluating the web-based "Partner in Balance"™ intervention for family caregivers of persons with young-onset dementia. <i>Internet Interventions</i> , 2021, 25, 100390.	2.7	19
186	Smartphone-Based Experience Sampling in People With Mild Cognitive Impairment: Feasibility and Usability Study. <i>JMIR Aging</i> , 2020, 3, e19852.	3.0	19
187	Co-occurrence of depressive symptoms and executive dysfunction after stroke: associations with brain pathology and prognosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 859-865.	1.9	18
188	Emotional reactivity to daily life stress in spousal caregivers of people with dementia: An experience sampling study. <i>PLoS ONE</i> , 2018, 13, e0194118.	2.5	18
189	Imaging markers associated with the development of post-stroke depression and apathy: Results of the Cognition and Affect after Stroke "a Prospective Evaluation of Risks study. <i>European Stroke Journal</i> , 2020, 5, 78-84.	5.5	18
190	"They simply do not understand": a focus group study exploring the lived experiences of family caregivers of people with frontotemporal dementia. <i>Aging and Mental Health</i> , 2022, 26, 277-285.	2.8	18
191	Prevalence and correlates of psychotropic drug use in community-dwelling people with young-onset dementia: the NeedYD-study. <i>International Psychogeriatrics</i> , 2014, 26, 1983-1989.	1.0	17
192	The benefit of a geriatric nurse practitioner in a multidisciplinary diagnostic service for people with cognitive disorders. <i>BMC Research Notes</i> , 2015, 8, 217.	1.4	17
193	A profile of The Clinical Course of Cognition and Comorbidity in Mild Cognitive Impairment and Dementia Study (The 4C study): two complementary longitudinal, clinical cohorts in the Netherlands. <i>BMC Neurology</i> , 2016, 16, 242.	1.8	17
194	Association Between Proxy- or Self-Reported Cognitive Decline and Cognitive Performance in Memory Clinic Visitors. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 1225-1239.	2.6	17
195	Survival and life-expectancy in a young-onset dementia cohort with six years of follow-up: the NeedYD-study. <i>International Psychogeriatrics</i> , 2019, 31, 1781-1789.	1.0	17
196	Associations of the Lifestyle for Brain Health Index With Structural Brain Changes and Cognition. <i>Neurology</i> , 2021, 97, e1300-e1312.	1.1	17
197	Natural Progression Model of Cognition and Physical Functioning among People with Mild Cognitive Impairment and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 357-365.	2.6	16
198	White Matter Hyperintensities Potentiate Hippocampal Volume Reduction in Non-Demented Older Individuals with Abnormal Amyloid- β . <i>Journal of Alzheimer's Disease</i> , 2016, 55, 333-342.	2.6	16

#	ARTICLE	IF	CITATIONS
199	Performance and Symptom Validity Assessment in Patients with Apathy and Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 314-321.	1.8	16
200	Implementations of Evidence-Based eHealth Interventions for Caregivers of People With Dementia in Municipality Contexts (Myinlife and Partner in Balance): Evaluation Study. <i>JMIR Aging</i> , 2021, 4, e21629.	3.0	16
201	Effectiveness of the blended care self-management program "Partner in Balance" for early-stage dementia caregivers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 231.	1.6	15
202	Dealing with daily challenges in dementia (deal-id study): effectiveness of the experience sampling method intervention "Partner in Sight" for spousal caregivers of people with dementia: design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 136.	2.6	15
203	Supporting clinical rules engine in the adjustment of medication (SCREAM): protocol of a multicentre, prospective, randomised study. <i>BMC Geriatrics</i> , 2017, 17, 35.	2.7	15
204	Driving Difficulties Among Patients with Alzheimer's Disease and Other Neurodegenerative Disorders. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 1019-1030.	2.6	15
205	GP concordance with advice for treatment following a multidisciplinary psychogeriatric assessment. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 233-240.	2.7	14
206	The support of medication reviews in hospitalised patients using a clinical decision support system. <i>SpringerPlus</i> , 2016, 5, 871.	1.2	14
207	Low-grade inflammation and endothelial dysfunction predict four-year risk and course of depressive symptoms: The Maastricht study. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 61-67.	4.1	14
208	Validation of an automated delirium prediction model (DELirium MODEL (DEMO)): an observational study. <i>BMJ Open</i> , 2017, 7, e016654.	1.9	13
209	Effects of a Medication Review on Delirium in Older Hospitalised Patients: A Comparative Retrospective Cohort Study. <i>Drugs and Aging</i> , 2018, 35, 153-161.	2.7	13
210	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 45-52.	2.7	13
211	Contributions of Cerebro-Cerebellar Default Mode Connectivity Patterns to Memory Performance in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 633-647.	2.6	13
212	Validation of Plasma Proteomic Biomarkers Relating to Brain Amyloid Burden in the EMIF-Alzheimer's Disease Multimodal Biomarker Discovery Cohort. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 213-225.	2.6	13
213	Replication study of plasma proteins relating to Alzheimer's pathology. <i>Alzheimer's and Dementia</i> , 2021, 17, 1452-1464.	0.8	13
214	Associations between plasma kynurenines and cognitive function in individuals with normal glucose metabolism, prediabetes and type 2 diabetes: the Maastricht Study. <i>Diabetologia</i> , 2021, 64, 2445-2457.	6.3	13
215	Characteristics of double care demanding patients in a mental health care setting and a nursing home setting: results from the SpeCIMeN study. <i>Aging and Mental Health</i> , 2018, 22, 33-39.	2.8	12
216	Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 745-755.	2.7	12

#	ARTICLE	IF	CITATIONS
217	A Scoping Review of Communicating Neuropsychological Test Results to Patients and Family Members. <i>Neuropsychology Review</i> , 2022, 32, 294-315.	4.9	12
218	Associations of increased interstitial fluid with vascular and neurodegenerative abnormalities in a memory clinic sample. <i>Neurobiology of Aging</i> , 2021, 106, 257-267.	3.1	12
219	Differences in neuropsychiatric symptoms between nursing home residents with young-onset dementia and late-onset dementia. <i>Aging and Mental Health</i> , 2019, 23, 581-586.	2.8	11
220	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021, 30, 577-588.	3.1	11
221	PUBLIC EDUCATION ABOUT NORMAL FORGETFULNESS AND DEMENTIA: EFFECTIVENESS OF A SYSTEMATICALLY DEVELOPED INFORMATION BROCHURE. <i>Educational Gerontology</i> , 1995, 21, 763-777.	1.3	10
222	Mild cognitive impairment is becoming more psychosocial. <i>Aging and Mental Health</i> , 2013, 17, 265-266.	2.8	10
223	The necessity for sustainable intervention effects: lessons-learned from an experience sampling intervention for spousal carers of people with dementia. <i>Aging and Mental Health</i> , 2020, 24, 2082-2093.	2.8	10
224	Tailoring the web-based "Partner in Balance"™ intervention to support spouses of persons with frontotemporal dementia. <i>Internet Interventions</i> , 2021, 26, 100442.	2.7	10
225	Stroke and mental health care: a record linkage study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 608-612.	3.1	9
226	Memory services and memory clinics. <i>Aging and Mental Health</i> , 2011, 15, 2-4.	2.8	9
227	Dealing with Daily Challenges in Dementia (Deal-id Study): An Experience Sampling Study to Assess Caregivers' Sense of Competence and Experienced Positive Affect in Daily Life. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 852-859.	1.2	9
228	The MMSE should not be the sole indicator of fitness to drive in mild Alzheimer's dementia. <i>Acta Neurologica Belgica</i> , 2018, 118, 637-642.	1.1	9
229	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1165-1174.	2.6	9
230	Permeability of the windows of the brain: feasibility of dynamic contrast-enhanced MRI of the circumventricular organs. <i>Fluids and Barriers of the CNS</i> , 2020, 17, 66.	5.0	9
231	CSF Proteomic Alzheimer's Disease-Predictive Subtypes in Cognitively Intact Amyloid Negative Individuals. <i>Proteomes</i> , 2021, 9, 36.	3.5	9
232	Perspectives From Municipality Officials on the Adoption, Dissemination, and Implementation of Electronic Health Interventions to Support Caregivers of People With Dementia: Inductive Thematic Analysis. <i>JMIR Aging</i> , 2020, 3, e17255.	3.0	9
233	Developing a Plan for the Sustainable Implementation of an Electronic Health Intervention (Partner in) Tj ETQq1 1 0.784314 rgBT /Overl	3.0	9
234	A first insight into the clinical manifestation of posttraumatic stress disorder in dementia: a systematic literature review. <i>Psychogeriatrics</i> , 2022, 22, 509-520.	1.2	9

#	ARTICLE	IF	CITATIONS
235	The Role of Information and Communication Technologies in Clinical Trials with Patients with Alzheimer's Disease and Related Disorders. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 110.	3.4	8
236	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020, 29, 237-251.	3.1	8
237	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021, 25, 2298-2309.	2.8	8
238	Comorbidity rates of Posttraumatic Stress Disorder in dementia: a systematic literature review. <i>Hälsögre Utbildning</i> , 2021, 12, 1883923.	3.0	8
239	The Association Between APOE ϵ 4 and Alzheimer-type Dementia Among Memory Clinic Patients is Confined to those with a Higher Education. The DESCRIPA Study. <i>Journal of Alzheimer's Disease</i> , 2013, 35, 241-246.	2.6	7
240	Combinations of Service Use Types of People With Early Cognitive Disorders. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 620-625.	2.5	7
241	Dealing with daily challenges in dementia (deal-id study): process evaluation of the experience sampling method intervention 'Partner in Sight'™ for spousal caregivers of people with dementia. <i>Aging and Mental Health</i> , 2018, 22, 1205-1212.	2.8	7
242	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020, 24, 272-279.	2.8	7
243	Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020, 24, 200-211.	2.8	7
244	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers'™ Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1609-1616.e1.	2.5	7
245	Dickkopf-1 Overexpression in vitro Nominates Candidate Blood Biomarkers Relating to Alzheimer's™ Disease Pathology. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1353-1368.	2.6	7
246	The relation of depression with structural brain abnormalities and cognitive functioning: the Maastricht study. <i>Psychological Medicine</i> , 2022, 52, 3521-3530.	4.5	7
247	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 725-734.	2.8	7
248	Sex-Specific Metabolic Pathways Were Associated with Alzheimer's™ Disease (AD) Endophenotypes in the European Medical Information Framework for AD Multimodal Biomarker Discovery Cohort. <i>Biomedicine</i> , 2021, 9, 1610.	3.2	7
249	Business Models of eHealth Interventions to Support Informal Caregivers of People With Dementia in the Netherlands: Analysis of Case Studies. <i>JMIR Aging</i> , 2021, 4, e24724.	3.0	7
250	Optimal Detection of Subtle Gadolinium Leakage in CSF with Heavily T2-Weighted Fluid-Attenuated Inversion Recovery Imaging. <i>American Journal of Neuroradiology</i> , 2019, 40, 1481-1483.	2.4	6
251	Cognitive and functional progression of dementia in two longitudinal studies. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1623-1632.	2.7	6
252	Determinants of Cross-Sectional and Longitudinal Health-Related Quality of Life in Memory Clinic Patients Without Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020, 33, 256-264.	2.3	6

#	ARTICLE	IF	CITATIONS
253	The quality of the relationship perceived by spouses of people with young-onset dementia. <i>International Psychogeriatrics</i> , 2020, , 1-10.	1.0	6
254	Genome-wide association study of frontotemporal dementia identifies a C9ORF72 haplotype with a median of 12-G4C2 repeats that predisposes to pathological repeat expansions. <i>Translational Psychiatry</i> , 2021, 11, 451.	4.8	6
255	The Role of Vascular Risk Factors in Biomarker-Based AT(N) Groups: A German-Dutch Memory Clinic Study. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 185-195.	2.6	6
256	A cross-sectional evaluation of the Dutch RHAPSODY program: online information and support for caregivers of persons with young-onset dementia. <i>Internet Interventions</i> , 2022, 28, 100530.	2.7	6
257	Pre-Diagnostic Symptoms of Young-Onset Dementia in the General Practice up to Five Years Before Diagnosis. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 229-239.	2.6	6
258	Intervention mechanisms of an experience sampling intervention for spousal carers of people with dementia: a secondary analysis using momentary data. <i>Aging and Mental Health</i> , 2022, 26, 294-304.	2.8	5
259	Elevated Activity of the Sympathetic Nervous System Is Related to Diminished Practice Effects in Memory: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 1675-1685.	2.6	5
260	Implementation of a diagnostic decision aid for people with memory complaints and their general practitioners: a protocol of a before and after pilot trial. <i>BMJ Open</i> , 2021, 11, e049322.	1.9	5
261	Markers for depression in Alzheimer's disease. <i>Acta Neuropsychiatrica</i> , 2006, 18, 25-29.	2.1	4
262	Patterns of Gray and White Matter Changes in Individuals at Risk for Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2012, 9, 1097-1105.	1.4	4
263	Should All Elderly Persons Undergo a Cognitive Function Evaluation? Where Is the Patient's Perspective?. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 453-455.	2.5	4
264	INTERDEM Academy: a training and career development initiative vital to capacity building of early stage psychosocial dementia researchers in Europe. <i>Aging and Mental Health</i> , 2019, 23, 929-931.	2.8	4
265	Senior Friendly Communities: Designing an approach for cross-border exchange of public health policy. <i>Health Policy</i> , 2020, 124, 1129-1136.	3.0	4
266	Transcutaneous vagus nerve stimulation increases locus coeruleus function and memory performance in older individuals. <i>Alzheimer's and Dementia</i> , 2020, 16, e044766.	0.8	4
267	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021, 30, 867-879.	3.1	4
268	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2022, 26, 2307-2315.	2.8	4
269	Cerebrospinal fluid proteomic profiling of individuals with mild cognitive impairment and suspected non-Alzheimer's disease pathophysiology. <i>Alzheimer's and Dementia</i> , 2023, 19, 807-820.	0.8	4
270	The Need for a Diagnostic Instrument to Assess Post-Traumatic Stress Disorder in People with Dementia: Findings from a Delphi Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2023, 36, 129-142.	2.3	4

#	ARTICLE	IF	CITATIONS
271	Costâ€consequence analysis of an intervention for the management of neuropsychiatric symptoms in youngâ€onset dementia: Results from the BEYONDâ€H study. International Journal of Geriatric Psychiatry, 2020, 35, 131-137.	2.7	3
272	An Exploratory Study of the Development and Pilot Testing of an Interactive Visual Tool of Neuropsychological Test Results in Memory Clinics. Journal of Alzheimer's Disease, 2021, 79, 1157-1170.	2.6	3
273	Interaction of caregiver-expressed emotions and neuropsychiatric symptoms in persons with dementia: a longitudinal cohort study. BMJ Open, 2021, 11, e046869.	1.9	3
274	A comparison of two approaches for modeling dementia progression in a changing patient context. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	3
275	The effects of selective serotonin reuptake inhibitors on memory functioning in older adults: A systematic literature review. Journal of Psychopharmacology, 2022, 36, 578-593.	4.0	3
276	Covariates that influence the quality of a medication review: TableÂ1. European Journal of Hospital Pharmacy, 2014, 21, 18-21.	1.1	2
277	P2-274: Risk score profiles for prediction of dementia in the general elderly population. , 2015, 11, P596-P596.		2
278	The Course of Quality of Life and Its Predictors in Nursing Home Residents With Young-Onset Dementia. Journal of the American Medical Directors Association, 2020, 22, 1456-1464.e1.	2.5	2
279	Psychotropic drug use in community-dwelling people with young-onset dementia: two-year course and determinants. Aging and Mental Health, 2021, 25, 179-186.	2.8	2
280	Health burden in type 2 diabetes and prediabetes in The Maastricht Study. Scientific Reports, 2022, 12, 7337.	3.3	2
281	O3-08-01: The prevalence of amyloid pathology in healthy individuals and individuals with mild cognitive impairment: A meta-analysis of amyloid-PET studies. , 2013, 9, P533-P533.		1
282	[O1â€04â€05]: SOCIOECONOMIC INEQUALITIES IN DEMENTIA RISK EXPLAINED BY MODIFIABLE RISK FACTORS: FINDINGS FROM THE ENGLISH LONGITUDINAL STUDY OF AGEING. Alzheimer's and Dementia, 2017, 13, P196.	0.8	1
283	Predictors of preclinical Alzheimerâ€™s disease in persons with subjective cognitive decline. Alzheimer's and Dementia, 2020, 16, e042658.	0.8	1
284	CSF proteomic profiling of mild cognitive impairment individuals with suspected nonâ€Alzheimerâ€™s disease pathophysiology. Alzheimer's and Dementia, 2020, 16, e047247.	0.8	1
285	Updated prevalence estimates of amyloid positivity from cognitively normal to clinical Alzheimerâ€™s disease dementia: The Amyloid Biomarker Study. Alzheimer's and Dementia, 2021, 17, .	0.8	1
286	Clinical use of deep speech parameters derived from the semantic verbal fluency task. Alzheimer's and Dementia, 2021, 17, e050380.	0.8	1
287	The incidence of young onset dementia: A systematic review and metaâ€analysis. Alzheimer's and Dementia, 2021, 17, .	0.8	1
288	Distinct Patterns Link the BDNF Val66Met Polymorphism to Alzheimerâ€™s Disease Pathology. Journal of Alzheimer's Disease, 2022, 88, 447-453.	2.6	1

#	ARTICLE	IF	CITATIONS
289	P2-226: BLOOD-BRAIN-BARRIER LEAKAGE IN ALZHEIMER'S DISEASE: A DYNAMIC CONTRAST-ENHANCED MRI STUDY. , 2014, 10, P557-P557.		0
290	O1-03-03: Olfactory dysfunction may predict Alzheimer's disease related tau pathology in cerebrospinal fluid (CSF). , 2015, 11, P130-P130.		0
291	O4-03-01: Early detection of Alzheimer's disease (AD)-related amyloid and tau pathology: A computerized versus a paper-and-pencil memory test. , 2015, 11, P272-P272.		0
292	P4-275: 'It's the one-size-fits-all approach': Differing experiences of formal dementia home and community care in Ireland. , 2015, 11, P891-P891.		0
293	P2-193: Functional assessment of patients with dementia and mild cognitive impairment with the help of a multiple sensor system. , 2015, 11, P566-P567.		0
294	O2-02-06: Slow gait speed and low grip strength are related to worse attention and mental speed in patients with subjective cognitive decline and mild cognitive impairment. , 2015, 11, P177-P177.		0
295	O1-03-06: Creating normative values for cognitive tests in amyloid positive and amyloid negative cognitively normal subjects. , 2015, 11, P131-P132.		0
296	IC-P-089: Vascular and amyloid pathologies in memory clinic patients: Synergetic or independent?. , 2015, 11, P62-P62.		0
297	P4-100: Vascular and amyloid pathologies in memory clinic patients: Synergetic or independent?. , 2015, 11, P814-P814.		0
298	P1-011: Prevalence of amyloid and neurodegeneration markers and effects on cognitive functioning in non-demented subjects. , 2015, 11, P340-P341.		0
299	F4-02-02: The influence of severity of total comorbidity on cognitive decline and conversion to dementia in memory clinic visitors. , 2015, 11, P260-P261.		0
300	P1-366: Subjective Versus Objective Cognitive Decline in Memory Clinic Visitors. , 2016, 12, P571-P571.		0
301	IC-P-126: Leptomeningeal Blood-Brain Barrier Leakage is Associated With Cerebrovascular Damage in Mild Cognitive Impairment and Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P93.	0.8	0
302	P3-247: Leptomeningeal Blood-Brain Barrier Leakage is Associated with Cerebrovascular Damage in Mild Cognitive Impairment and Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P923.	0.8	0
303	O3-05-02: Relation Between Lifestyle Factors and Alzheimer's Disease Biomarkers in Subjects with SCI or MCI. Alzheimer's and Dementia, 2016, 12, P294.	0.8	0
304	O3-09-02: Cognitive Consequences of Cerebral Amyloid Pathology in Persons without Dementia. , 2016, 12, P307-P308.		0
305	[P3-542]: CORONARY HEART DISEASE AND RISK FOR COGNITIVE IMPAIRMENT OR DEMENTIA: A SYSTEMATIC REVIEW AND META-ANALYSIS. Alzheimer's and Dementia, 2017, 13, P1185.	0.8	0
306	The Difficult Distinction Between Affective Disorders and Mild Cognitive Deterioration. Neuropsychiatric Symptoms of Neurological Disease, 2017, , 11-26.	0.3	0

#	ARTICLE	IF	CITATIONS
307	[O1â€“01â€“04]: EARLY VASCULAR COGNITIVE IMPAIRMENT PREDICTS THE COURSE OF DEPRESSION AND APATHY AFTER STROKE: THE CASPER STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P183.	0.8	0
308	P3â€“310: IMAGING MARKERS ASSOCIATED WITH THE DEVELOPMENT OF POSTâ€“STROKE DEPRESSION AND APATHY: RESULTS OF THE CASPER STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1200.	0.8	0
309	P2â€“270: INCREASED CSF AMYLOIDâ€“ β 1â€“38 AND 1â€“40 CONCENTRATIONS IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT WITH TAU BUT WITHOUT AMYLOID PATHOPHYSIOLOGY. <i>Alzheimer's and Dementia</i> , 2018, 14, P780.	0.8	0
310	P3â€“232: THE ASSOCIATION BETWEEN BLOODâ€“BRAINâ€“BARRIER DYSFUNCTION AND CSF Pâ€“TAU IS MEDIATED BY BETAâ€“AMYLOID IN THE PRESENCE OF ELEVATED ILâ€“6. <i>Alzheimer's and Dementia</i> , 2018, 14, P1160.	0.8	0
311	P1â€“466: ON THE LINK BETWEEN BLOODâ€“BRAIN BARRIER LEAKAGE, WHITE MATTER HYPERINTENSITIES, NEURODEGENERATION, AND COGNITION. <i>Alzheimer's and Dementia</i> , 2018, 14, P499.	0.8	0
312	F1â€“02â€“04: GENOMICS AND EPIGENOMICS ANALYSES IN THE EMIFâ€“AD MULTIMODAL BIOMARKER DISCOVERY STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P204.	0.8	0
313	P1â€“332: APOLIPOPROTEIN E GENOTYPE AND AFFECTIVE NEUROPSYCHIATRIC SYMPTOMS: A SYSTEMATIC REVIEW AND METAâ€“ANALYSIS. <i>Alzheimer's and Dementia</i> , 2018, 14, P420.	0.8	0
314	O2â€“09â€“06: FREQUENCIES OF CEREBROSPINAL FLUID A/T/N BIOMARKER PROFILES AND THEIR ASSOCIATION WITH MEMORY FUNCTION IN PERSONS WITHOUT DEMENTIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P643.	0.8	0
315	ICâ€“Pâ€“088: ON THE LINK BETWEEN BLOODâ€“BRAIN BARRIER LEAKAGE, WHITE MATTER HYPERINTENSITIES, NEURODEGENERATION, AND COGNITION. <i>Alzheimer's and Dementia</i> , 2018, 14, P74.	0.8	0
316	P3â€“585: COGNITIVE RESERVE MODULATES THE ASSOCIATION OF CEREBRAL AMYLOID PATHOLOGY WITH COGNITIVE PERFORMANCE IN PERSONS WITH ALZHEIMER'S DISEASE DEMENTIA. <i>Alzheimer's and Dementia</i> , 2018, 14, P1349.	0.8	0
317	F1â€“02â€“01: RELATING CSF MARKERS NEUROGRANIN, NEUROFILAMENTâ€“LIGHT AND YKLâ€“40 TO AÎ², APOE Îµ4 AND COGNITION: RESULTS FROM THE EMIFâ€“AD MULTIMODAL BIOMARKER DISCOVERY STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P201.	0.8	0
318	P2â€“458: PREDICTING COGNITIVE DECLINE THROUGH STRUCTURAL MRI BIOMARKERS: RESULTS FROM THE EMIFâ€“AD BIOMARKER DISCOVERY STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P895.	0.8	0
319	F1â€“02â€“03: MRI PREDICTORS OF AMYLOID PATHOLOGY: RESULTS FROM THE EMIFâ€“AD BIOMARKER DISCOVERY STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P202.	0.8	0
320	CSF AÎ²42, Pâ€“tau and noradrenaline metabolite MHPG levels are synergistically related to cortical thickness in a memory clinic population. <i>Alzheimer's and Dementia</i> , 2020, 16, e037481.	0.8	0
321	The association of depression with structural brain markers and cognitive impairment: The Maastricht study. <i>Alzheimer's and Dementia</i> , 2020, 16, e038597.	0.8	0
322	Vascular and neurodegenerative imaging markers are associated with increased interstitial fluid diffusion in memory clinic patients. <i>Alzheimer's and Dementia</i> , 2020, 16, e039700.	0.8	0
323	Correlations of plasma kynurenines with CSF levels, and their relation to markers of Alzheimerâ€™s disease pathology, diagnostic phases and cognitive performance. <i>Alzheimer's and Dementia</i> , 2020, 16, e041474.	0.8	0
324	Pilot study: Stressâ€“induced noradrenergic activity as potential indicator for practice effects â€“ Association between acute stress, noradrenaline response and practice effects. <i>Alzheimer's and Dementia</i> , 2020, 16, e042564.	0.8	0

#	ARTICLE	IF	CITATIONS
325	The prevalence of young onset dementia: A systematic review and meta-analysis. Alzheimer's and Dementia, 2020, 16, e042738.	0.8	0
326	Neurofilament light and cognitive performance: Associations with amyloid and vascular pathologies in individuals with mild cognitive impairment. Alzheimer's and Dementia, 2020, 16, e042739.	0.8	0
327	DNA methylation differences associated with peripheral biomarkers in the EMIF-AD cohort. Alzheimer's and Dementia, 2020, 16, e045853.	0.8	0
328	Synaptic proteins relate to memory scores in preclinical Alzheimer's disease and cognitively healthy controls depending on amyloid. Alzheimer's and Dementia, 2020, 16, e046102.	0.8	0
329	327 - The Course and Predictors of Quality of Life in Nursing Home Residents with Young-onset Dementia. International Psychogeriatrics, 2020, 32, 85-86.	1.0	0
330	8.1 Neurocognitief syndroom. , 2018, , 291-306.		0
331	Worry Modifies the Relationship between Locus Coeruleus Activity and Emotional Mnemonic Discrimination. Brain Sciences, 2022, 12, 381.	2.3	0
332	Screening for neuropsychological assessment in the diagnostics of Neurocognitive disorder. International Psychogeriatrics, 2022, , 1-7.	1.0	0
333	The association between diabetes and Alzheimer's disease pathophysiology. Alzheimer's and Dementia, 2021, 17, .	0.8	0
334	The prevalence of vascular risk factors in different AD biomarker profiles. Alzheimer's and Dementia, 2021, 17, .	0.8	0
335	Survey in people with dementia and their care partners on post-diagnostic care in memory clinics: Data from the COGNISANCE study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
336	Associations of lifestyle factors with amyloid positivity in cognitively normal individuals at different levels of genetic risk: The amyloid biomarker study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
337	Cerebrospinal fluid proteomic profiling of individuals with prodromal Alzheimer's disease classified using two different neurodegenerative biomarkers (N) in A/T/N classification. Alzheimer's and Dementia, 2021, 17, e053030.	0.8	0
338	Towards age-friendly municipalities: What are municipalities doing to support their ageing population with mental health problems?. World Medical and Health Policy, 0, , .	1.6	0