

Renza Vento

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6371382/publications.pdf>

Version: 2024-02-01

38
papers

1,651
citations

331259

21
h-index

315357

38
g-index

38
all docs

38
docs citations

38
times ranked

3392
citing authors

#	ARTICLE	IF	CITATIONS
1	A loop involving NRF2, miRâ€29bâ€1â€5p and AKT, regulates cell fate of MDAâ€MBâ€231 tripleâ€negative breast cancer cells. <i>Journal of Cellular Physiology</i> , 2020, 235, 629-637.	2.0	34
2	Loss of MCL1 function sensitizes the MDAâ€MBâ€231 breast cancer cells to rhâ€TRAIL by increasing DR4 levels. <i>Journal of Cellular Physiology</i> , 2019, 234, 18432-18447.	2.0	7
3	Role of Glypican-3 in the growth, migration and invasion of primary hepatocytes isolated from patients with hepatocellular carcinoma. <i>Cellular Oncology (Dordrecht)</i> , 2018, 41, 169-184.	2.1	25
4	Mclâ€1 targeting could be an intriguing perspective to cure cancer. <i>Journal of Cellular Physiology</i> , 2018, 233, 8482-8498.	2.0	41
5	Parthenolide prevents resistance of MDA-MB231 cells to doxorubicin and mitoxantrone: the role of Nrf2. <i>Cell Death Discovery</i> , 2017, 3, 17078.	2.0	57
6	Suppressive role exerted by microRNA-29b-1-5p in triple negative breast cancer through SPIN1 regulation. <i>Oncotarget</i> , 2017, 8, 28939-28958.	0.8	57
7	Modeling of Hepatocytes Proliferation Isolated from Proximal and Distal Zones from Human Hepatocellular Carcinoma Lesion. <i>PLoS ONE</i> , 2016, 11, e0153613.	1.1	9
8	Let-7d miRNA Shows Both Antioncogenic and Oncogenic Functions in Osteosarcoma-Derived 3AB-OS Cancer Stem Cells. <i>Journal of Cellular Physiology</i> , 2016, 231, 1832-1841.	2.0	41
9	Unusual roles of caspase-8 in triple-negative breast cancer cell line MDA-MB-231. <i>International Journal of Oncology</i> , 2016, 48, 2339-2348.	1.4	24
10	The analysis of estrogen receptor-â€positive breast cancer stem-like cells unveils a high expression of the serpin proteinase inhibitor PI-9: Possible regulatory mechanisms. <i>International Journal of Oncology</i> , 2016, 49, 352-360.	1.4	35
11	Transformation of primary human hepatocytes in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2016, 48, 1205-1217.	1.4	9
12	The secreted protein acidic and rich in cysteine is a critical mediator of cell death program induced by WIN/TRAIL combined treatment in osteosarcoma cells. <i>International Journal of Oncology</i> , 2016, 48, 1039-1044.	1.4	11
13	Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: the challenge ahead. <i>Carcinogenesis</i> , 2015, 36, S254-S296.	1.3	239
14	Mechanisms of environmental chemicals that enable the cancer hallmark of evasion of growth suppression. <i>Carcinogenesis</i> , 2015, 36, S2-S18.	1.3	55
15	Involvement of PAR-4 in Cannabinoid-Dependent Sensitization of Osteosarcoma Cells to TRAIL-Induced Apoptosis. <i>International Journal of Biological Sciences</i> , 2014, 10, 466-478.	2.6	36
16	Energy Metabolism Characterization of a Novel Cancer Stem Cellâ€like Line 3â€ABâ€OS. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 368-379.	1.2	118
17	Liquid biopsies in lung cancer: The new ambrosia of researchers. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1846, 539-546.	3.3	123
18	Mutant p53 gain of function can be at the root of dedifferentiation of human osteosarcoma MG63 cells into 3AB-OS cancer stem cells. <i>Bone</i> , 2014, 60, 198-212.	1.4	35

#	ARTICLE	IF	CITATIONS
19	MicroRNA-29b-1 impairs in vitro cell proliferation, self-renewal and chemoresistance of human osteosarcoma 3AB-OS cancer stem cells. <i>International Journal of Oncology</i> , 2014, 45, 2013-2023.	1.4	57
20	The oxygen radicals involved in the toxicity induced by parthenolide in MDA-MB-231 cells. <i>Oncology Reports</i> , 2014, 32, 167-172.	1.2	34
21	Surface proteomic analysis of differentiated versus stem-like osteosarcoma human cells. <i>Proteomics</i> , 2013, 13, 3293-3297.	1.3	21
22	Genetic and molecular characterization of the human Osteosarcoma 3AB-OS cancer stem cell line: A possible model for studying osteosarcoma origin and stemness. <i>Journal of Cellular Physiology</i> , 2013, 228, 1189-1201.	2.0	46
23	RB1 in cancer: Different mechanisms of RB1 inactivation and alterations of pRb pathway in tumorigenesis. <i>Journal of Cellular Physiology</i> , 2013, 228, 1676-1687.	2.0	147
24	In human retinoblastoma Y79 cells okadaic acid+parthenolide co-treatment induces synergistic apoptotic effects, with PTEN as a key player. <i>Cancer Biology and Therapy</i> , 2013, 14, 922-931.	1.5	17
25	Differentiation of human osteosarcoma 3AB-OS stem-like cells in derivatives of the three primary germ layers as a useful <i>in vitro&/i> model to develop several purposes. <i>Stem Cell Discovery</i> , 2013, 03, 188-201.	0.5	5
26	Modeling human osteosarcoma in mice through 3AB-OS cancer stem cell xenografts. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 3380-3392.	1.2	36
27	Parthenolide sensitizes hepatocellular carcinoma cells to trail by inducing the expression of death receptors through inhibition of STAT3 activation. <i>Journal of Cellular Physiology</i> , 2011, 226, 1632-1641.	2.0	79
28	Paclitaxel and beta-lapachone synergistically induce apoptosis in human retinoblastoma Y79 cells by downregulating the levels of phosphoAkt. <i>Journal of Cellular Physiology</i> , 2010, 222, 433-443.	2.0	38
29	Identification and expansion of human osteosarcoma cancer stem cells by long-term 3-aminobenzamide treatment. <i>Journal of Cellular Physiology</i> , 2009, 219, 301-313.	2.0	83
30	Low doses of paclitaxel potently induce apoptosis in human retinoblastoma Y79 cells by up-regulating E2F1. <i>International Journal of Oncology</i> , 2008, 33, 677-87.	1.4	15
31	pRb suppresses camptothecin-induced apoptosis in human osteosarcoma Saos-2 cells by inhibiting c-Jun N-terminal kinase. <i>FEBS Letters</i> , 2001, 499, 191-197.	1.3	21
32	Induction of programmed cell death in human retinoblastoma Y79 cells by C2-ceramide. <i>Molecular and Cellular Biochemistry</i> , 1998, 185, 7-15.	1.4	23
33	Insulin and IGFs induce apoptosis in chick embryo retinas deprived of L-glutamine. <i>Cell Death and Differentiation</i> , 1997, 4, 209-215.	5.0	4
34	Differentiation of Y79 cells induced by prolonged exposure to insulin. <i>Molecular and Cellular Biochemistry</i> , 1997, 170, 163-170.	1.4	9
35	Role of Insulin-Like Growth Factors in Autocrine Growth of Human Retinoblastoma Y79 Cells. <i>FEBS Journal</i> , 1996, 236, 523-532.	0.2	14
36	Identification of Insulin in Chick Embryo Retina During Development and Its Inhibitory Effect on DNA Synthesis. <i>Journal of Neurochemistry</i> , 1992, 58, 1353-1359.	2.1	17

#	ARTICLE	IF	CITATIONS
37	Biochemical Aspects of Chick Embryo Retina Development: The Effects of Glucocorticoids. Journal of Neurochemistry, 1989, 52, 1487-1494.	2.1	20
38	Influence of Hydrocortisone on Chick Embryo Retina Development. Journal of Neurochemistry, 1987, 48, 1693-1698.	2.1	9