

Elisa Conti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6371574/publications.pdf>

Version: 2024-02-01

25
papers

1,052
citations

840776

11
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

913
citing authors

#	ARTICLE	IF	CITATIONS
1	New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	21.4	700
2	Modulation of MAPK- and PI3/AKT-Dependent Autophagy Signaling by Stavudine (D4T) in PBMC of Alzheimer's Disease Patients. <i>Cells</i> , 2022, 11, 2180.	4.1	11
3	Serum DBI and biomarkers of neuroinflammation in Alzheimer's disease and delirium. <i>Neurological Sciences</i> , 2021, 42, 1003-1007.	1.9	12
4	Serum naturally occurring anti-TDP-43 auto-antibodies are increased in amyotrophic lateral sclerosis. <i>Scientific Reports</i> , 2021, 11, 1978.	3.3	11
5	Blood-Based Biomarkers of Neuroinflammation in Alzheimer's Disease: A Central Role for Periphery?. <i>Diagnostics</i> , 2021, 11, 1525.	2.6	20
6	Irisin and BDNF serum levels and behavioral disturbances in Alzheimer's disease. <i>Neurological Sciences</i> , 2019, 40, 1145-1150.	1.9	13
7	Riluzole Selective Antioxidant Effects in Cell Models Expressing Amyotrophic Lateral Sclerosis Endophenotypes. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 438-442.	2.0	13
8	QT interval and dispersion in drug-free anorexia nervosa adolescents: a case control study. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 861-866.	4.7	11
9	Multifunctional liposomes interact with Aβ in human biological fluids: Therapeutic implications for Alzheimer's disease. <i>Neurochemistry International</i> , 2017, 108, 60-65.	3.8	26
10	Anorexia nervosa of the restrictive type and celiac disease in adolescence. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1211-1214.	2.2	6
11	Donepezil modulates the endogenous immune response: implications for Alzheimer's disease. <i>Human Psychopharmacology</i> , 2016, 31, 296-303.	1.5	13
12	BDNF Serum Levels with Respect to Multidimensional Assessment in Amyotrophic Lateral Sclerosis. <i>Neurodegenerative Diseases</i> , 2016, 16, 192-198.	1.4	24
13	Beta-Amyloid Plasma Levels in Adolescents with Anorexia Nervosa of the Restrictive Type. <i>Neuropsychobiology</i> , 2015, 71, 154-157.	1.9	3
14	Paradoxical increase of plasma vitamin B ₁₂ and folates with disease severity in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015, 48, 317-322.	4.0	13
15	Whole-blood global DNA methylation is increased in amyotrophic lateral sclerosis independently of age of onset. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 98-105.	1.7	54
16	Valproate Treatment in an ALS Patient Carrying a c.194G>A Spastin Mutation and SMN2 Homozygous Deletion. <i>Case Reports in Neurological Medicine</i> , 2014, 2014, 1-7.	0.4	3
17	Diazepam Binding Inhibitor and Dehydroepiandrosterone Sulphate Plasma Levels in Borderline Personality Disorder Adolescents. <i>Neuropsychobiology</i> , 2014, 69, 19-24.	1.9	7
18	Novel Therapeutic Targets in Neuropsychiatric Disorders: The Neuroepigenome. <i>Current Pharmaceutical Design</i> , 2014, 20, 1831-1839.	1.9	5

#	ARTICLE	IF	CITATIONS
19	Reduced fasting plasma levels of diazepam-binding inhibitor in adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013, 46, 626-629.	4.0	19
20	Plasma Anti-Amyloid- β Autoantibodies in All Alzheimer Disease Types. <i>Archives of Neurology</i> , 2012, 69, 1525.	4.5	0
21	Increased tissue factor pathway inhibitor and homocysteine in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012, 33, 226-233.	3.1	22
22	Valproate induces epigenetic modifications in lymphomonocytes from epileptic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 47-51.	4.8	12
23	Increased Soluble APP β , Abeta 1-42, and Anti-Abeta 1-42 Antibodies in Plasma From Down Syndrome Patients. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 96-100.	1.3	24
24	Cholinesterase inhibitor use is associated with increased plasma levels of anti-Abeta 1-42 antibodies in Alzheimer's disease patients. <i>Neuroscience Letters</i> , 2010, 486, 193-196.	2.1	19
25	Post-methionine load test: A more sensitive tool to reveal hyperhomocysteinemia in Alzheimer patients?. <i>Clinical Biochemistry</i> , 2008, 41, 914-916.	1.9	11