
K J Senthil Kumar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6372125/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Anti-Melanogenic Activity of Calocedrus formosana Wood Essential Oil and Its Chemical Composition Analysis. Plants, 2022, 11, 62.	1.6	6
2	Antcins from Antrodia cinnamomea and Antrodia salmonea Inhibit Angiotensin-Converting Enzyme 2 (ACE2) in Epithelial Cells: Can Be Potential Candidates for the Development of SARS-CoV-2 Prophylactic Agents. Plants, 2021, 10, 1736.	1.6	11
3	A mechanistic and empirical review of antcins, a new class of phytosterols of formosan fungi origin. Journal of Food and Drug Analysis, 2020, 28, 38-59.	0.9	22
4	Essential Oils of Alpinia nantoensis Retard Forskolin-Induced Melanogenesis via ERK1/2-Mediated Proteasomal Degradation of MITF. Plants, 2020, 9, 1672.	1.6	9
5	Geranium and Lemon Essential Oils and Their Active Compounds Downregulate Angiotensin-Converting Enzyme 2 (ACE2), a SARS-CoV-2 Spike Receptor-Binding Domain, in Epithelial Cells. Plants, 2020, 9, 770.	1.6	97
6	The Regulatory Effects of a Formulation of Cinnamomum osmophloeum Kaneh and Taiwanofungus camphoratus on Metabolic Syndrome and the Gut Microbiome. Plants, 2020, 9, 383.	1.6	5
7	Ethanol Extracts of Dietary Herb, <i>Alpinia nantoensis</i> , Exhibit Anticancer Potential in Human Breast Cancer Cells. Integrative Cancer Therapies, 2019, 18, 153473541986692.	0.8	9
8	Dietary Indigenous Cinnamon (<i>Cinnamomum osmophloeum</i>) Leaf Powder Reduces Plasma Lipid in Hypercholesterolemia Hamsters. Natural Product Communications, 2019, 14, 1934578X1986066.	0.2	1
9	Antcin-A Modulates Epithelial-to-Mesenchymal Transition and Inhibits Migratory and Invasive Potentials of Human Breast Cancer Cells via p53-Mediated miR-200c Activation. Planta Medica, 2019, 85, 755-765.	0.7	10
10	MicroRNA-708 activation by glucocorticoid receptor agonists regulate breast cancer tumorigenesis and metastasis via downregulation of NF-κB signaling. Carcinogenesis, 2019, 40, 335-348.	1.3	33
11	trans-3-Methoxy-5-hydroxystilbene (MHS) from the rhizome of Alpinia nantonensis inhibits metastasis in human lung cancer cells. Phytomedicine, 2018, 50, 223-230.	2.3	4
12	Immunomodulatory Effects of the Stout Camphor Medicinal Mushroom, Taiwanofungus camphoratus (Agaricomycetes)-Based Health Food Product in Mice. International Journal of Medicinal Mushrooms, 2018, 20, 849-858.	0.9	7
13	Antioxidant Properties of Antrodia cinnamomea: An Extremely Rare and Coveted Medicinal Mushroom Endemic to Taiwan. Medicinal and Aromatic Plants of the World, 2017, , 135-164.	0.1	2
14	<i>In vitro </i> and <i>in vivo</i> toxicological assessments of <i>Antrodia cinnamomea</i> health food product (Leader <i>Antrodia cinnamomea</i> Capsule). Fundamental Toxicological Sciences, 2016, 3, 205-216.	0.2	5
15	Pharmacological Applications of Lucidone: A Naturally Occurring Cyclopentenedione. , 2016, , 273-295.		2
16	Genotoxic, teratotoxic and oral toxic assessments of Antrodia cinnamomea health food product (Leader Deluxe Antrodia cinnamomea ®). Toxicology Reports, 2015, 2, 1409-1417.	1.6	14
17	Effect of Hinoki and Meniki Essential Oils on Human Autonomic Nervous System Activity and Mood States. Natural Product Communications, 2015, 10, 1934578X1501000.	0.2	9
18	2,3,5-Trimethoxy-4-cresol, an anti-metastatic constituent from the solid-state cultured mycelium of Antrodia cinnamomea and its mechanism. Journal of Natural Medicines, 2015, 69, 513-521.	1.1	8

K J Senthil Kumar

#	Article	IF	CITATIONS
19	Antrodin C Inhibits Epithelial-to-Mesenchymal Transition and Metastasis of Breast Cancer Cells via Suppression of Smad2/3 and β-Catenin Signaling Pathways. PLoS ONE, 2015, 10, e0117111.	1.1	36
20	<i>Toona sinensis</i> Inhibits LPS-Induced Inflammation and Migration in Vascular Smooth Muscle Cells via Suppression of Reactive Oxygen Species and NF- <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"><mml:mrow><mml:mi mathvariant="bold">1º</mml:mi </mml:mrow>B Signaling Pathway. Oxidative Medicine and Cellular Longevity, 2014, 2014, 1-16.</mml:math 	1.9	35
21	pH-Sensitive Hollow Alginate-Chitosan Hydrogel Beads for Bitter Gourd Delivery. International Journal of Polymeric Materials and Polymeric Biomaterials, 2014, 63, 41-47.	1.8	13
22	Antrodia salmonea in submerged culture exhibits antioxidant activities in vitro and protects human erythrocytes and low-density lipoproteins from oxidative modification. Food and Chemical Toxicology, 2014, 66, 150-157.	1.8	20
23	Antrodia camphorata induces G ₁ cell-cycle arrest in human premyelocytic leukemia (HL-60) cells and suppresses tumor growth in athymic nude mice. Food and Function, 2014, 5, 2278-2288.	2.1	15
24	Humic acid in drinking well water induces inflammation through reactive oxygen species generation and activation of nuclear factor-l®B/activator protein-1 signaling pathways: A possible role in atherosclerosis. Toxicology and Applied Pharmacology, 2014, 274, 249-262.	1.3	23
25	The anti-tumor activity of Antrodia salmonea in human promyelocytic leukemia (HL-60) cells is mediated via the induction of G1 cell-cycle arrest and apoptosis in vitro or in vivo. Journal of Ethnopharmacology, 2014, 153, 499-510.	2.0	27
26	Antrodia salmonea inhibits TNF-α-induced angiogenesis and atherogenesis in human endothelial cells through the down-regulation of NF-κB and up-regulation of Nrf2 signaling pathways. Journal of Ethnopharmacology, 2014, 151, 394-406.	2.0	34
27	Induction of macrophage cell ycle arrest and apoptosis by humic acid. Environmental and Molecular Mutagenesis, 2014, 55, 741-750.	0.9	3
28	The anti-cancer activity of Antrodia camphorata against human ovarian carcinoma (SKOV-3) cells via modulation of HER-2/neu signaling pathway. Journal of Ethnopharmacology, 2013, 148, 254-265.	2.0	31
29	Toona sinensis and its major bioactive compound gallic acid inhibit LPS-induced inflammation in nuclear factor-κB transgenic mice as evaluated by in vivo bioluminescence imaging. Food Chemistry, 2013, 136, 426-434.	4.2	112
30	Lucidone protects human skin keratinocytes against free radical-induced oxidative damage and inflammation through the up-regulation of HO-1/Nrf2 antioxidant genes and down-regulation of NF-κB signaling pathway. Food and Chemical Toxicology, 2013, 59, 55-66.	1.8	45
31	Antcin C from <i>Antrodia cinnamomea</i> Protects Liver Cells Against Free Radical-Induced Oxidative Stress and Apoptosis <i>In Vitro</i> and <i>In Vivo</i> through Nrf2-Dependent Mechanism. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-17.	0.5	49
32	<i>In vitro</i> and <i>in vivo</i> studies disclosed the depigmenting effects of gallic acid: A novel skin lightening agent for hyperpigmentary skin diseases. BioFactors, 2013, 39, 259-270.	2.6	59
33	The Antitumor Activity of <i>Antrodia camphorata</i> in Melanoma Cells: Modulation of Wnt/ <i>l²</i> -Catenin Signaling Pathways. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-14.	0.5	17
34	Inhibition of Cell Growth and Induction of Apoptosis by <i>Antrodia camphorata</i> in HER-2/ <i>neu</i> -Overexpressing Breast Cancer Cells through the Induction of ROS, Depletion of HER-2/ <i>neu</i> , and Disruption of the PI3K/Akt Signaling Pathway. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-15.	0.5	25
35	Clinical Significance of Increased Guanine Nucleotide Exchange Factor Vav3 Expression in Human Gastric Cancer. Molecular Cancer Research, 2012, 10, 750-759.	1.5	23
36	In vitro and in vivo activity of gallic acid and Toona sinensis leaf extracts against HL-60 human premyelocytic leukemia. Food and Chemical Toxicology, 2012, 50, 3489-3497.	1.8	31

#	Article	IF	CITATIONS
37	Antioxidant and Anti-Inflammatory Potential of Hesperetin Metabolites Obtained from Hesperetin-Administered Rat Serum: An Ex Vivo Approach. Journal of Agricultural and Food Chemistry, 2012, 60, 522-532.	2.4	127
38	Hepatoprotective effect of lucidone against alcohol-induced oxidative stress in human hepatic HepG2 cells through the up-regulation of HO-1/Nrf-2 antioxidant genes. Toxicology in Vitro, 2012, 26, 700-708.	1.1	72
39	Ellagic acid protects human keratinocyte (HaCaT) cells against UVA-induced oxidative stress and apoptosis through the upregulation of the HO-1 and Nrf-2 antioxidant genes. Food and Chemical Toxicology, 2012, 50, 1245-1255.	1.8	200
40	The Chalcone Flavokawain B Induces G ₂ /M Cell-Cycle Arrest and Apoptosis in Human Oral Carcinoma HSC-3 Cells through the Intracellular ROS Generation and Downregulation of the Akt/p38 MAPK Signaling Pathway. Journal of Agricultural and Food Chemistry, 2012, 60, 2385-2397.	2.4	97
41	Inhibitory effects of Physalis angulata on tumor metastasis and angiogenesis. Journal of Ethnopharmacology, 2011, 135, 762-771.	2.0	44
42	Antroquinonol from ethanolic extract of mycelium of Antrodia cinnamomea protects hepatic cells from ethanol-induced oxidative stress through Nrf-2 activation. Journal of Ethnopharmacology, 2011, 136, 168-177.	2.0	89
43	Antioxidant activities of aqueous leaf extracts of Toona sinensis on free radical-induced endothelial cell damage. Journal of Ethnopharmacology, 2011, 137, 669-680.	2.0	37
44	Lucidone, a novel melanin inhibitor from the fruit of <i>Lindera erythrocarpa</i> Makino. Phytotherapy Research, 2010, 24, 1158-1165.	2.8	38
45	Anti-inflammatory effect of lucidone in mice via inhibition of NF-κB/MAP kinase pathway. International Immunopharmacology, 2010, 10, 385-392.	1.7	34
46	Lucidone Inhibits iNOS and COX-2 Expression in LPS-Induced RAW 264.7 Murine Macrophage Cells via NF-κB and MAPKs Signaling Pathways. Planta Medica, 2009, 75, 494-500.	0.7	31
47	Melia azedarach Flowers and Their Volatile Components Improved Human Physiological and Psychological Functions. Journal of Essential Oil-bearing Plants: JEOP, 0, , 1-12.	0.7	1