Rintaro Hojo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/637488/publications.pdf Version: 2024-02-01



RINTARO HOIO

#	Article	IF	CITATIONS
1	Peri-Mitral Atrial Tachycardia Using the Marshall Bundle Epicardial Connections. JACC: Clinical Electrophysiology, 2016, 2, 27-35.	3.2	40
2	Development of Nonpulmonary Vein Foci Increases Risk of Atrial Fibrillation Recurrence AfterÂPulmonary Vein Isolation. JACC: Clinical Electrophysiology, 2017, 3, 547-555.	3.2	23
3	Transient sinus node dysfunction following sinus node artery occlusion due to radiofrequency catheter ablation of the septal superior vena cava–right atrium junction. Journal of Electrocardiology, 2016, 49, 18-22.	0.9	20
4	Early repolarization pattern and its day-to-day dynamic change as markers for ventricular fibrillation in patients with vasospastic angina. Europace, 2016, 18, 1252-1258.	1.7	19
5	Novel Diagnostic Observations of Nodoventricular/Nodofascicular Pathway-Related Orthodromic Reciprocating Tachycardia Differentiating From Atrioventricular Nodal Re-Entrant Tachycardia. JACC: Clinical Electrophysiology, 2020, 6, 1797-1807.	3.2	13
6	Long-term efficacy of catheter ablation for paroxysmal atrial fibrillation in patients with Brugada syndrome and an implantable cardioverter-defibrillator to prevent inappropriate shock therapy. Heart Rhythm, 2016, 13, 1455-1459.	0.7	12
7	The relationship between obstructive sleep apnea and recurrence of atrial fibrillation after pulmonary vein isolation using a contact force–sensing catheter. Journal of Interventional Cardiac Electrophysiology, 2019, 54, 209-215.	1.3	12
8	Clinical Characteristics and Long-Term Prognosis of Senior Patients With BrugadaÂSyndrome. JACC: Clinical Electrophysiology, 2017, 3, 57-67.	3.2	11
9	Comparison of touchâ€up ablation rate and pulmonary vein isolation durability between hot balloon and cryoballoon. Journal of Cardiovascular Electrophysiology, 2020, 31, 1298-1306.	1.7	10
10	The effect of posterior wall isolation for persistent atrial fibrillation on recurrent arrhythmia. Journal of Cardiovascular Electrophysiology, 2021, 32, 597-604.	1.7	10
11	High-density activation mapping during perimitral atrial tachycardia demonstrates epicardial connection through the vein of Marshall. Heart Rhythm, 2018, 15, 153-154.	0.7	8
12	Ablation of swallowing-induced atrial tachycardia affects heart rate variability: a case report. Heart and Vessels, 2014, 29, 417-421.	1.2	7
13	Biatrial tachycardia utilizing Bachmann bundle. Heart Rhythm, 2018, 15, 1277.	0.7	7
14	Pseudo-conduction block at the mitral isthmus in a patient with epicardial impulse propagation through the vein of Marshall. HeartRhythm Case Reports, 2015, 1, 232-237.	0.4	6
15	A case of pacemaker implantation in the patient with duplication of the left innominate vein: a case report. SpringerPlus, 2016, 5, 515.	1.2	6
16	Prominent Jâ€wave and Tâ€wave alternans associated with mechanical alternans in a patient with takotsubo cardiomyopathy. Journal of Arrhythmia, 2015, 31, 43-46.	1.2	5
17	Adenosine-sensitive atrial tachycardia originating from the anterior mitral annulus. HeartRhythm Case Reports, 2018, 4, 542-544.	0.4	5
18	Bipolar radiofrequency catheter ablation between the left ventricular endocardium and great cardiac vein for refractory ventricular premature complexes originating from the left ventricular summit. Journal of Arrhythmia, 2020, 36, 363-366.	1.2	5

Rintaro Hojo

#	Article	IF	CITATIONS
19	Macroreentrant atrial tachycardia detouring the epicardium at the anterior wall of the left atrium. Journal of Cardiovascular Electrophysiology, 2019, 30, 263-264.	1.7	4
20	Accurate evaluation of para-Hisian pacing in a patient with fasciculoventricular bypass. Europace, 2014, 16, 1475-1475.	1.7	3
21	A case of ridge-related re-entrant atrial tachycardia utilizing the vein of Marshall to span a conduction gap at the mitral isthmus scar. Europace, 2015, 17, 854-854.	1.7	3
22	Successful bipolar radiofrequency catheter ablation of ventricular premature complexes arising from the anterolateral papillary muscle of the left ventricle. HeartRhythm Case Reports, 2019, 5, 472-475.	0.4	3
23	Characteristics of Marshall bundle-related atrial tachycardias using an ultrahigh-resolution mapping system. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 161-169.	1.3	3
24	Catheter ablation for monomorphic ventricular tachycardia in Brugada syndrome patients: detailed characteristics and long-term follow-up. Journal of Interventional Cardiac Electrophysiology, 2020, 57, 97-103.	1.3	3
25	Recurrent ischemic stroke in patients with atrial fibrillation ablation and prior stroke: A study based on etiological classification. Journal of Arrhythmia, 2020, 36, 95-104.	1.2	3
26	Usefulness of epicardial impedance evaluation for epicardial mapping and determination of epicardial ablation site for ventricular tachycardia: A pilot study. Journal of Cardiovascular Electrophysiology, 2018, 29, 138-145.	1.7	2
27	High-resolution 3D mapping of epicardial conduction during Marshall bundle-related atrial tachycardia. Journal of Arrhythmia, 2018, 34, 298-301.	1.2	2
28	Patient characteristics and inâ€hospital complications of subcutaneous implantable cardioverterâ€defibrillator for Brugada syndrome in Japan. Journal of Arrhythmia, 2019, 35, 842-847.	1.2	2
29	A novel approach for effective superior vena cava isolation using the CARTO electroanatomical mapping system. Journal of Arrhythmia, 2021, 37, 1295-1302.	1.2	2
30	Impact of small diameter and low level of emission laser coronary atherectomy in patients with acute myocardial infarction. Lasers in Medical Science, 2022, 37, 1567-1573.	2.1	2
31	Various morphologies of bidirectional ventricular tachycardia caused by aconite "Torikabuto― poisoning. Journal of Cardiology Cases, 2013, 7, e42-e44.	0.5	1
32	Automatic switching between the AAI and the DDD algorithm can prevent repetitive nonâ€reentrant ventriculoatrial synchrony. Journal of Arrhythmia, 2014, 30, 115-118.	1.2	1
33	Pneumopericardium after epicardial catheter ablation detected with "bruit de moulin― HeartRhythm Case Reports, 2018, 4, 484-485.	0.4	1
34	A new method of superior vena cava isolation without phrenic nerve injury by longitudinal ablation parallel to the phrenic nerve: a case report. European Heart Journal - Case Reports, 2020, 4, 1-4.	0.6	1
35	Residual potential at the epicardial left atrium after conventional left atrial posterior wall isolation for persistent atrial fibrillation: A case report. Journal of Arrhythmia, 2020, 36, 808-810.	1.2	1
36	Quality of life improvements by durable pulmonary vein isolation in patients with atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2020, 31, 2013-2021.	1.7	1

Rintaro Hojo

#	Article	IF	CITATIONS
37	The coronary artery calcium score correlates with left atrial lowâ€voltage area: Sex differences. Journal of Cardiovascular Electrophysiology, 2021, 32, 41-48.	1.7	1
38	Cardiac perforation due to a fracture of a recalled Accufix bipolar active fixation pacing lead 29 years after implantation: A case report. Journal of Cardiovascular Electrophysiology, 2021, 32, 1461-1463.	1.7	1
39	Long-term outcome of ventricular tachycardia ablation in patients who did not undergo programmed electrical stimulation after ablation. Journal of Interventional Cardiac Electrophysiology, 2021, , 1.	1.3	1
40	Isoproterenol-dependent acute reconnection following superior vena cava isolation: Pitfalls of a novel approach using spontaneous conduction block. HeartRhythm Case Reports, 2020, 6, 596-600.	0.4	1
41	Highâ€risk transseptal puncture in a patient with a "pancake―deformity in the left atrium caused by descending aorta displacement. Journal of Arrhythmia, 2012, 28, 250-253.	1.2	0
42	Usefulness of a 2-F catheter electrode in a case with successful electrical isolation of remarkably hypoplastic right inferior pulmonary vein. HeartRhythm Case Reports, 2015, 1, 123-125.	0.4	0
43	Reply: Takotsubo syndrome and polymorphic ventricular tachycardia: The chicken or the egg. Journal of Arrhythmia, 2017, 33, 79-79.	1.2	Ο
44	A pseudo-sinus rhythm due to bigeminal ectopy with the focus in the right superior pulmonary vein. HeartRhythm Case Reports, 2018, 4, 553-555.	0.4	0
45	Multiple peritricuspidal reentry tachycardias after cardiac infiltration by leukaemia: a case report. European Heart Journal - Case Reports, 2019, 3, .	0.6	Ο
46	Characteristics of ventricular intracardiac electrograms of ventricular tachycardias originating from the epicardia in patients with an implantable cardioverter defibrillator. Journal of Cardiovascular Electrophysiology, 2019, 30, 575-581.	1.7	0
47	Cover Image, Volume 30, Issue 2. Journal of Cardiovascular Electrophysiology, 2019, 30, i-i.	1.7	0
48	Elongated xiphoid process misleading the pericardiocentesis site. Europace, 2020, 22, 583-583.	1.7	0
49	Novel mapping algorithm during catheter ablation for ventricular parasystole originating from left anterior fascicle. Journal of Arrhythmia, 2020, 36, 777-779.	1.2	Ο
50	One-point posterior ablation for complete isolation of the posterior left atrium. HeartRhythm Case Reports, 2020, 6, 738-740.	0.4	0
51	Cover Image, Volume 31, Issue 1. Journal of Cardiovascular Electrophysiology, 2021, 32, i.	1.7	Ο
52	Endocardial and epicardial activation maps for three-dimensional perimitral flutter using a three-dimensional mapping system: a case report. European Heart Journal - Case Reports, 2021, 5, ytab411.	0.6	0
53	Efficacy of Pulmonary Vein Isolation for Paroxysmal Atrial Fibrillation in Patients with Brugada-Type Electrocardiogram. Japanese Journal of Electrocardiology, 2012, 32, 229-238.	0.0	0
54	Ventricular fibrillation count by noise oversensing in a cardiac resynchronization therapyâ€defibrillator induced by side branch protection during percutaneous coronary intervention. Journal of Arrhythmia, 2022, 38, 660-663.	1.2	0