John A Rudd

List of Publications by Year in Descending Order

132 papers	2,956 citations	34 h-index	46 g-index
138 ext. papers	3,327 ext. citations	4.4 avg, IF	4.94 L-index

#	Paper	IF	Citations
132	Mechanisms of Chemotherapy-Induced Neurotoxicity.. *Frontiers in Pharmacology*, **2022**, 13, 750507	5.6	7
131	The Actions of Centrally Administered Nesfatin-1 on Emesis, Feeding, and Locomotor Activity in (House Musk Shrew).. *Frontiers in Pharmacology*, **2022**, 13, 858522	5.6	
130	A pipeline for phase-based analysis of in vitro micro-electrode array recordings of gastrointestinal slow waves. *Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference*, **2021**, 2021, 261-264	0.9	
129	Insights Into Acute and Delayed Cisplatin-Induced Emesis From a Microelectrode Array, Radiotelemetry and Whole-Body Plethysmography Study of (House Musk Shrew).. *Frontiers in Pharmacology*, **2021**, 12, 746053	5.6	1
128	COVID-19, nausea, and vomiting. *Journal of Gastroenterology and Hepatology (Australia)*, **2021**, 36, 646-656	4	19
127	Involvement of TRPV1 and TRPA1 in the modulation of pacemaker potentials in the mouse ileum. *Cell Calcium*, **2021**, 97, 102417	4	
126	Acetylcholine exerts inhibitory and excitatory actions on mouse ileal pacemaker activity: role of muscarinic versus nicotinic receptors. *American Journal of Physiology - Renal Physiology*, **2020**, 319, G97-G107	3.1	3
125	Intra-gastrointestinal amyloid-β1-42 oligomers perturb enteric function and induce Alzheimer's disease pathology. *Journal of Physiology*, **2020**, 598, 4209-4223	3.9	29
124	Recent progress in electrophysiology and motility mapping of the gastrointestinal tract using multi-channel devices. *Journal of the Royal Society of New Zealand*, **2020**, 50, 316-330	2	1
123	Soy flavonoids prevent cognitive deficits induced by intra-gastrointestinal administration of beta-amyloid. *Food and Chemical Toxicology*, **2020**, 141, 111396	4.7	1
122	The brain-penetrating, orally bioavailable, ghrelin receptor agonist HM01 ameliorates motion-induced emesis in Suncus murinus (house musk shrew). *British Journal of Pharmacology*, **2020**, 177, 1635-1650	8.6	3
121	GLP-1 receptors are involved in the GLP-1 (7-36) amide-induced modulation of glucose homoeostasis, emesis and feeding in Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **2020**, 888, 173528	5.3	2
120	Sulprostone-Induced Gastric Dysrhythmia in the Ferret: Conventional and Advanced Analytical Approaches. *Frontiers in Physiology*, **2020**, 11, 583082	4.6	
119	Transplantation of Retinal Ganglion Cells Derived from Male Germline Stem Cell as a Potential Treatment to Glaucoma. *Stem Cells and Development*, **2019**, 28, 1365-1375	4.4	12
118	Use of a microelectrode array to record extracellular pacemaker potentials from the gastrointestinal tracts of the ICR mouse and house musk shrew (Suncus murinus). *Cell Calcium*, **2019**, 80, 175-188	4	6
117	Localization of estrogen receptor ERα, ERβ and GPR30 on myenteric neurons of the gastrointestinal tract and their role in motility. *General and Comparative Endocrinology*, **2019**, 272, 63-75	3	16
116	Establishment of a radiotelemetric recording technique in mice to investigate gastric slow waves: Modulatory role of putative neurotransmitter systems. *Experimental Physiology*, **2018**, 103, 827-837	2.4	6

115	Platelets mediate protective neuroinflammation and promote neuronal plasticity at the site of neuronal injury. *Brain, Behavior, and Immunity*, **2018**, 74, 7-27	16.6	23
114	Anti-emetic Action of the Brain-Penetrating New Ghrelin Agonist, HM01, Alone and in Combination With the 5-HT Antagonist, Palonosetron and With the NK Antagonist, Netupitant, Against Cisplatin- and Motion-Induced Emesis in (House Musk Shrew). *Frontiers in Pharmacology*, **2018**, 9, 869	5.6	10
113	Centrally located GLP-1 receptors modulate gastric slow waves and cardiovascular function in ferrets consistent with the induction of nausea. *Neuropeptides*, **2017**, 65, 28-36	3.3	6
112	Action of Bacopa monnieri to antagonize cisplatin-induced emesis in Suncus murinus (house musk shrew). *Journal of Pharmacological Sciences*, **2017**, 133, 232-239	3.7	10
111	Alpha-9 nicotinic acetylcholine receptors mediate hypothermic responses elicited by provocative motion in mice. *Physiology and Behavior*, **2017**, 174, 114-119	3.5	16
110	Role of prostanoid EP receptors in mechanisms of emesis and defaecation in ferrets. *European Journal of Pharmacology*, **2017**, 803, 112-117	5.3	3
109	Insights into the central pathways involved in the emetic and behavioural responses to exendin-4 in the ferret. *Autonomic Neuroscience: Basic and Clinical*, **2017**, 202, 122-135	2.4	8
108	Brain Activation by H Antihistamines Challenges Conventional View of Their Mechanism of Action in Motion Sickness: A Behavioral, c-Fos and Physiological Study in (House Musk Shrew). *Frontiers in Physiology*, **2017**, 8, 412	4.6	13
107	Gastric myoelectric activity during cisplatin-induced acute and delayed emesis reveals a temporal impairment of slow waves in ferrets: effects not reversed by the GLP-1 receptor antagonist, exendin (9-39). *Oncotarget*, **2017**, 8, 98691-98707	3.3	3
106	Acute Treatment of Resveratrol Alleviates Doxorubicin-Induced Myotoxicity in Aged Skeletal Muscle Through SIRT1-Dependent Mechanisms. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2016**, 71, 730-9	6.4	16
105	TRPC5 channels participate in pressure-sensing in aortic baroreceptors. *Nature Communications*, **2016**, 7, 11947	17.4	42
104	The Physiology and Pharmacology of Nausea and Vomiting Induced by Anticancer Chemotherapy in Humans **2016**, 5-44		4
103	Profile of Antiemetic Activity of Netupitant Alone or in Combination with Palonosetron and Dexamethasone in Ferrets and Suncus murinus (House Musk Shrew). *Frontiers in Pharmacology*, **2016**, 7, 263	5.6	16
102	Ovarian hormones ameliorate memory impairment, cholinergic deficit, neuronal apoptosis and astrogliosis in a rat model of Alzheimer's disease. *Experimental and Therapeutic Medicine*, **2016**, 11, 89-97	2.1	7
101	Effects of long-term resveratrol-induced SIRT1 activation on insulin and apoptotic signalling in aged skeletal muscle. *Acta Diabetologica*, **2015**, 52, 1063-75	3.9	23
100	Autophagy upregulation and apoptosis downregulation in DAHP and triptolide treated cerebral ischemia. *Mediators of Inflammation*, **2015**, 2015, 120198	4.3	37
99	The involvement of TRPV1 in emesis and anti-emesis. *Temperature*, **2015**, 2, 258-76	5.2	25
98	Ondansetron and promethazine have differential effects on hypothermic responses to lithium chloride administration and to provocative motion in rats. *Temperature*, **2015**, 2, 543-53	5.2	6

97	Resveratrol protects against doxorubicin-induced cardiotoxicity in aged hearts through the SIRT1-USP7 axis. *Journal of Physiology*, **2015**, 593, 1887-99	3.9	55
96	Modulating effect of SIRT1 activation induced by resveratrol on Foxo1-associated apoptotic signalling in senescent heart. *Journal of Physiology*, **2014**, 592, 2535-48	3.9	61
95	Looking beyond 5-HT(3) receptors: a review of the wider role of serotonin in the pharmacology of nausea and vomiting. *European Journal of Pharmacology*, **2014**, 722, 13-25	5.3	37
94	The differential antiemetic properties of GLP-1 receptor antagonist, exendin (9-39) in Suncus murinus (house musk shrew). *Neuropharmacology*, **2014**, 83, 71-8	5.5	13
93	Patterns of cortical activation following motor tasks and psychological-inducing movie cues in heroin users: an fMRI study. *International Journal of Psychiatry in Medicine*, **2014**, 47, 25-40	1	6
92	Motion sickness, nausea and thermoregulation: The "toxic" hypothesis. *Temperature*, **2014**, 1, 164-71	5.2	37
91	Differential hypoglycaemic, anorectic, autonomic and emetic effects of the glucagon-like peptide receptor agonist, exendin-4, in the conscious telemetered ferret. *Journal of Translational Medicine*, **2014**, 12, 327	8.5	8
90	Attenuation of cisplatin-induced emetogenesis by standardized Bacopa monnieri extracts in the pigeon: behavioral and neurochemical correlations. *Planta Medica*, **2014**, 80, 1569-79	3.1	16
89	Attenuation of Cisplatin-Induced Emetogenesis by Standardized Bacopa monnieri Extracts in the Pigeon: Behavioral and Neurochemical Correlations. *Planta Medica*, **2014**, 80, E3-E3	3.1	
88	Thermoregulatory correlates of nausea in rats and musk shrews. *Oncotarget*, **2014**, 5, 1565-75	3.3	28
87	Antitumor effects of novel compound, guttiferone K, on colon cancer by p21Waf1/Cip1-mediated G(0) /G(1) cell cycle arrest and apoptosis. *International Journal of Cancer*, **2013**, 132, 707-16	7.5	42
86	Separation of emetic and anorexic responses of exendin-4, a GLP-1 receptor agonist in Suncus murinus (house musk shrew). *Neuropharmacology*, **2013**, 70, 141-7	5.5	20
85	Development of the human corpus striatum and the presence of nNOS and 5-HT2A receptors. *Anatomical Record*, **2012**, 295, 127-31	2.1	6
84	The expression of neuronal nitric oxide synthase in the brain of the mouse during embryogenesis. *Anatomical Record*, **2012**, 295, 504-14	2.1	5
83	The miR-124 regulates the expression of BACE1/β-secretase correlated with cell death in Alzheimer's disease. *Toxicology Letters*, **2012**, 209, 94-105	4.4	157
82	The alteration of 5-HT(2A) and 5-HT(2C) receptors is involved in neuronal apoptosis of goldfish cerebellum following traumatic experience. *Neurochemistry International*, **2012**, 61, 207-18	4.4	6
81	The use of SU-8 topographically guided microelectrode array in measuring extracellular field potential propagation. *Annals of Biomedical Engineering*, **2012**, 40, 619-27	4.7	5
80	The significance of chloride in the inhibitory action of disodium cromoglycate on immunologically-stimulated rat peritoneal mast cells. *Biochimica Et Biophysica Acta - General Subjects*, **2011**, 1810, 867-74	4	4

79	Protective effects of ω-conotoxin on amyloid-β-induced damage in PC12 cells. *Toxicology Letters*, **2011**, 206, 325-38	4.4	6
78	Gene expression changes in GABA(A) receptors and cognition following chronic ketamine administration in mice. *PLoS ONE*, **2011**, 6, e21328	3.7	40
77	A physiological role of glucagon-like peptide-1 receptors in the central nervous system of Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **2011**, 668, 340-6	5.3	12
76	Cisplatin-induced emesis: systematic review and meta-analysis of the ferret model and the effects of 5-HT3 receptor antagonists. *Cancer Chemotherapy and Pharmacology*, **2011**, 67, 667-86	3.5	62
75	The neuroprotective effects of Reg-2 following spinal cord transection injury. *Anatomical Record*, **2011**, 294, 24-45	2.1	8
74	The recent updates of therapeutic approaches against aβ for the treatment of Alzheimer's disease. *Anatomical Record*, **2011**, 294, 1307-18	2.1	14
73	Anti-neuroinflammatory and neurotrophic effects of combined therapy with annexin II and Reg-2 on injured spinal cord. *NeuroSignals*, **2011**, 19, 16-43	1.9	12
72	Cannabinoid-induced reduction in antral pacemaker frequency: a telemetric study in the ferret. *Neurogastroenterology and Motility*, **2010**, 22, 1257-66, e324	4	9
71	Telemetry in a motion-sickness model implicates the abdominal vagus in motion-induced gastric dysrhythmia. *Experimental Physiology*, **2010**, 95, 768-73	2.4	29
70	Analysis of neuronal nitric oxide synthase expression and increasing astrogliosis in the brain of senescence-accelerated-prone 8 mice. *International Journal of Neuroscience*, **2010**, 120, 602-8	2	10
69	Cryptotanshinone, an acetylcholinesterase inhibitor from Salvia miltiorrhiza, ameliorates scopolamine-induced amnesia in Morris water maze task. *Planta Medica*, **2010**, 76, 228-34	3.1	53
68	Olvanil, a non-pungent vanilloid enhances the gastrointestinal toxicity of cisplatin in the ferret. *Toxicology Letters*, **2010**, 192, 402-7	4.4	10
67	Cytotoxic acylphloroglucinol derivatives from the twigs of Garcinia cowa. *Journal of Natural Products*, **2010**, 73, 104-8	4.9	72
66	Olvanil: a non-pungent TRPV1 activator has anti-emetic properties in the ferret. *Neuropharmacology*, **2010**, 58, 383-91	5.5	19
65	A Study of the Relationship Between Pharmacologic Preconditioning and Adenosine Triphosphate-Sensitive Potassium (KATP) Channels on Cultured Cardiomyocytes Using the Microelectrode Array. *Journal of Cardiovascular Pharmacology*, **2010**, 56, 60-68	3.1	5
64	Effects of Reg-2 on survival of spinal cord neurons in vitro. *Anatomical Record*, **2010**, 293, 464-76	2.1	7
63	Simultaneous determination of amino acids in discrete brain areas in Suncus murinus by high performance liquid chromatography with electrochemical detection. *Journal of Pharmaceutical and Biomedical Analysis*, **2010**, 53, 705-9	3.5	13
62	The use of microelectrode array (MEA) to study the protective effects of potassium channel openers on metabolically compromised HL-1 cardiomyocytes. *Physiological Measurement*, **2009**, 30, 155-67	2.9	23

61	Alkaloids from roots of Stemona sessilifolia and their antitussive activities. *Planta Medica*, **2009**, 75, 174-7	3.1	35
60	To establish a pharmacological experimental platform for the study of cardiac hypoxia using the microelectrode array. *Journal of Pharmacological and Toxicological Methods*, **2009**, 59, 146-52	1.7	12
59	Opportunities for the replacement of animals in the study of nausea and vomiting. *British Journal of Pharmacology*, **2009**, 157, 865-80	8.6	68
58	The delayed phase of cisplatin-induced emesis is mediated by the area postrema and not the abdominal visceral innervation in the ferret. *Neuroscience Letters*, **2009**, 465, 16-20	3.3	24
57	Mice are prone to kidney pathology after prolonged ketamine addiction. *Toxicology Letters*, **2009**, 191, 275-8	4.4	62
56	Modulatory action of potassium channel openers on field potential and histamine release from rat peritoneal mast cells. *Canadian Journal of Physiology and Pharmacology*, **2009**, 87, 624-32	2.4	3
55	Involvement of hypothalamic glutamate in cisplatin-induced emesis in Suncus murinus (house musk shrew). *Journal of Pharmacological Sciences*, **2009**, 109, 631-4	3.7	6
54	Reduced normogastric electrical activity associated with emesis: a telemetric study in ferrets. *World Journal of Gastroenterology*, **2009**, 15, 6034-43	5.6	25
53	Action of (R)-sila-venlafaxine and reboxetine to antagonize cisplatin-induced acute and delayed emesis in the ferret. *Toxicology and Applied Pharmacology*, **2008**, 232, 369-75	4.6	20
52	Contractile effect of tachykinins on Suncus murinus (house musk shrew) isolated ileum. *Neuropeptides*, **2008**, 42, 671-9	3.3	5
51	Study of the anti-proliferative effects and synergy of phthalides from Angelica sinensis on colon cancer cells. *Journal of Ethnopharmacology*, **2008**, 120, 36-43	5	104
50	Oxidative stress on the astrocytes in culture derived from a senescence accelerated mouse strain. *Neurochemistry International*, **2008**, 52, 282-9	4.4	21
49	Antitussive stemoninine alkaloids from the roots of Stemona tuberosa. *Journal of Natural Products*, **2008**, 71, 1107-10	4.9	37
48	The use of microelectrode array (MEA) to study rat peritoneal mast cell activation. *Journal of Pharmacological Sciences*, **2008**, 107, 201-12	3.7	8
47	Mechanism of the prostanoid TP receptor agonist U46619 for inducing emesis in the ferret. *Naunyn-Schmiedebergls Archives of Pharmacology*, **2008**, 378, 655-61	3.4	5
46	Croomine- and tuberostemonine-type alkaloids from roots of Stemona tuberosa and their antitussive activity. *Tetrahedron*, **2008**, 64, 10155-10161	2.4	39
45	The effect of Ginkgo biloba on the cerebellum of aging SAMP mouse--a TUNEL, bcl-2, and fMRI study. *Microscopy Research and Technique*, **2007**, 70, 671-6	2.8	2
44	Action of anti-tussive drugs on the emetic reflex of Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **2007**, 559, 196-201	5.3	13

43	Action of GLP-1 (7-36) amide and exendin-4 on Suncus murinus (house musk shrew) isolated ileum. *European Journal of Pharmacology*, **2007**, 566, 185-91	5.3	8
42	Cell death in the Purkinje cells of the cerebellum of senescence accelerated mouse (SAMP(8)). *Biogerontology*, **2007**, 8, 537-44	4.5	4
41	Action of cyclooxygenase inhibitors and a leukotriene biosynthesis inhibitor on cisplatin-induced acute and delayed emesis in the ferret. *Journal of Pharmacological Sciences*, **2007**, 103, 189-200	3.7	7
40	The usefulness of the spontaneously hypertensive rat to model attention-deficit/hyperactivity disorder (ADHD) may be explained by the differential expression of dopamine-related genes in the brain. *Neurochemistry International*, **2007**, 50, 848-57	4.4	65
39	Serum proteomic patterns for gastric lesions as revealed by SELDI mass spectrometry. *Experimental and Molecular Pathology*, **2006**, 81, 176-80	4.4	33
38	Role of bradykinin B2 receptors in the modulation of the peristaltic reflex of the guinea pig isolated ileum. *European Journal of Pharmacology*, **2006**, 539, 108-15	5.3	4
37	Differential action of anti-emetic drugs on defecation and emesis induced by prostaglandin E2 in the ferret. *European Journal of Pharmacology*, **2006**, 544, 153-9	5.3	12
36	Molecular evidence of the neuroprotective effect of Ginkgo biloba (EGb761) using bax/bcl-2 ratio after brain ischemia in senescence-accelerated mice, strain prone-8. *Brain Research*, **2006**, 1090, 23-8	3.7	36
35	fMRI mapping of cortical centers following visual stimulation in postnatal pigs of different ages. *Life Sciences*, **2006**, 78, 1197-201	6.8	20
34	Anti-emetic activity of ghrelin in ferrets exposed to the cytotoxic anti-cancer agent cisplatin. *Neuroscience Letters*, **2006**, 392, 79-83	3.3	77
33	Action of ondansetron and CP-99,994 on cisplatin-induced emesis and locomotor activity in Suncus murinus (house musk shrew). *Behavioural Pharmacology*, **2005**, 16, 605-12	2.4	14
32	Action of ondansetron and CP-99,994 to modify behavior and antagonize cisplatin-induced emesis in the ferret. *European Journal of Pharmacology*, **2005**, 506, 241-7	5.3	13
31	Evaluation of the anti-emetic potential of anti-migraine drugs to prevent resiniferatoxin-induced emesis in Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **2005**, 508, 231-8	5.3	7
30	Differential action of domperidone to modify emesis and behaviour induced by apomorphine in the ferret. *European Journal of Pharmacology*, **2005**, 516, 247-52	5.3	14
29	Excitatory action of prostanoids on the ferret isolated vagus nerve preparation. *European Journal of Pharmacology*, **2004**, 491, 37-41	5.3	11
28	Differential activity of drugs to induce emesis and pica behavior in Suncus murinus (house musk shrew) and rats. *Physiology and Behavior*, **2004**, 83, 151-6	3.5	31
27	Action of prostanoids on the emetic reflex of Suncus murinus (the house musk shrew). *European Journal of Pharmacology*, **2003**, 477, 247-51	5.3	12
26	Emetic action of the prostanoid TP receptor agonist, U46619, in Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **2003**, 482, 297-304	5.3	7

25	Action of metyrapone and tetracosactrin to modify cisplatin-induced acute and delayed emesis in the ferret. *European Journal of Pharmacology*, **2003**, 466, 163-8	5.3	6
24	Action of 5-HT3 receptor antagonists and dexamethasone to modify cisplatin-induced emesis in Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **2003**, 472, 135-45	5.3	40
23	Actions of prostanoids to induce emesis and defecation in the ferret. *European Journal of Pharmacology*, **2002**, 453, 299-308	5.3	22
22	Differential action of ondansetron and dexamethasone to modify cisplatin-induced acute and delayed kaolin consumption ("pica") in rats. *European Journal of Pharmacology*, **2002**, 454, 47-52	5.3	52
21	Action of glucocorticoids to antagonise cisplatin-induced acute and delayed emesis in the ferret. *European Journal of Pharmacology*, **2001**, 417, 231-7	5.3	29
20	Genital grooming and emesis induced by vanilloids in Suncus murinus, the house musk shrew. *European Journal of Pharmacology*, **2001**, 422, 185-95	5.3	18
19	Non-prostanoid prostacyclin mimetics as neuronal stimulants in the rat: comparison of vagus nerve and NANC innervation of the colon. *British Journal of Pharmacology*, **2000**, 129, 782-90	8.6	17
18	Cisplatin-induced emesis in the cat: effect of granisetron and dexamethasone. *European Journal of Pharmacology*, **2000**, 391, 145-50	5.3	15
17	Inhibition of emesis by tachykinin NK1 receptor antagonists in Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **1999**, 366, 243-52	5.3	43
16	Modulation of emesis by fentanyl and opioid receptor antagonists in Suncus murinus (house musk shrew). *European Journal of Pharmacology*, **1999**, 374, 77-84	5.3	20
15	5-HT3 receptors are not involved in conditioned taste aversions induced by 5-hydroxytryptamine, ipecacuanha or cisplatin. *European Journal of Pharmacology*, **1998**, 352, 143-9	5.3	36
14	Serotonin-independent model of cisplatin-induced emesis in the ferret. *The Japanese Journal of Pharmacology*, **1998**, 78, 253-60		7
13	The actions of ondansetron and dexamethasone to antagonise cisplatin-induced emesis in the ferret. *European Journal of Pharmacology*, **1997**, 322, 79-82	5.3	17
12	An interaction of ondansetron and dexamethasone antagonizing cisplatin-induced acute and delayed emesis in the ferret. *British Journal of Pharmacology*, **1996**, 118, 209-14	8.6	51
11	The action of the NK1 tachykinin receptor antagonist, CP 99,994, in antagonizing the acute and delayed emesis induced by cisplatin in the ferret. *British Journal of Pharmacology*, **1996**, 119, 931-6	8.6	65
10	The interaction of dexamethasone with ondansetron on drug-induced emesis in the ferret. *Neuropharmacology*, **1996**, 35, 91-7	5.5	32
9	Mechanisms of chemotherapy/radiotherapy-induced emesis in animal models. *Oncology*, **1996**, 53 Suppl 1, 8-17	3.6	54
8	Profiles of emetic action of cisplatin in the ferret: a potential model of acute and delayed emesis. *European Journal of Pharmacology*, **1994**, 262, R1-2	5.3	45

7	Effects of 5-HT3 receptor antagonists on models of acute and delayed emesis induced by cisplatin in the ferret. *Neuropharmacology*, **1994**, 33, 1607-8	5.5	50
6	The effect of 5-HT receptor ligands on the uptake of [3H]5-hydroxytryptamine into rat cortical synaptosomes. *European Journal of Pharmacology*, **1993**, 239, 211-4	5.3	18
5	The actions of fentanyl to inhibit drug-induced emesis. *Neuropharmacology*, **1991**, 30, 1073-83	5.5	53
4	Cisplatin induced emesis: preliminary results indicative of changes in plasma levels of 5-hydroxytryptamine. *British Journal of Cancer*, **1990**, 62, 862-4	8.7	37
3	Identification and distribution of 5-HT3 recognition sites within the human brainstem. *Neuroscience Letters*, **1990**, 111, 80-6	3.3	38
2	Fluphenazine, ICS 205-930 and dl-fenfluramine differentially antagonise drug-induced emesis in the ferret. *Neuropharmacology*, **1990**, 29, 453-62	5.5	37
1	The emetic action of copper sulphate in the ferret. *European Journal of Pharmacology*, **1990**, 183, 1213	5.3	5