

JosÃ© L Tirado

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6375536/publications.pdf>

Version: 2024-02-01

396
papers

13,646
citations

20759

60
h-index

35952

97
g-index

413
all docs

413
docs citations

413
times ranked

11325
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring hybrid Mg ²⁺ /H ⁺ reactions of C@MgMnSiO ₄ with boosted voltage in magnesium-ion batteries. <i>Electrochimica Acta</i> , 2022, 404, 139738.	2.6	10
2	Marine shrimp/tin waste as a negative electrode for rechargeable sodium-ion batteries. <i>Journal of Cleaner Production</i> , 2022, 359, 131994.	4.6	9
3	A dual vanadium substitution strategy for improving NASICON-type cathode materials for Na-ion batteries. <i>Sustainable Energy and Fuels</i> , 2021, 5, 4095-4103.	2.5	2
4	Effect of the Mn/V ratio to optimize the kinetic properties of Na _{3+x} MnxV _{1-x} Cr(PO ₄) ₃ positive electrode for sodium-ion batteries. <i>Electrochimica Acta</i> , 2021, 375, 137982.	2.6	15
5	On the benefits of Cr substitution on Na ₄ MnV(PO ₄) ₃ to improve the high voltage performance as cathode for sodium-ion batteries. <i>Journal of Power Sources</i> , 2021, 495, 229811.	4.0	32
6	Reversible Multi-Electron Storage Enabled by Na ₅ V(PO ₄) ₂ F ₂ for Rechargeable Magnesium Batteries. <i>Energy Storage Materials</i> , 2021, 38, 462-472.	9.5	21
7	Iron substitution in Na ₄ V ₂ Mn(PO ₄) ₃ as a strategy for improving the electrochemical performance of sodium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115533.	1.9	9
8	Highly dispersed oleic-induced nanometric C@Na ₃ V ₂ (PO ₄) ₂ F ₃ composites for efficient Na-ion batteries. <i>Electrochimica Acta</i> , 2020, 332, 135502.	2.6	29
9	Effect of chromium doping on Na ₃ V ₂ (PO ₄) ₂ F ₃ @C as promising positive electrode for sodium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2020, 856, 113694.	1.9	39
10	Influence of Cosurfactant on the Synthesis of Surface-Modified Na _{2/3} Ni _{1/3} Mn _{2/3} O ₂ as a Cathode for Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2020, 7, 3528-3534.	1.7	5
11	Iron Oxide-Iron Sulfide Hybrid Nanosheets as High-Performance Conversion-Type Anodes for Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 10765-10775.	2.5	20
12	Inorganic solids for dual magnesium and sodium battery electrodes. <i>Journal of Solid State Electrochemistry</i> , 2020, 24, 2565-2573.	1.2	3
13	A theoretical and experimental study of hexagonal molybdenum trioxide as dual-ion electrode for rechargeable magnesium battery. <i>Journal of Alloys and Compounds</i> , 2020, 831, 154795.	2.8	14
14	Sustainable and Environmentally Friendly Na and Mg Aqueous Hybrid Batteries Using Na and K Birnessites. <i>Molecules</i> , 2020, 25, 924.	1.7	5
15	Waste Pd/Fish-Collagen as anode for energy storage. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 131, 109968.	8.2	14
16	Theoretical and Experimental Study on the Electrochemical Behavior of Beta-Sodium Vanadate in Rechargeable Magnesium Batteries Using Several Electrolyte Solutions. <i>Journal of the Electrochemical Society</i> , 2020, 167, 070512.	1.3	9
17	Increasing Energy Density with Capacity Preservation by Aluminum Substitution in Sodium Vanadium Phosphate. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 21651-21660.	4.0	26
18	Carbon nanomaterials for advanced lithium and sodium-ion batteries. , 2019, , 335-355.		0

#	ARTICLE	IF	CITATIONS
19	Exploring the high-voltage Mg ²⁺ /Na ⁺ co-intercalation reaction of Na ₃ VCr(PO ₄) ₃ in Mg-ion batteries. Journal of Materials Chemistry A, 2019, 7, 18081-18091.	5.2	29
20	Superior electrochemical performance of TiO ₂ sodium-ion battery anodes in diglyme-based electrolyte solution. Journal of Power Sources, 2019, 432, 82-91.	4.0	37
21	Morphological adaptability of graphitic carbon nanofibers to enhance sodium insertion in a diglyme-based electrolyte. Dalton Transactions, 2019, 48, 5417-5424.	1.6	8
22	On the use of guanidine hydrochloride soft template in the synthesis of Na ₂ /3Ni ₁ /3Mn ₂ /3O ₂ cathodes for sodium-ion batteries. Journal of Alloys and Compounds, 2019, 789, 1035-1045.	2.8	13
23	On the Beneficial Effect of MgCl ₂ as Electrolyte Additive to Improve the Electrochemical Performance of Li ₄ Ti ₅ O ₁₂ as Cathode in Mg Batteries. Nanomaterials, 2019, 9, 484.	1.9	8
24	CTAB-Assisted Synthesis of C@Na ₃ V ₂ (PO ₄) ₂ F ₃ With Optimized Morphology for Application as Cathode Material for Na-Ion Batteries. Frontiers in Physics, 2019, 7, .	1.0	18
25	On the Effect of Silicon Substitution in Na ₃ V ₂ (PO ₄) ₃ on the Electrochemical Behavior as Cathode for Sodium-Ion Batteries. ChemElectroChem, 2018, 5, 367-374.	1.7	33
26	NASICON-type Na ₃ V ₂ (PO ₄) ₃ as a new positive electrode material for rechargeable aluminium battery. Electrochimica Acta, 2018, 260, 798-804.	2.6	51
27	Exploring an Aluminum Ion Battery Based on Molybdate as Working Electrode and Ionic Liquid as Electrolyte. Journal of the Electrochemical Society, 2018, 165, A2994-A2999.	1.3	27
28	On the influence of particle morphology to provide high performing chemically desodiated C@NaV ₂ (PO ₄) ₃ as cathode for rechargeable magnesium batteries. Journal of Electroanalytical Chemistry, 2018, 827, 128-136.	1.9	16
29	Applicability of Molybdate as an Electrode Material in Calcium Batteries: A Structural Study of Layer-type Ca _x MoO ₃ . Chemistry of Materials, 2018, 30, 5853-5861.	3.2	63
30	On the Mechanism of Magnesium Storage in Micro- and Nano-Particulate Tin Battery Electrodes. Nanomaterials, 2018, 8, 501.	1.9	22
31	Sodium storage behavior of Na _{0.66} Ni _{0.33} É-xZn _x Mn _{0.67} O ₂ (x = 0, 0.07 and 0.14) positive materials in diglyme-based electrolytes. Journal of Power Sources, 2018, 400, 317-324.	4.0	21
32	Anode materials for lithium-ion batteries. , 2018, , 43-58.		5
33	Treasure Na-ion anode from trash coke by adept electrolyte selection. Journal of Power Sources, 2017, 347, 127-135.	4.0	40
34	Induced Rate Performance Enhancement in Off-Stoichiometric Na _{3+x} V ₂ (PO ₄) ₃ with Potential Applicability as the Cathode for Sodium-Ion Batteries. Chemistry - A European Journal, 2017, 23, 7345-7352.	1.7	26
35	On the effect of carbon content for achieving a high performing Na ₃ V ₂ (PO ₄) ₃ /C nanocomposite as cathode for sodium-ion batteries. Journal of Electroanalytical Chemistry, 2017, 784, 47-54.	1.9	49
36	Na ₃ V ₂ (PO ₄) ₃ as electrode material for rechargeable magnesium batteries: a case of sodium-magnesium hybrid battery. Electrochimica Acta, 2017, 246, 908-913.	2.6	47

#	ARTICLE	IF	CITATIONS
37	Improved Surface Stability of $\text{C}_3\text{M}_x\text{O}_y\text{@Na}_3\text{V}_2(\text{PO}_4)_3$ Prepared by Ultrasonic Method as Cathode for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 1471-1478.	4.0	37
38	Insight into the Electrochemical Sodium Insertion of Vanadium Superstoichiometric NASICON Phosphate. <i>Inorganic Chemistry</i> , 2017, 56, 11845-11853.	1.9	15
39	Nanometric $\text{P}_2\text{-Na}_2/3\text{Fe}_1/3\text{Mn}_2/3\text{O}_2$ with controlled morphology as cathode for sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 724, 465-473.	2.8	37
40	Electrochemical Interaction of Few-Layer Molybdenum Disulfide Composites vs Sodium: New Insights on the Reaction Mechanism. <i>Chemistry of Materials</i> , 2017, 29, 5886-5895.	3.2	71
41	On the Reliability of Sodium Co-Intercalation in Expanded Graphite Prepared by Different Methods as Anodes for Sodium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2017, 164, A3804-A3813.	1.3	44
42	Nanostructured TiO_2 Materials for New-Generation Li-Ion Batteries. , 2017, , 171-221.		0
43	Synthesis of Porous and Mechanically Compliant Carbon Aerogels Using Conductive and Structural Additives. <i>Gels</i> , 2016, 2, 4.	2.1	19
44	High-Performance $\text{Na}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ Cathode for Sodium-Ion Batteries Prepared by a Ball-Milling-Assisted Method. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 3212-3218.	1.0	42
45	Influence of Solvent Evaporation Rate in the Preparation of Carbon-Coated Lithium Iron Phosphate Cathode Films on Battery Performance. <i>Energy Technology</i> , 2016, 4, 573-582.	1.8	34
46	Truly quasi-solid-state lithium cells utilizing carbonate free polymer electrolytes on engineered LiFePO_4 . <i>Electrochimica Acta</i> , 2016, 199, 172-179.	2.6	27
47	Enhanced high-rate performance of manganese substituted $\text{Na}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ as cathode for sodium-ion batteries. <i>Journal of Power Sources</i> , 2016, 313, 73-80.	4.0	126
48	Advancing towards a veritable calcium-ion battery: CaCo_2O_4 positive electrode material. <i>Electrochemistry Communications</i> , 2016, 67, 59-64.	2.3	107
49	Mn-Containing N-Doped Monolithic Carbon Aerogels with Enhanced Macroporosity as Electrodes for Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2487-2494.	3.2	32
50	On the correlation between the porous structure and the electrochemical response of powdered and monolithic carbon aerogels as electrodes for capacitive deionization. <i>Journal of Solid State Chemistry</i> , 2016, 242, 21-28.	1.4	14
51	$\text{Na}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ Nanorods with Improved Electrode-Electrolyte Interface As Cathode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 23151-23159.	4.0	92
52	Enhancing the energy density of safer Li-ion batteries by combining high-voltage lithium cobalt fluorophosphate cathodes and nanostructured titania anodes. <i>Scientific Reports</i> , 2016, 6, 20656.	1.6	22
53	Nanobelts of Beta-Sodium Vanadate as Electrode for Magnesium and Dual Magnesium-Sodium Batteries. <i>Journal of the Electrochemical Society</i> , 2016, 163, A2781-A2790.	1.3	24
54	Reversible intercalation of aluminium into vanadium pentoxide xerogel for aqueous rechargeable batteries. <i>RSC Advances</i> , 2016, 6, 62157-62164.	1.7	91

#	ARTICLE	IF	CITATIONS
55	On the use of diatomite as antishrinkage additive in the preparation of monolithic carbon aerogels. <i>Carbon</i> , 2016, 98, 280-284.	5.4	6
56	Exploring a Li-ion battery using surface modified titania nanotubes versus high voltage cathode nanowires. <i>Journal of Power Sources</i> , 2016, 303, 194-202.	4.0	16
57	3D-Type Layered Sodium-Deficient Nickel-Manganese Oxides: A Flexible Structural Matrix for Reversible Sodium and Lithium Intercalation. <i>ChemPlusChem</i> , 2015, 80, 1642-1656.	1.3	63
58	High Performance Full Sodium-Ion Cell Based on a Nanostructured Transition Metal Oxide as Negative Electrode. <i>Chemistry - A European Journal</i> , 2015, 21, 14879-14885.	1.7	28
59	Effect of Iron Substitution in the Electrochemical Performance of $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ as Cathode for Na-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A3077-A3083.	1.3	141
60	High-intensity ultrasonication as a way to prepare graphene/amorphous iron oxyhydroxide hybrid electrode with high capacity in lithium battery. <i>Ultrasonics Sonochemistry</i> , 2015, 24, 238-246.	3.8	12
61	N-doped monolithic carbon aerogel electrodes with optimized features for the electrosorption of ions. <i>Carbon</i> , 2015, 83, 262-274.	5.4	118
62	Mesoporous carbon black-aerogel composites with optimized properties for the electro-assisted removal of sodium chloride from brackish water. <i>Journal of Electroanalytical Chemistry</i> , 2015, 741, 42-50.	1.9	31
63	A fractal-like electrode based on double-wall nanotubes of anatase exhibiting improved electrochemical behaviour in both lithium and sodium batteries. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 4687-4695.	1.3	20
64	Self-Organized, Anatase, Double-Walled Nanotubes Prepared by Anodization under Voltage Ramp as Negative Electrode for Aqueous Sodium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A3007-A3012.	1.3	12
65	LiFePO ₄ particle conductive composite strategies for improving cathode rate capability. <i>Electrochimica Acta</i> , 2015, 163, 323-329.	2.6	65
66	Relationships between the length of self-organized titania nanotube, adsorbed solvents and its electrochemical reaction with lithium. <i>Journal of Solid State Electrochemistry</i> , 2015, 19, 3013-3018.	1.2	1
67	Judicious design of lithium iron phosphate electrodes using poly(3,4-ethylenedioxythiophene) for high performance batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14254-14262.	5.2	14
68	Self-assembled $\text{Li}_4\text{Ti}_5\text{O}_{12}/\text{TiO}_2/\text{Li}_3\text{PO}_4$ for integrated Li-ion microbatteries. <i>Electrochemistry Communications</i> , 2015, 56, 61-64.	2.3	12
69	On the use of carbon black loaded nitrogen-doped carbon aerogel for the electrosorption of sodium chloride from saline water. <i>Electrochimica Acta</i> , 2015, 170, 154-163.	2.6	30
70	Ordered mesoporous titanium oxide for thin film microbatteries with enhanced lithium storage. <i>Electrochimica Acta</i> , 2015, 166, 293-301.	2.6	9
71	Benefits of Chromium Substitution in $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ as a Potential Candidate for Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2015, 2, 995-1002.	1.7	137
72	Computational and Experimental investigation of Nalipoite- Li_2APO_4 (A = Na, K) electrolytes for Li-ion batteries. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1740, 37.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Electrochemical and chemical insertion/deinsertion of magnesium in spinel-type MgMn_2O_4 and $\lambda\text{-MnO}_2$ for both aqueous and non-aqueous magnesium-ion batteries. <i>CrystEngComm</i> , 2015, 17, 8728-8735.	1.3	71
74	Effect of the degree of porosity on the performance of poly(vinylidene fluoride-trifluoroethylene) (PVDF-TrFE) based solid electrolyte. <i>Solid State Ionics</i> , 2015, 280, 1-9.	1.3	33
75	Self-organized sodium titanate/titania nanoforest for the negative electrode of sodium-ion microbatteries. <i>Journal of Alloys and Compounds</i> , 2015, 646, 816-826.	2.8	13
76	Effect of aluminum doping on carbon loaded $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ as cathode material for sodium-ion batteries. <i>Electrochimica Acta</i> , 2015, 180, 824-830.	2.6	115
77	Microwave-assisted hydrothermal synthesis of magnetite nanoparticles with potential use as anode in lithium ion batteries. <i>Materials Research</i> , 2014, 17, 1065-1070.	0.6	12
78	Improving the Electrochemistry of Anatase for Sodium Ion Batteries by Using Self-Organized TiO_2 Nanotubes Prepared by Anodization under Variable Voltage. <i>ECS Transactions</i> , 2014, 62, 45-56.	0.3	3
79	Effect of the resorcinol/catalyst ratio in the capacitive performance of carbon xerogels with potential use in sodium chloride removal from saline water. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 2847-2856.	1.2	14
80	A novel method for metal oxide deposition on carbon aerogels with potential application in capacitive deionization of saline water. <i>Electrochimica Acta</i> , 2014, 135, 208-216.	2.6	81
81	High reversible sodium insertion into iron substituted $\text{Na}_{1+x}\text{Ti}_2\text{Fe}_x(\text{PO}_4)_3$. <i>Journal of Power Sources</i> , 2014, 252, 208-213.	4.0	54
82	Improved lithium-ion transport in NASICON-type lithium titanium phosphate by calcium and iron doping. <i>Solid State Ionics</i> , 2014, 262, 573-577.	1.3	46
83	Self-organized amorphous titania nanotubes with deposited graphene film like a new heterostructured electrode for lithium ion batteries. <i>Journal of Power Sources</i> , 2014, 248, 886-893.	4.0	35
84	Microstructure of the epitaxial film of anatase nanotubes obtained at high voltage and the mechanism of its electrochemical reaction with sodium. <i>CrystEngComm</i> , 2014, 16, 4602-4609.	1.3	71
85	Electrochemical in battery polymerization of poly(alkylenedioxythiophene) over lithium iron phosphate for high-performance cathodes. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 20724-20730.	1.3	8
86	An Unnoticed Inorganic Solid Electrolyte: Dilithium Sodium Phosphate with the Nalipoite Structure. <i>Inorganic Chemistry</i> , 2014, 53, 2310-2316.	1.9	23
87	Improved electro-assisted removal of phosphates and nitrates using mesoporous carbon aerogels with controlled porosity. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 963-976.	1.5	26
88	Improving the Performance of Titania Nanotube Battery Materials by Surface Modification with Lithium Phosphate. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 5669-5678.	4.0	28
89	Improving the cycling performance of LiFePO_4 cathode material by poly(3,4-ethylenedioxythiophene) coating. <i>RSC Advances</i> , 2014, 4, 26108-26114.	1.7	33
90	Electrodeposition of copper-tin nanowires on Ti foils for rechargeable lithium micro-batteries with high energy density. <i>Journal of Alloys and Compounds</i> , 2014, 585, 331-336.	2.8	26

#	ARTICLE	IF	CITATIONS
91	Influence of composition modification on $\text{Ca}_{0.5-x}\text{Mg}_x\text{Ti}_2(\text{PO}_4)_3$ (0.0% \leq x \leq 0.5) nanoparticles as electrodes for lithium batteries. <i>Materials Research Bulletin</i> , 2014, 49, 566-571.	2.7	2
92	Nanoscale Tin Heterostructures for Improved Energy Storage in Lithium Batteries. <i>ACS Symposium Series</i> , 2013, , 1-22.	0.5	0
93	Tunable $\text{Ti}^{4+}/\text{Ti}^{3+}$ Redox Potential in the Presence of Iron and Calcium in NASICON-Type Related Phosphates as Electrodes for Lithium Batteries. <i>Chemistry of Materials</i> , 2013, 25, 4025-4035.	3.2	18
94	Improved coulombic efficiency in nanocomposite thin film based on electrodeposited-oxidized FeNi-electrodes for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2013, 557, 82-90.	2.8	8
95	Electrosorption of environmental concerning anions on a highly porous carbon aerogel. <i>Journal of Electroanalytical Chemistry</i> , 2013, 708, 80-86.	1.9	23
96	Optimization of tin intermetallics and composite electrodes for lithium-ion batteries obtained by sonochemical synthesis. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 2495-2501.	1.2	11
97	Electrodeposited CoSn_2 on nickel open-cell foam: advancing towards high power lithium ion and sodium ion batteries. <i>CrystEngComm</i> , 2013, 15, 9196.	1.3	32
98	Transition metal oxide thin films with improved reversibility as negative electrodes for sodium-ion batteries. <i>Electrochemistry Communications</i> , 2013, 27, 152-155.	2.3	40
99	^{119}Sn Mössbauer spectroscopy analysis of $\text{Sn}^{\text{II}}\text{Co}^{\text{II}}\text{C}$ composites prepared from a Fuel Oil Pyrolysis precursor as anodes for Li-ion batteries. <i>Materials Chemistry and Physics</i> , 2013, 138, 747-754.	2.0	5
100	Towards an all-solid-state battery: Preparation of conversion anodes by electrodeposition \rightarrow oxidation processes. <i>Journal of Power Sources</i> , 2013, 244, 403-409.	4.0	7
101	Controlled Growth and Application in Lithium and Sodium Batteries of High-Aspect-Ratio, Self-Organized Titania Nanotubes. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1390-A1398.	1.3	35
102	Structural and comparative electrochemical study of $\text{M}(\text{II})$ oxalates, $\text{M}=\text{Mn, Fe, Co, Ni, Cu, Zn}$. <i>Journal of Power Sources</i> , 2013, 227, 65-71.	4.0	73
103	Improving the electrochemical performance of titanium phosphate-based electrodes in sodium batteries by lithium substitution. <i>Journal of Materials Chemistry A</i> , 2013, 1, 13963.	5.2	16
104	Improved Energy Storage Solution Based on Hybrid Oxide Materials. <i>ACS Sustainable Chemistry and Engineering</i> , 2013, 1, 46-56.	3.2	61
105	Improving the Electrochemical Properties of Self-Organized Titanium Dioxide Nanotubes in Lithium Batteries by Surface Polyacrylonitrile Electropolymerization. <i>Journal of the Electrochemical Society</i> , 2013, 160, A3026-A3035.	1.3	12
106	Unfolding the role of iron in Li-ion conversion electrode materials by ^{57}Fe Mössbauer spectroscopy. , 2013, , 489-495.		0
107	A Functionalized Co_2P Negative Electrode for Batteries Demanding High Li-Potential Reaction. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1253-A1261.	1.3	38
108	Preparation and Characterization of Intermetallic Nanoparticles for Lithium Ion Batteries. <i>Journal of Nano Research</i> , 2012, 17, 53-65.	0.8	1

#	ARTICLE	IF	CITATIONS
109	Novel fabrication technologies of 1D TiO ₂ nanotubes, vertical tin and iron-based nanowires for Li-ion microbatteries. International Journal of Nanotechnology, 2012, 9, 260.	0.1	9
110	In Situ X-ray Diffraction Study of Electrochemical Insertion in Mg _{0.5} Ti ₂ (PO ₄) ₃ : An Electrode Material for Lithium or Sodium Batteries. Journal of the Electrochemical Society, 2012, 159, A1716-A1721.	1.3	18
111	Electrodeposited Polyacrylonitrile and Cobalt-Tin Composite Thin Film on Titanium Substrate. Journal of the Electrochemical Society, 2012, 159, A1028-A1033.	1.3	17
112	Lithium Storage Mechanisms and Effect of Partial Cobalt Substitution in Manganese Carbonate Electrodes. Inorganic Chemistry, 2012, 51, 5554-5560.	1.9	75
113	Long-Length Titania Nanotubes Obtained by High-Voltage Anodization and High-Intensity Ultrasonication for Superior Capacity Electrode. Journal of Physical Chemistry C, 2012, 116, 20182-20190.	1.5	39
114	New mixed transition metal oxysalts as negative electrode materials for lithium-ion batteries. Solid State Ionics, 2012, 225, 518-521.	1.3	37
115	The influence of iron substitution on the electrochemical properties of Li _{1+x} Ti _{2-x} Fe _x (PO ₄) ₃ /C composites as electrodes for lithium batteries. Journal of Materials Chemistry, 2012, 22, 21602.	6.7	29
116	Unfolding the role of iron in Li-ion conversion electrode materials by ⁵⁷ Fe Mössbauer spectroscopy. Hyperfine Interactions, 2012, 207, 53-59.	0.2	11
117	A facile carbothermal preparation of Sn-Co-C composite electrodes for Li-ion batteries using low-cost carbons. Journal of Solid State Electrochemistry, 2012, 16, 953-962.	1.2	22
118	Chromium substitution in ion exchanged Li ₃ Fe ₂ (PO ₄) ₃ and the effects on the electrochemical behavior as cathodes for lithium batteries. Electrochimica Acta, 2012, 62, 124-131.	2.6	13
119	Electrochemical performance of the lithium insertion in Mn _{0.5-x} CoxTi ₂ (PO ₄) ₃ /C composites (x=0, 0.1, 0.2, 0.3, 0.4, 0.5). Journal of Electroanalytical Chemistry, 2012, 714, 1-15.	2.6	15
120	Improving the cyclability of sodium-ion cathodes by selection of electrolyte solvent. Journal of Power Sources, 2012, 197, 314-318.	4.0	64
121	Nanocrystalline CoSn ₂ -carbon composite electrode prepared by using sonochemistry. Ultrasonics Sonochemistry, 2012, 19, 352-357.	3.8	23
122	Electrochemical response of carbon aerogel electrodes in saline water. Journal of Electroanalytical Chemistry, 2012, 671, 92-98.	1.9	57
123	Synergistic effects of transition metal substitution in conversion electrodes for lithium-ion batteries. Journal of Materials Chemistry, 2011, 21, 10102.	6.7	66
124	Give Energy to Your Study: Students Worldwide Gather in Europe To Design Future Materials for Energy Storage and Conversion. Journal of Chemical Education, 2011, 88, 1203-1206.	1.1	0
125	Tin-Based composite Materials Fabricated by Anodic Oxidation for the Negative Electrode of Li-Ion Batteries. Journal of the Electrochemical Society, 2011, 158, A1094.	1.3	31
126	Nanocrystalline Fe _{1-x} CoxSn ₂ solid solutions prepared by reduction of salts in tetraethylene glycol. Journal of Alloys and Compounds, 2011, 509, 3074-3079.	2.8	15

#	ARTICLE	IF	CITATIONS
127	Oxidized FeCoNi alloys as novel anode in Li-ion batteries. <i>Electrochemistry Communications</i> , 2011, 13, 1427-1430.	2.3	19
128	CoSn-graphite electrode material prepared by using the polyol method and high-intensity ultrasonication. <i>Electrochimica Acta</i> , 2011, 56, 9808-9817.	2.6	18
129	A ^{57}Fe Mössbauer spectroscopy study of cobalt ferrite conversion electrodes for Li-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 6978-6981.	4.0	17
130	A new form of manganese carbonate for the negative electrode of lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 2863-2866.	4.0	87
131	The electrochemical behavior of low-temperature synthesized FeSn ₂ nanoparticles as anode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 6768-6771.	4.0	25
132	Comparative study of composite electrodes containing tin, polyacrylonitrile and cobalt or iron. <i>Journal of Power Sources</i> , 2011, 196, 2893-2898.	4.0	9
133	Recent advances in nanocrystalline intermetallic tin compounds for the negative electrode of lithium ion batteries. , 2011, , .		0
134	FeSn ₂ -Polyacrylonitrile Electrode Obtained by Using High-Intensity Ultrasonication. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, A148.	2.2	10
135	Nanostructured TiO ₂ Materials for New-Generation Li-Ion Batteries. , 2011, , 183-236.		0
136	On the role of faradaic and capacitive contributions in the electrochemical performance of CoFe ₂ O ₄ as conversion anode for Li-ion cells. <i>Solid State Ionics</i> , 2010, 181, 616-622.	1.3	46
137	Sn- Co - C composites obtained from resorcinol-formaldehyde gel as anodes in lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 139-148.	1.2	20
138	On the use of the reverse micelles synthesis of nanomaterials for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 1749-1753.	1.2	8
139	NiMn ₂ Fe O ₄ prepared by a reverse micelles method as conversion anode materials for Li-ion batteries. <i>Materials Chemistry and Physics</i> , 2010, 124, 102-108.	2.0	26
140	Cobalt and tin oxalates and PAN mixture as a new electrode material for lithium ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2010, 642, 143-149.	1.9	16
141	On the electrochemical performance of anthracite-based graphite materials as anodes in lithium-ion batteries. <i>Fuel</i> , 2010, 89, 986-991.	3.4	84
142	Nanoarchitected TiO ₂ /SnO: A Future Negative Electrode for High Power Density Li-Ion Microbatteries?. <i>Chemistry of Materials</i> , 2010, 22, 1926-1932.	3.2	107
143	Electron Paramagnetic Resonance, X-ray Diffraction, Mössbauer Spectroscopy, and Electrochemical Studies on Nanocrystalline FeSn ₂ Obtained by Reduction of Salts in Tetraethylene Glycol. <i>Chemistry of Materials</i> , 2010, 22, 2268-2275.	3.2	31
144	PAN-Encapsulated Nanocrystalline CoSn ₂ Particles as Negative Electrode Active Material for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A666.	1.3	15

#	ARTICLE	IF	CITATIONS
145	A novel architected negative electrode based on titania nanotube and iron oxide nanowire composites for Li-ion microbatteries. <i>Journal of Materials Chemistry</i> , 2010, 20, 4041.	6.7	88
146	The Origin of Capacity Fading in NiFe_2O_4 Conversion Electrodes for Lithium Ion Batteries Unfolded by ^{57}Fe Mössbauer Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2010, 114, 12828-12832.	1.5	81
147	On the use of transition metal oxysalts as conversion electrodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2009, 189, 823-827.	4.0	45
148	Fe^{3+} and Ni^{3+} impurity distribution and electrochemical performance of LiCoO_2 electrode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2009, 194, 494-501.	4.0	18
149	Effect of oxidation on the performance of low-temperature petroleum cokes as anodes in lithium ion batteries. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 899-906.	1.5	2
150	Effects of heteroatoms and nanosize on tin-based electrodes. <i>Journal of Power Sources</i> , 2009, 189, 309-314.	4.0	21
151	Electrochemical performance and local cationic distribution in layered $\text{LiNi}_{1/2}\text{Mn}_{1/2}\text{O}_2$ electrodes for lithium ion batteries. <i>Electrochimica Acta</i> , 2009, 54, 1694-1701.	2.6	20
152	TiO_2 nanotubes manufactured by anodization of Ti thin films for on-chip Li-ion 2D microbatteries. <i>Electrochimica Acta</i> , 2009, 54, 4262-4268.	2.6	137
153	Local Coordination of Fe^{3+} in Layered $\text{LiCo}_{1-x}\text{Al}_x\text{O}_2$ Oxides Determined by High-Frequency Electron Paramagnetic Resonance Spectroscopy. <i>Inorganic Chemistry</i> , 2009, 48, 4798-4805.	1.9	10
154	Tin Phosphate Electrode Materials Prepared by the Hydrolysis of Tin Halides for Application in Lithium Ion Battery. <i>Journal of Physical Chemistry C</i> , 2009, 113, 5316-5323.	1.5	12
155	Effect of the synthesis procedure on the local cationic distribution in layered $\text{LiNi}_{1/2}\text{Mn}_{1/2}\text{O}_2$. <i>Journal of Alloys and Compounds</i> , 2009, 475, 96-101.	2.8	23
156	Polyacrylonitrile and cobalt-tin compounds based composite and its electrochemical properties in lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2009, 485, 385-390.	2.8	9
157	Nanocomposite Electrode for Li-Ion Microbatteries Based on SnO on Nanotubular Titania Matrix. <i>Electrochemical and Solid-State Letters</i> , 2009, 12, A186.	2.2	37
158	Alternative Li-Ion Battery Electrode Based on Self-Organized Titania Nanotubes. <i>Chemistry of Materials</i> , 2009, 21, 63-67.	3.2	320
159	^{57}Fe Mössbauer Spectroscopy Study of the Electrochemical Reaction with Lithium of MFe_2O_4 ($\text{M} = \text{Co}$ and Cu) Electrodes. <i>Journal of Physical Chemistry C</i> , 2009, 113, 20081-20087.	1.5	42
160	Cobalt Oxalate Nanoribbons as Negative-Electrode Material for Lithium-Ion Batteries. <i>Chemistry of Materials</i> , 2009, 21, 1834-1840.	3.2	96
161	Elucidation of Capacity Fading on CoFe_2O_4 Conversion Electrodes for Lithium Batteries Based on ^{57}Fe Mössbauer Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2009, 156, A589.	1.3	24
162	Irrigation water use monitoring at watershed scale using series of high-resolution satellite images. , 2009, , .		1

#	ARTICLE	IF	CITATIONS
163	A ^{57}Fe Mössbauer spectroscopy study of iron nanoparticles obtained in situ in conversion ferrite electrodes. <i>Hyperfine Interactions</i> , 2008, 183, 1-5.	0.2	2
164	^{119}Sn Mössbauer spectroscopy: a powerful tool to unfold the reaction mechanism in advanced electrodes for lithium-ion batteries. <i>Hyperfine Interactions</i> , 2008, 187, 13-17.	0.2	10
165	Electrochemical evaluation of CuFe_2O_4 samples obtained by sol-gel methods used as anodes in lithium batteries. <i>Journal of Solid State Electrochemistry</i> , 2008, 12, 729-737.	1.2	85
166	Structural and Electrochemical Properties of Micro- and Nano-Crystalline CoSn Electrode Materials. <i>ChemPhysChem</i> , 2008, 9, 1171-1177.	1.0	33
167	X-ray absorption spectra of the spinel $\text{LiCu}_0.5\text{Mn}_1.5\text{O}_4$. <i>Journal of Power Sources</i> , 2008, 175, 570-574.	4.0	2
168	Cationic distribution and electrochemical performance of $\text{LiCo}_{1/3}\text{Ni}_{1/3}\text{Mn}_{1/3}\text{O}_2$ electrodes for lithium-ion batteries. <i>Solid State Ionics</i> , 2008, 179, 2198-2208.	1.3	55
169	Local Effects of the Electrochemical Reaction of Lithium with Sn_2ClPO_4 and SnHPO_4 : A Combined ^{31}P , ^{7}Li MAS NMR and ^{119}Sn Mossbauer Spectroscopy Study. <i>Journal of Physical Chemistry C</i> , 2008, 112, 17436-17442.	1.5	3
170	Synthesis and Electrochemical Reaction with Lithium of Mesoporous Iron Oxalate Nanoribbons. <i>Inorganic Chemistry</i> , 2008, 47, 10366-10371.	1.9	85
171	Cobalt Oxide Nanoparticles Prepared from Reverse Micelles as High-Capacity Electrode Materials for Li-Ion Cells. <i>Electrochemical and Solid-State Letters</i> , 2008, 11, A198.	2.2	20
172	Optimized Chemical Stability and Electrochemical Performance of LiFePO_4 Composite Materials Obtained by ZnO Coating. <i>Journal of the Electrochemical Society</i> , 2008, 155, A211.	1.3	39
173	Electrochemical Reaction of Lithium with Nanocrystalline CoSn_3 . <i>Electrochemical and Solid-State Letters</i> , 2008, 11, A209.	2.2	26
174	Improved Electrochemical Performance of Tin Dioxide Using a Tin Phosphate-Based Coating. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, A286.	2.2	8
175	Formation and Oxidation of Nanosized Metal Particles by Electrochemical Reaction of Li and Na with NiCo_2O_4 : X-ray Absorption Spectroscopic Study. <i>Journal of Physical Chemistry C</i> , 2007, 111, 4636-4642.	1.5	103
176	High-Performance Transition Metal Mixed Oxides in Conversion Electrodes: A Combined Spectroscopic and Electrochemical Study. <i>Journal of Physical Chemistry C</i> , 2007, 111, 14238-14246.	1.5	58
177	Lithium Insertion into Modified Conducting Domains of Graphitized Carbon Nanotubes. <i>Journal of the Electrochemical Society</i> , 2007, 154, A964.	1.3	14
178	Unfolding Tin-Cobalt Interactions in Oxide-Based Composite Electrodes for Li-Ion Batteries by Mössbauer Spectroscopy. <i>ChemPhysChem</i> , 2007, 8, 80-86.	1.0	8
179	^{57}Fe Mössbauer Spectroscopy and Electron Microscopy Study of Metal Extraction from CuFe_2O_4 Electrodes in Lithium Cells. <i>ChemPhysChem</i> , 2007, 8, 1999-2007.	1.0	47
180	Tin-carbon composites as anodic material in Li-ion batteries obtained by copyrolysis of petroleum vacuum residue and SnO_2 . <i>Carbon</i> , 2007, 45, 1396-1409.	5.4	29

#	ARTICLE	IF	CITATIONS
181	Submicronic particles of manganese carbonate prepared in reverse micelles: A new electrode material for lithium-ion batteries. <i>Electrochemistry Communications</i> , 2007, 9, 1744-1748.	2.3	123
182	Sol-gel preparation of cobalt manganese mixed oxides for their use as electrode materials in lithium cells. <i>Electrochimica Acta</i> , 2007, 52, 7986-7995.	2.6	146
183	Comparative analysis of the changes in local Ni/Mn environment in lithium-nickel-manganese oxides with layered and spinel structure during electrochemical extraction and reinsertion of lithium. <i>Journal of Power Sources</i> , 2007, 174, 519-523.	4.0	15
184	CoFe ₂ O ₄ and NiFe ₂ O ₄ synthesized by sol-gel procedures for their use as anode materials for Li ion batteries. <i>Journal of Power Sources</i> , 2007, 172, 379-387.	4.0	306
185	New tin-based materials containing cobalt and carbon for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2007, 605, 98-108.	1.9	54
186	Effect of the high pressure on the structure and intercalation properties of lithium-nickel-manganese oxides. <i>Journal of Solid State Chemistry</i> , 2007, 180, 1816-1825.	1.4	9
187	Changes in local Ni/Mn environment in layered LiMg _x Ni _{0.5-\hat{a}} xMn _{0.5} O ₂ (0 \hat{a} 0.10) after electrochemical extraction and reinsertion of lithium. <i>Journal of Materials Chemistry</i> , 2006, 16, 359-369.	6.7	28
188	EPR, NMR, and Electrochemical Studies of Surface-Modified Carbon Microbeads. <i>Chemistry of Materials</i> , 2006, 18, 2293-2301.	3.2	71
189	Electrochemical improvement of low-temperature petroleum cokes by chemical oxidation with H ₂ O ₂ for their use as anodes in lithium ion batteries. <i>Electrochimica Acta</i> , 2006, 52, 1281-1289.	2.6	7
190	Iron-carbon composites as electrode materials in lithium batteries. <i>Carbon</i> , 2006, 44, 1762-1772.	5.4	20
191	Electrochemical and ¹¹⁹ Sn Mössbauer studies of the reaction of Co ₂ SnO ₄ with lithium. <i>Electrochemistry Communications</i> , 2006, 8, 731-736.	2.3	34
192	EPR studies of Li deintercalation from LiCoMnO ₄ spinel-type electrode active material. <i>Journal of Power Sources</i> , 2006, 159, 1389-1394.	4.0	31
193	Influence of the oxidative stabilisation treatment time on the electrochemical performance of anthracene oils cokes as electrode materials for lithium batteries. <i>Journal of Power Sources</i> , 2006, 161, 1324-1334.	4.0	8
194	X-ray Absorption Spectroscopic Study of LiCoO ₂ as the Negative Electrode of Lithium-Ion Batteries. <i>ChemPhysChem</i> , 2006, 7, 1086-1091.	1.0	25
195	On the Mechanism of the Electrochemical Reaction of Tin Phosphide with Lithium. <i>Journal of the Electrochemical Society</i> , 2006, 153, A1829.	1.3	57
196	Changes in the Mechanism of Lithium Extraction by Metal Substitution in High-Voltage Spinel Electrodes. <i>ECS Transactions</i> , 2006, 3, 155-164.	0.3	2
197	Electrochemical Lithium and Sodium Reactions with Carbon Microspheres Obtained by Polycondensation. <i>ECS Transactions</i> , 2006, 3, 191-198.	0.3	1
198	Modification of the Electrochemical Behavior of Carbon Nanofibers for Lithium-Ion Batteries by Impregnation, and Thermal and Hydrothermal Treatments. <i>ECS Transactions</i> , 2006, 1, 9-16.	0.3	1

#	ARTICLE	IF	CITATIONS
199	Structure and Lithium Extraction Mechanism in $\text{LiNi}_0.5\text{Mn}_1.5\text{O}_4$ after Double Substitution with Iron and Titanium. <i>Electrochemical and Solid-State Letters</i> , 2006, 9, A96-A100.	2.2	27
200	High-pressure synthesis and electrochemical behavior of layered oxides. <i>Journal of Solid State Chemistry</i> , 2005, 178, 2692-2700.	1.4	17
201	Rotor blade grinding and re-annealing of LiCoO_2 : SEM, XPS, EIS and electrochemical study. <i>Journal of Electroanalytical Chemistry</i> , 2005, 584, 147-156.	1.9	28
202	Composite electrode materials for lithium-ion batteries obtained by metal oxide addition to petroleum vacuum residua. <i>Carbon</i> , 2005, 43, 923-936.	5.4	12
203	Influence of oxidative stabilization on the electrochemical behaviour of coal tar pitch derived carbons in lithium batteries. <i>Electrochimica Acta</i> , 2005, 50, 1225-1232.	2.6	22
204	Chemical and Electrochemical Li-Insertion into the $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Spinel. <i>ChemInform</i> , 2005, 36, no.	0.1	5
205	Effect of oxidative stabilization on the electrochemical performance of carbon mesophases as electrode materials for lithium batteries. <i>Journal of Solid State Electrochemistry</i> , 2005, 9, 627-633.	1.2	5
206	Optimization of the Electrochemical Behavior of Vapor Grown Carbon Nanofibers for Lithium-Ion Batteries by Impregnation, and Thermal and Hydrothermal Treatments. <i>Journal of the Electrochemical Society</i> , 2005, 152, A1797.	1.3	24
207	Carbon Microspheres Obtained from Resorcinol-Formaldehyde as High-Capacity Electrodes for Sodium-Ion Batteries. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A222.	2.2	313
208	Photoelectron Spectroscopic Study of the Reaction of Li and Na with NiCo_2O_4 . <i>Chemistry of Materials</i> , 2005, 17, 5202-5208.	3.2	85
209	Synergistic Effects of Double Substitution in $\text{LiNi}_{0.5-x}\text{Fe}_x\text{Mn}_{1.5}\text{O}_4$ Spinel as 5 V Cathode Materials. <i>Journal of the Electrochemical Society</i> , 2005, 152, A13.	1.3	53
210	Modification of Petroleum Coke for Lithium-Ion Batteries by Heat-Treatment with Iron Oxide. <i>Journal of the Electrochemical Society</i> , 2004, 151, A2113.	1.3	19
211	Chemical and Electrochemical Li-Insertion into the $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Spinel. <i>Chemistry of Materials</i> , 2004, 16, 5721-5725.	3.2	307
212	Composition and electrochemical properties of $\text{LiCu}_x\text{Mn}_{2-x}\text{O}_4$ and $\text{LiCu}_{0.5-y}\text{Al}_y\text{Mn}_{1.5}\text{O}_4$. <i>Journal of Solid State Electrochemistry</i> , 2004, 8, 521.	1.2	8
213	Nanodispersed iron, tin and antimony in vapour grown carbon fibres for lithium batteries: an EPR and electrochemical study. <i>Carbon</i> , 2004, 42, 2153-2161.	5.4	21
214	X-ray diffraction and electrochemical impedance spectroscopy study of zinc coated $\text{LiNi}_0.5\text{Mn}_1.5\text{O}_4$ electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2004, 566, 187-192.	1.9	121
215	^{57}Fe Mössbauer spectroscopy and surface modification with zinc and magnesium of $\text{LiCo}_0.8\text{Fe}_0.2\text{MnO}_4$ 5V electrodes. <i>Journal of Power Sources</i> , 2004, 135, 281-285.	4.0	6
216	Understanding the voltage profile of Li insertion into $\text{LiNi}_{0.5-x}\text{Fe}_x\text{Mn}_{1.5}\text{O}_4$ in Li cells. <i>Electrochimica Acta</i> , 2004, 49, 1963-1967.	2.6	9

#	ARTICLE	IF	CITATIONS
217	Layered solid solutions of $\text{LiNi}_{1-x}\text{Co}_x\text{O}_2$ with LiGaO_2 obtained under high oxygen pressure. <i>Journal of Materials Chemistry</i> , 2004, 14, 366-373.	6.7	7
218	Lithium insertion mechanism in CoSb_3 analysed by ^{121}Sb Mössbauer spectrometry, X-ray absorption spectroscopy and electronic structure calculations. <i>Journal of Materials Chemistry</i> , 2004, 14, 1759-1767.	6.7	26
219	Nanodispersed iron, tin and antimony in vapour grown carbon fibres for lithium batteries: an EPR and electrochemical study. <i>Carbon</i> , 2004, 42, 2153-2153.	5.4	1
220	Changes in the Local Structure of $\text{LiMg}_y\text{Ni}_{0.5-y}\text{Mn}_{1.5}\text{O}_4$ Electrode Materials during Lithium Extraction. <i>Chemistry of Materials</i> , 2004, 16, 1573-1579.	3.2	107
221	Local Coordination of Low-Spin Ni^{3+} Probes in Trigonal $\text{LiAl}_y\text{Co}_{1-y}\text{O}_2$ Monitored by HF-EPR. <i>Journal of Physical Chemistry B</i> , 2004, 108, 4053-4057.	1.2	29
222	New $\text{LiNi}_y\text{Co}_{1-2y}\text{Mn}_{1+y}\text{O}_4$ Spinel Oxide Solid Solutions as 5 V Electrode Material for Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2004, 151, A53.	1.3	48
223	Structural and Electrochemical Study of New $\text{LiNi}_{0.5}\text{Ti}_x\text{Mn}_{1.5-x}\text{O}_4$ Spinel Oxides for 5-V Cathode Materials. <i>ChemInform</i> , 2003, 34, no.	0.1	0
224	Electrochemical, textural and microstructural effects of mechanical grinding on graphitized petroleum coke for lithium and sodium batteries. <i>Carbon</i> , 2003, 41, 3003-3013.	5.4	57
225	Thermal transformations of iron-substituted lithium nickelate studied by in situ X-ray diffraction. <i>Solid State Ionics</i> , 2003, 158, 427-433.	1.3	0
226	Lithium/nickel mixing in the transition metal layers of lithium nickelate: high-pressure synthesis of layered $\text{Li}[\text{Li}_x\text{Ni}_{1-x}]\text{O}_2$ oxides as cathode materials for lithium-ion batteries. <i>Solid State Ionics</i> , 2003, 161, 197-204.	1.3	54
227	Lithium insertion mechanism in Sb-based electrode materials from ^{121}Sb Mössbauer spectrometry. <i>Journal of Power Sources</i> , 2003, 119-121, 585-590.	4.0	48
228	Changes in oxidation state and magnetic order of iron atoms during the electrochemical reaction of lithium with NiFe_2O_4 . <i>Electrochemistry Communications</i> , 2003, 5, 16-21.	2.3	109
229	Inorganic materials for the negative electrode of lithium-ion batteries: state-of-the-art and future prospects. <i>Materials Science and Engineering Reports</i> , 2003, 40, 103-136.	14.8	249
230	Structural and Electrochemical Study of New $\text{LiNi}_{0.5}\text{Ti}_x\text{Mn}_{1.5-x}\text{O}_4$ Spinel Oxides for 5-V Cathode Materials. <i>Chemistry of Materials</i> , 2003, 15, 2376-2382.	3.2	121
231	Electron Paramagnetic Resonance and Solid-State NMR Study of Cation Distribution in $\text{LiGa}_y\text{Co}_{1-y}\text{O}_2$ and Effects on the Electrochemical Oxidation. <i>Journal of Physical Chemistry B</i> , 2003, 107, 4290-4295.	1.2	22
232	Electrochemical, ^6Li MAS NMR, and X-ray and Neutron Diffraction Study of $\text{LiCo}_x\text{Fe}_y\text{Mn}_{2-(x+y)}\text{O}_4$ Spinel Oxides for High-Voltage Cathode Materials. <i>Chemistry of Materials</i> , 2003, 15, 1210-1216.	3.2	32
233	Cation order/disorder in lithium transition-metal oxides as insertion electrodes for lithium-ion batteries. <i>Pure and Applied Chemistry</i> , 2002, 74, 1885-1894.	0.9	36
234	Negative Electrodes for Lithium- and Sodium-Ion Batteries Obtained by Heat-Treatment of Petroleum Cokes below 1000°C . <i>Journal of the Electrochemical Society</i> , 2002, 149, A201.	1.3	115

#	ARTICLE	IF	CITATIONS
235	Li-to-Network Interaction in Electrochemically Lithiated Tin Hydrogen Phosphate. Journal of the Electrochemical Society, 2002, 149, A1030.	1.3	10
236	X-ray Diffraction, ^7Li MAS NMR Spectroscopy, and ^{119}Sn Mössbauer Spectroscopy Study of SnSb-Based Electrode Materials. Chemistry of Materials, 2002, 14, 2962-2968.	3.2	49
237	Increasing Cluster Correlations during Electrochemical Insertion Unfolded by the Correlation Correction Factor in the Frame of the Cluster Variation Method. Journal of Physical Chemistry B, 2002, 106, 6942-6946.	1.2	2
238	Improvement of the Electrochemical Performance of LiCoPO_4 5 V Material Using a Novel Synthesis Procedure. Electrochemical and Solid-State Letters, 2002, 5, A234.	2.2	125
239	High-pressure synthesis of Ga-substituted LiCoO_2 with layered crystal structure. Journal of Materials Chemistry, 2002, 12, 2501-2506.	6.7	15
240	New $\text{Ni}_x\text{Mg}_{6-x}\text{MnO}_8$ Mixed Oxides as Active Materials for the Negative Electrode of Lithium-Ion Cells. Journal of Solid State Chemistry, 2002, 166, 330-335.	1.4	21
241	Evaluation of discharge and cycling properties of skutterudite-type $\text{Co}_{1-x}\text{Fe}_x\text{Ni}_y\text{Sb}_3$ compounds in lithium cells. Journal of Power Sources, 2002, 107, 74-79.	4.0	24
242	Electrochemical reaction of lithium with CoP_3 . Journal of Power Sources, 2002, 109, 308-312.	4.0	117
243	Electrochemical reactions of lithium with Li_2ZnGe and Li_2ZnSi . Electrochimica Acta, 2002, 47, 1115-1120.	2.6	25
244	Optimizing preparation conditions for 5 V electrode performance, and structural changes in $\text{Li}_{1-x}\text{Ni}_x\text{Mn}_{1.5}\text{O}_4$ spinel. Electrochimica Acta, 2002, 47, 1829-1835.	2.6	134
245	EPR study on petroleum cokes annealed at different temperatures and used in lithium and sodium batteries. Carbon, 2002, 40, 2301-2306.	5.4	52
246	NiCo_2O_4 Spinel: First Report on a Transition Metal Oxide for the Negative Electrode of Sodium-Ion Batteries. Chemistry of Materials, 2002, 14, 2847-2848.	3.2	458
247	In Situ Preparation of Composite Electrodes: Antimony Alloys and Compounds. , 2002, , 193-200.		1
248	Carbon-Based Negative Electrodes of Lithium-Ion Batteries Obtained from Residua of the Petroleum Industry. , 2002, , 101-108.		0
249	On the Use of In-Situ Generated Tin-Based Composite Materials in Lithium-Ion Cells. , 2002, , 201-208.		0
250	Short-Range Co/Mn Ordering and Electrochemical Intercalation of Li into $\text{Li}[\text{Mn}_{2-y}\text{Co}_y]\text{O}_4$ SPINELS, $0 < y \leq 1$. , 2002, , 475-482.		0
251	Cobalt(III) Effect on ^{27}Al NMR Chemical Shifts in $\text{LiAl}_x\text{Co}_{1-x}\text{O}_2$. Journal of Physical Chemistry B, 2001, 105, 8081-8087.	1.2	40
252	Tin oxalate as a precursor of tin dioxide and electrode materials for lithium-ion batteries. Journal of Solid State Electrochemistry, 2001, 6, 55-62.	1.2	31

#	ARTICLE	IF	CITATIONS
253	Key factors controlling the electrochemical performance of the cation-deficient mixed spinel oxide $Mn_{2.2}Co_{0.27}O_4$ as cathode in 3 V rechargeable lithium batteries. <i>Journal of Power Sources</i> , 2001, 94, 122-128.	4.0	0
254	Carbon black: a promising electrode material for sodium-ion batteries. <i>Electrochemistry Communications</i> , 2001, 3, 639-642.	2.3	355
255	Electrochemical reactions of polycrystalline $CrSb_2$ in lithium batteries. <i>Journal of Electroanalytical Chemistry</i> , 2001, 501, 205-209.	1.9	64
256	Co/Mn distribution and electrochemical intercalation of Li into $Li[Mn_{2-x}Co_x]O_4$ spinels, $0 < x \leq 1$. <i>Solid State Ionics</i> , 2001, 140, 19-33.	1.3	22
257	$SnHPO_4$: a promising precursor for active material as negative electrode in Li-ion cells. <i>Electrochimica Acta</i> , 2001, 47, 489-493.	2.6	17
258	Chemical delithiation, thermal transformations and electrochemical behaviour of iron-substituted lithium nickelate. <i>Materials Research Society Symposia Proceedings</i> , 2000, 658, 971.	0.1	0
259	Effects of Partial Acid Delithiation on the Electrochemical Lithium Insertion Properties of Nickel-Stabilized $LiMn_2O_4$ Spinel Oxides. <i>Journal of Solid State Chemistry</i> , 2000, 150, 196-203.	1.4	10
260	Characterisation of mesocarbon microbeads (MCMB) as active electrode material in lithium and sodium cells. <i>Carbon</i> , 2000, 38, 1031-1041.	5.4	136
261	Electrochemical and ^{119}Sn Mössbauer study of sulfospinel as anode materials for lithium-ion batteries. <i>Electrochimica Acta</i> , 2000, 46, 127-135.	2.6	9
262	SnO reduction in lithium cells: study by X-ray absorption, ^{119}Sn Mössbauer spectroscopy and X-ray diffraction. <i>Journal of Electroanalytical Chemistry</i> , 2000, 494, 136-146.	1.9	77
263	X-ray and neutron diffraction, ^{57}Fe Mössbauer spectroscopy and X-ray absorption spectroscopy studies of iron-substituted lithium cobaltate. <i>Solid State Communications</i> , 2000, 115, 1-6.	0.9	9
264	Aluminium coordination in $LiNi_{1-x}Al_xO_2$ solid solutions. <i>Solid State Ionics</i> , 2000, 128, 1-10.	1.3	42
265	On the Structure and Electrochemical Reactions with Lithium of Tin(II) Phosphate Chloride. <i>Journal of the Electrochemical Society</i> , 2000, 147, 1663.	1.3	14
266	Preparation, Sintering, and Electrochemical Properties of Tin Dioxide and Al-Doped Tin Dioxides Obtained from Citrate Precursors. <i>Chemistry of Materials</i> , 2000, 12, 3044-3051.	3.2	27
267	Electrochemical Sodium Insertion into $MnCo$ Oxide. <i>Electrochemical and Solid-State Letters</i> , 1999, 2, 545.	2.2	12
268	X-ray diffraction, ^{57}Fe Mössbauer and step potential electrochemical spectroscopy study of $LiFe_yCo_{1-y}O_2$ compounds. <i>Journal of Power Sources</i> , 1999, 81-82, 547-553.	4.0	48
269	Nickel-stabilized composite manganese oxides as lithium insertion electrodes. <i>Journal of Power Sources</i> , 1999, 84, 75-79.	4.0	7
270	Electrochemical proton insertion in $Mn_{2.2}Co_{0.27}O_4$ from aqueous borate solution. <i>Electrochimica Acta</i> , 1999, 45, 931-934.	2.6	3

#	ARTICLE	IF	CITATIONS
271	Recent advances in the study of layered lithium transition metal oxides and their application as intercalation electrodes. <i>Journal of Solid State Electrochemistry</i> , 1999, 3, 121-134.	1.2	74
272	X-ray Diffraction and ^{119}Sn Mössbauer Spectroscopy Study of a New Phase in the $\text{Bi}_2\text{Se}_3\text{-SnSe}$ System: SnBi_4Se_7 . <i>Inorganic Chemistry</i> , 1999, 38, 2131-2135.	1.9	68
273	Electrochemical reaction of lithium with the CoSb_3 skutterudite. <i>Journal of Materials Chemistry</i> , 1999, 9, 2517-2521.	6.7	128
274	Electrochemical lithium and sodium intercalation into the tantalum-rich layered chalcogenides Ta_2Se and Ta_2Te_3 . <i>Journal of Alloys and Compounds</i> , 1999, 282, 93-100.	2.8	10
275	Structural Characterization and Electrochemical Reactions with Lithium of $\text{Cu}_2\text{CoTi}_x\text{Sn}_{3-x}\text{S}_8$ Solid Solutions. <i>Chemistry of Materials</i> , 1999, 11, 2687-2693.	3.2	15
276	^{13}C , ^1H , ^6Li Magic-Angle Spinning Nuclear Magnetic Resonance, Electron Paramagnetic Resonance, and Fourier Transform Infrared Study of Intercalation Electrodes Based in Ultrasoft Carbons Obtained below 3100 K. <i>Chemistry of Materials</i> , 1999, 11, 52-60.	3.2	25
277	Lithium insertion electrodes based on niobium telluride thin films. <i>Electrochimica Acta</i> , 1998, 43, 495-502.	2.6	1
278	Structural Modifications and Electrochemical Behavior of Lithium-Inserted $\text{In}_{16}\text{Fe}_8\text{S}_{32}$. <i>Journal of Solid State Chemistry</i> , 1998, 138, 193-200.	1.4	5
279	Electrochemical lithium and sodium intercalation into $\text{TaFe}_{1.25}\text{Te}_3$. <i>Journal of Solid State Electrochemistry</i> , 1998, 2, 328-333.	1.2	3
280	New doped Li-M-Mn-O ($\text{M}=\text{Al, Fe, Ni}$) spinels as cathodes for rechargeable 3 V lithium batteries. <i>Journal of Solid State Electrochemistry</i> , 1998, 2, 420-426.	1.2	25
281	SPES, ^6Li MAS NMR, and Ni^{3+} EPR evidence for the formation of Co^{2+} -containing spinel phases in LiCoO_2 cycled electrode materials. <i>Journal of Electroanalytical Chemistry</i> , 1998, 454, 173-181.	1.9	16
282	Electrochemical lithium insertion in a cation deficient thiospinel $\text{Cu}_{3.31}\text{GeFe}_4\text{Sn}_{12}\text{S}_{32}$. <i>Journal of Materials Chemistry</i> , 1998, 8, 1399-1404.	6.7	4
283	X-ray Diffraction, EPR, and ^6Li and ^{27}Al MAS NMR Study of $\text{LiAlO}_2\text{-LiCoO}_2$ Solid Solutions. <i>Inorganic Chemistry</i> , 1998, 37, 264-269.	1.9	62
284	Local Effects of the Lithium Insertion into Cation-Deficient Tin-Indium Thiospinels Revealed by ^{119}Sn Mössbauer Spectroscopy. <i>Chemistry of Materials</i> , 1998, 10, 968-973.	3.2	15
285	Distribution of Cations and Vacancies in $\text{TaFe}_{1.25}\text{Te}_3$ Studied by Mössbauer Spectroscopy. <i>Journal of Physical Chemistry B</i> , 1998, 102, 8712-8718.	1.2	6
286	Changes in Structure and Cathode Performance with Composition and Preparation Temperature of Lithium Cobalt Nickel Oxide. <i>Journal of the Electrochemical Society</i> , 1998, 145, 730-736.	1.3	53
287	Local environment of tin in layered $\text{SnSe}_2\text{xS}_2(1\text{-x})$ compounds by ^{119}Sn Mössbauer spectroscopy. <i>Physical Review B</i> , 1997, 56, 6371-6375.	1.1	9
288	Synthesis and Electrochemical Characterization of a New LiCoMnCO Spinel Phase for Rechargeable Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 1997, 144, 1939-1943.	1.3	34

#	ARTICLE	IF	CITATIONS
307	New tin-containing spinel sulfide electrodes for ambient temperature rocking chair cells. Journal of Power Sources, 1996, 62, 101-105.	4.0	27
308	Raman study and lattice dynamics calculation of the misfit layer compound (PbS) _{1.12} V ₂ S ₂ . Journal of Raman Spectroscopy, 1995, 26, 675-681.	1.2	4
309	Raman study and lattice dynamics calculations of misfit layered compounds : (PbS) _{1.18} TiS ₂ and (PbS) _{1.12} V ₂ S ₂ . Journal of Molecular Structure, 1995, 348, 107-110.	1.8	12
310	Kinetic and thermodynamic aspects of lithium intercalation into lead tantalum sulfide and tin tantalum sulfide misfit layer compounds. Solid State Ionics, 1995, 76, 57-65.	1.3	0
311	¹²⁵ Te Mössbauer spectroscopic study of layered transition metal ditellurides with interlayer communication. Solid State Communications, 1995, 96, 911-914.	0.9	1
312	Chemically deintercalated cathode materials for lithium cells. Ionics, 1995, 1, 246-250.	1.2	2
313	Structure and Electrochemical Properties of Li _{1-x} (Ni _y Co _{1-y}) _{1+x} O ₂ at 0°C. Journal of the Electrochemical Society, 1995, 142, 3997-4005.	1.3	51
314	Structural, Thermodynamic, and Kinetic Properties of Alkali-Metal Intercalation into Group 5 Metal Ditellurides. Chemistry of Materials, 1995, 7, 1171-1177.	3.2	9
315	¹¹⁹ Sn Moessbauer Spectroscopy of Some Misfit Layer Sulfides. Chemistry of Materials, 1995, 7, 1193-1197.	3.2	8
316	Diffraction and XPS Studies of Misfit Layer Chalcogenides Intercalated with Cobaltocene. Chemistry of Materials, 1995, 7, 1576-1582.	3.2	50
317	Electrochemical lithium insertion into In ₁₆ Sn ₄ S ₃₂ and Cu ₄ In ₂₀ S ₃₂ spinel sulphides. Journal of Alloys and Compounds, 1995, 217, 176-180.	2.8	19
318	A new tantalum sulfur compound as electrode material for non-aqueous alkali metal batteries. Electrochimica Acta, 1994, 39, 2665-2671.	2.6	7
319	Cation-deficient Mn-Co spinel oxides as electrode material for rechargeable lithium batteries. Electrochimica Acta, 1994, 39, 339-345.	2.6	13
320	Acid-Delithiated Li _{1-x} (Ni _y Co _{1-y}) _{1+x} O ₂ as Insertion Electrodes in Lithium Batteries. Journal of Solid State Chemistry, 1994, 113, 182-192.	1.4	25
321	Optical, Raman and resonance Raman spectra and lattice dynamics calculations of the misfit layer compounds, (SnS) _{1.17} NbS ₂ and (PbS) _{1.18} TiS ₂ . Chemical Physics, 1994, 181, 377-392.	0.9	9
322	Electrochemical alkali metal intercalation into (BiS) _{1.17} (NbS ₂) ₂ . Solid State Ionics, 1994, 70-71, 439-444.	1.3	2
323	Chain Cluster Polymerization and Alkali Metal Intercalation into Niobium Ditelluride. Inorganic Chemistry, 1994, 33, 3164-3168.	1.9	10
324	Thermodynamic and kinetic properties of lithium insertion into titanium misfit layer sulfides. Journal of Materials Chemistry, 1994, 4, 1413.	6.7	3

#	ARTICLE	IF	CITATIONS
325	Cobaltocene intercalation into misfit layer chalcogenides. Journal of the Chemical Society Chemical Communications, 1994, , 1081-1082.	2.0	5
326	Metal-organic support interaction effects in the liquid-phase selective hydrogenation of 1,4-butanediol with nickel catalysts supported on AlPO ₄ and on other conventional non-reducible compounds. Journal of Molecular Catalysis, 1993, 85, 305-325.	1.2	18
327	Chemical and electrochemical intercalation of lithium into SnTiS ₃ and BiTi ₂ S ₅ misfit layer compounds. Solid State Ionics, 1993, 63-65, 450-456.	1.3	7
328	Lithium solvation by n-alkylamines in the interlayer space of vanadium diselenide. Solid State Ionics, 1993, 67, 107-113.	1.3	0
329	Lithium/n-alkylamine intercalation into lead, vanadium misfit layer sulfide. Materials Research Bulletin, 1993, 28, 469-476.	2.7	9
330	Lithium and sodium intercalation into VTe ₂ . Journal of Materials Chemistry, 1993, 3, 1271-1274.	6.7	9
331	Kinetics of intercalation of lithium and sodium into lead sulfide-niobium sulfide ((PbS) _{1.14} (NbS ₂) ₂). Chemistry of Materials, 1993, 5, 1167-1173.	3.2	15
332	Hydrated lithium intercalation compounds of misfit layer sulfides. Chemistry of Materials, 1992, 4, 2-4.	3.2	12
333	Electrochemical lithium intercalation into misfit layer sulfides. Chemistry of Materials, 1992, 4, 1021-1026.	3.2	21
334	Electrochemical intercalation of sodium into PbNbS ₃ and PbNb ₂ S ₅ misfit layer compounds. Solid State Ionics, 1992, 58, 179-184.	1.3	15
335	Chemical and electrochemical lithium intercalation and staging in 2Hf _{1-x} SnS ₂ . Solid State Ionics, 1992, 51, 133-138.	1.3	49
336	Chemical and electrochemical lithium insertion into ternary transition metal sulfides MMo ₂ S ₄ (M: V, Tj ETQq0 0 0 regBT /Overlock 10 Tf	4.0	1
337	Lithium intercalation into PbNb ₂ S ₅ , PbNbS ₃ , SnNb ₂ Se ₅ , BiVS ₃ , SnVSe ₃ , and PbNb ₂ Se ₅ misfit layer chalcogenides. Journal of Solid State Chemistry, 1992, 100, 262-271.	1.4	32
338	Thermal behaviour of chemically deintercalated Li _{1-x} Ni _{1+x} O ₂ . Journal of Thermal Analysis, 1992, 38, 295-301.	0.7	17
339	A Raman study of the misfit layer compounds, (SnS) _{1.17} NbS ₂ and (PbS) _{1.18} TiS ₂ . Journal of Raman Spectroscopy, 1992, 23, 647-651.	1.2	20
340	Preparation and Characterization of New Misfit Layer Selenides SnVSe ₃ and SnNb ₂ Se ₅ . Chemistry Letters, 1991, 20, 1981-1984.	0.7	11
341	Lithium insertion into pyrochlore WO ₃ . Solid State Ionics, 1991, 48, 231-240.	1.3	10
342	Ion exchange of potassium hexatungstate (K _{0.30} WO _{3.15}) by protons. Solid State Ionics, 1991, 47, 75-79.	1.3	9

#	ARTICLE	IF	CITATIONS
343	Composition and cation-vacancy distribution of cation-deficient spinel oxides. <i>Journal of Solid State Chemistry</i> , 1991, 93, 443-453.	1.4	16
344	Structural aspects of lithium intercalated PbVS ₃ , PbTiS ₃ , PbTi ₂ S ₅ and SnNbS ₃ misfit layer compounds. <i>Materials Research Bulletin</i> , 1991, 26, 1211-1218.	2.7	24
345	Structural modifications induced by proton exchange in $\hat{\Gamma}^3$ -LiFeO ₂ . <i>Materials Research Bulletin</i> , 1990, 25, 997-1002.	2.7	4
346	Cation distribution and chemical deintercalation of Li _{1-x} Ni _{1+x} O ₂ . <i>Materials Research Bulletin</i> , 1990, 25, 623-630.	2.7	288
347	Chromium substitution and crystallinity changes in γ -FeOOH. <i>Journal of Materials Science</i> , 1990, 25, 1813-1815.	1.7	5
348	Mn and Co substitution in γ -FeOOH and its decomposition products. <i>Journal of Materials Science</i> , 1990, 25, 5207-5214.	1.7	10
349	Relationships between the surface properties of $\hat{\Gamma}^3$ -Fe ₂ O ₃ and its cobalt-modified products. <i>Journal of Colloid and Interface Science</i> , 1990, 138, 565-579.	5.0	6
350	Low-temperature hydrothermal formation and ion exchange of hydrated sodium manganates. <i>Solid State Ionics</i> , 1990, 44, 125-130.	1.3	18
351	Proton exchange of layered LiCrO ₂ . <i>Materials Research Bulletin</i> , 1989, 24, 781-787.	2.7	4
352	Preparation and sintering behaviour of ultrafine Mn/Fe and Fe/Co mixed oxides. <i>Journal of the European Ceramic Society</i> , 1989, 5, 357-363.	2.8	0
353	Thermal evolution of the lithiation product of Mn ₃ O ₄ . <i>Thermochimica Acta</i> , 1989, 146, 365-369.	1.2	2
354	Kinetics of the isothermal transformation of $\hat{\Gamma}^2$ -PbO ₂ into $\hat{\Gamma}^{\pm}$ -PbO ₂ . <i>Thermochimica Acta</i> , 1989, 138, 277-283.	1.2	4
355	Cation-deficient Mn, Co spinel oxides obtained by thermal decomposition of carbonate precursors. <i>Journal of Solid State Chemistry</i> , 1989, 82, 87-94.	1.4	33
356	Preferential X-ray line Broadening and Thermal Behavior of gamma-Fe ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 1989, 72, 1244-1246.	1.9	13
357	Mixed Co,Fe oxides prepared by thermal or mechanical treatment of carbonate precursors. <i>Reactivity of Solids</i> , 1989, 7, 235-248.	0.3	9
358	Preparation of mixed oxides in the Li-Co-O and Li-Mn-O systems by hydrolysis reactions. <i>Reactivity of Solids</i> , 1989, 7, 263-271.	0.3	3
359	Effect of preliminary mechanical activation on the behaviour of orthorhombic lead dioxide. <i>Journal of Thermal Analysis</i> , 1988, 34, 1421-1425.	0.7	2
360	Textural evolution of $\hat{\Gamma}^{\pm}$ -Fe ₂ O ₃ obtained by thermal and mechanochemical decomposition of $\hat{\Gamma}^3$ -FeOOH. <i>Journal of Colloid and Interface Science</i> , 1988, 122, 507-513.	5.0	7

#	ARTICLE	IF	CITATIONS
361	Synthesis and alteration of γ -LiFeO ₂ by mechanochemical processes. Journal of Materials Science, 1988, 23, 2971-2974.	1.7	9
362	Effect of crystallinity on the thermal evolution of $\hat{\gamma}$ -Fe ₂ O ₃ . Thermochemica Acta, 1988, 133, 107-112.	1.2	6
363	TG and DSC studies of lithium insertion in LiFe ₅ O ₈ . Thermochemica Acta, 1988, 133, 203-207.	1.2	1
364	Mn, Co oxides prepared by the thermal decomposition of carbonates. Thermochemica Acta, 1988, 133, 257-262.	1.2	7
365	Lithium ferrite formation by precipitation from Fe(III) solutions. Journal of Solid State Chemistry, 1988, 77, 132-140.	1.4	24
366	Tk and DTA studies of lithium insertion transition metal compounds. Materials Chemistry and Physics, 1988, 20, 145-152.	2.0	7
367	Low-temperature hydrothermal transformations of LiCoO ₂ and HCoO ₂ . Materials Research Bulletin, 1988, 23, 899-904.	2.7	36
368	Effect of preliminary grinding on the composition and thermal evolution of lead dioxide. Reactivity of Solids, 1987, 3, 251-261.	0.3	5
369	Mechanochemical preparation and degradation of LiCoO ₂ . Reactivity of Solids, 1987, 4, 163-171.	0.3	21
370	On the ultrastructure and morphology of colloidal cobalt ferrite. Journal of the Chemical Society Chemical Communications, 1987, , 365.	2.0	8
371	Mechanochemical transformation of $\hat{\gamma}$ -FeOOH into $\hat{\gamma}$ -Fe ₂ O ₃ in the presence of Li ₂ CO ₃ . Journal of Materials Science Letters, 1987, 6, 223-224.	0.5	2
372	Thermal effects induced by imperfections in powdered solids. Thermochemica Acta, 1987, 110, 319-323.	1.2	4
373	Limitations in the use of X-ray crystallite size in the determination of surface area in Co ₃ O ₄ . Journal of Colloid and Interface Science, 1987, 115, 274-276.	5.0	5
374	Mechanochemical preparation and thermal stability of $\hat{\gamma}$ -Fe ₂ O ₃ derived from $\hat{\gamma}$ -FeOOH. Materials Research Bulletin, 1987, 22, 513-520.	2.7	25
375	Texture, crystallinity, and catalytic properties of Co ₃ O ₄ obtained by thermal and mechanical treatments. Journal of Colloid and Interface Science, 1986, 110, 172-180.	5.0	13
376	Changes in the kinetics of the vaterite-calcite transformation with temperature and sample crystallinity. Journal of Materials Science, 1986, 21, 947-952.	1.7	8
377	Relationships between composition and surface properties of the dehydration products of synthetic manganite. Surface and Coatings Technology, 1986, 27, 343-350.	2.2	9
378	Effect of grinding in synthetic akaganeite. Journal of Colloid and Interface Science, 1986, 113, 212-217.	5.0	11

#	ARTICLE	IF	CITATIONS
379	X-ray line broadening in haematite derived from $\hat{\text{I}}^3\text{-FeOOH}$ by thermal and mechanical procedures. <i>Journal of Materials Science Letters</i> , 1986, 5, 1295-1297.	0.5	13
380	Effect of crystallinity in the thermal behaviour of nickel hydroxide. <i>Journal of Materials Science</i> , 1986, 21, 3668-3672.	1.7	8
381	Changes in crystallinity and thermal effects in ground vaterite. <i>Journal of Materials Science</i> , 1985, 20, 941-946.	1.7	11
382	Texture and microstructure of NiO derived from Ni(OH) ₂ in vacuum. <i>Surface Technology</i> , 1985, 26, 261-268.	0.4	2
383	Crystallite size and microstrains of Co ₃ O ₄ derived from CoOOH and Co(OH) ₂ . <i>Journal of Solid State Chemistry</i> , 1985, 59, 388-392.	1.4	6
384	Effect of grinding on the kinetics of the transformation vaterite-calcite. <i>Thermochimica Acta</i> , 1985, 92, 211-214.	1.2	1
385	Thermal behaviour of synthetic akaganeite under different experimental conditions. <i>Thermochimica Acta</i> , 1985, 92, 525-528.	1.2	8
386	A procedure for the analysis of gas adsorption measurements. <i>Computers & Chemistry</i> , 1985, 9, 7-9.	1.2	6
387	Kinetics of the recovery of crystallinity in ground dolomite. <i>Materials Chemistry and Physics</i> , 1985, 13, 477-482.	2.0	0
388	Limitations in the formal kinetic analysis of isothermal and thermogravimetric data. <i>Thermochimica Acta</i> , 1985, 85, 287-290.	1.2	10
389	Influence of crystallinity on the kinetics of the litharge-massicot phase transition. <i>Reactivity of Solids</i> , 1985, 1, 43-55.	0.3	6
390	Textural evolution of synthetic $\hat{\text{I}}^3\text{-FeOOH}$ during thermal treatment by differential scanning calorimetry. <i>Journal of Colloid and Interface Science</i> , 1984, 101, 392-400.	5.0	39
391	Changes in crystallite size and microstrains of hematite derived from the thermal decomposition of synthetic akaganeite. <i>Journal of Solid State Chemistry</i> , 1984, 53, 303-312.	1.4	28
392	Thermal effects induced by grinding in dolomite. <i>Materials Chemistry and Physics</i> , 1984, 10, 225-235.	2.0	4
393	Kinetic study of the thermal decomposition of cobalt(III) oxyhydroxide. <i>Journal of Thermal Analysis</i> , 1984, 29, 479-489.	0.7	11
394	Kinetic study of the thermal decomposition of cobalt(III) oxyhydroxide. <i>Journal of Thermal Analysis</i> , 1984, 29, 491-501.	0.7	7
395	Comments on the paper "Iron/manganese oxide catalyst for Fischer-Tropsch synthesis. Part I: structural and textural changes by calcination, reduction and synthesis". <i>Applied Catalysis</i> , 1984, 9, 133-135.	1.1	4
396	Mechanical dehydration of $\hat{\text{I}}^3\text{-FeOOH}$ by wet grinding procedures. <i>Journal of the Chemical Society Chemical Communications</i> , 1984, , 559-560.	2.0	7