

Ademar Al Lopes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6375590/publications.pdf>

Version: 2024-02-01

134
papers

3,626
citations

136950

32
h-index

161849

54
g-index

136
all docs

136
docs citations

136
times ranked

3835
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Factors in Carcinoma of the Penis: Multivariate Analysis of 145 Patients Treated with Amputation and Lymphadenectomy. <i>Journal of Urology</i> , 1996, 156, 1637-1642.	0.4	226
2	Human papillomavirus as a prognostic factor in carcinoma of the penis. <i>Cancer</i> , 2001, 91, 2315-2321.	4.1	185
3	The TP53 mutation, R337H, is associated with Li-Fraumeni and Li-Fraumeni-like syndromes in Brazilian families. <i>Cancer Letters</i> , 2007, 245, 96-102.	7.2	170
4	Penile Squamous Cell Carcinoma Clinicopathological Features, Nodal Metastasis and Outcome in 333 Cases. <i>Journal of Urology</i> , 2009, 182, 528-534.	0.4	136
5	p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. <i>Journal of Urology</i> , 2002, 168, 81-86.	0.4	134
6	Tissue-Associated Bacterial Alterations in Rectal Carcinoma Patients Revealed by 16S rRNA Community Profiling. <i>Frontiers in Cellular and Infection Microbiology</i> , 2016, 6, 179.	3.9	125
7	Human papillomavirus DNA sequences in penile carcinomas in Brazil. <i>International Journal of Cancer</i> , 1986, 37, 853-855.	5.1	115
8	The generation and utilization of a cancer-oriented representation of the human transcriptome by using expressed sequence tags. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13418-13423.	7.1	105
9	Clinicopathologic Features and Human Papillomavirus DNA Prevalence of Warty and Squamous Cell Carcinoma of the Penis. <i>American Journal of Surgical Pathology</i> , 2001, 25, 673-678.	3.7	103
10	Increased survival, limb preservation, and prognostic factors for osteosarcoma. <i>Cancer</i> , 1991, 68, 733-737.	4.1	83
11	Unreliability of modified inguinal lymphadenectomy for clinical staging of penile carcinoma. , 1996, 77, 2099-2102.		82
12	Radiochemotherapy in the conservative treatment of anal canal carcinoma: Retrospective analysis of results and radiation dose effectiveness. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 61, 1136-1142.	0.8	76
13	E-cadherin, MMP-2, and MMP-9 as prognostic markers in penile cancer: Analysis of 125 patients. <i>Urology</i> , 2006, 67, 797-802.	1.0	75
14	Chemoradiation instead of surgery to treat mid and low rectal tumors: Is it safe?. <i>Annals of Surgical Oncology</i> , 2002, 9, 568-573.	1.5	74
15	Colorectal Cancer "Methylator Phenotype": Fact or Artifact?. <i>Neoplasia</i> , 2005, 7, 331-335.	5.3	63
16	Front pattern of invasion in squamous cell carcinoma of the penis: New prognostic factor for predicting risk of lymph node metastases. <i>Urology</i> , 2006, 68, 148-153.	1.0	52
17	Genomic Profiling of Human Penile Carcinoma Predicts Worse Prognosis and Survival. <i>Cancer Prevention Research</i> , 2015, 8, 149-156.	1.5	52
18	Iliac nodal metastases from carcinoma of the penis treated surgically. <i>BJU International</i> , 2001, 86, 690-693.	2.5	51

#	ARTICLE	IF	CITATIONS
19	Prognostic factors in pelvic exenteration for gynecological malignancies. <i>European Journal of Surgical Oncology</i> , 2012, 38, 948-954.	1.0	50
20	Genome-wide methylation and transcriptome analysis in penile carcinoma: uncovering new molecular markers. <i>Clinical Epigenetics</i> , 2015, 7, 46.	4.1	48
21	Sex with Animals (SWA): Behavioral Characteristics and Possible Association with Penile Cancer. A Multicenter Study. <i>Journal of Sexual Medicine</i> , 2012, 9, 1860-1867.	0.6	42
22	ErbB family immunohistochemical expression in colorectal cancer patients with higher risk of recurrence after radical surgery. <i>International Journal of Colorectal Disease</i> , 2009, 24, 1059-1068.	2.2	40
23	Assessment of pelvic lymph node micrometastatic disease in stages IB and IIA of carcinoma of the uterine cervix. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 1188-1194.	2.5	39
24	Tyrosine kinase receptor expression in chordomas: phosphorylated AKT correlates inversely with outcome. <i>Human Pathology</i> , 2013, 44, 1747-1755.	2.0	39
25	Integrative miRNA and mRNA analysis in penile carcinomas reveals markers and pathways with potential clinical impact. <i>Oncotarget</i> , 2017, 8, 15294-15306.	1.8	39
26	Radiation and chemotherapy instead of surgery for low infiltrative rectal adenocarcinoma: A prospective trial. <i>Annals of Surgical Oncology</i> , 1998, 5, 113-118.	1.5	38
27	Do Proliferating Cell Nuclear Antigen and MIB-1/Ki-67 Have Prognostic Value in Penile Squamous Cell Carcinoma?. <i>Urology</i> , 2007, 70, 137-142.	1.0	38
28	Down-Regulation of <i>SLC8A1</i> as a Putative Apoptosis Evasion Mechanism by Modulation of Calcium Levels in Penile Carcinoma. <i>Journal of Urology</i> , 2015, 194, 245-251.	0.4	36
29	Hyperthermic Intraperitoneal Chemotherapy after Secondary Cytoreduction in Epithelial Ovarian Cancer: A Single-center Comparative Analysis. <i>Annals of Surgical Oncology</i> , 2016, 23, 1294-1301.	1.5	36
30	Frequency of extra-colonic tumors in hereditary nonpolyposis colorectal cancer (HNPCC) and familial colorectal cancer (FCC) Brazilian families: An analysis by a Brazilian Hereditary Colorectal Cancer Institutional Registry. <i>Familial Cancer</i> , 2002, 3, 41-47.	1.9	35
31	Multidimensional integrative analysis uncovers driver candidates and biomarkers in penile carcinoma. <i>Scientific Reports</i> , 2017, 7, 6707.	3.3	35
32	Evaluation of estrogen receptor alpha, estrogen receptor beta, progesterone receptor, and cKIT expression in desmoids tumors and their role in determining treatment options. <i>BioScience Trends</i> , 2010, 4, 25-30.	3.4	35
33	p53 as a new prognostic factor for lymph node metastasis in penile carcinoma: analysis of 82 patients treated with amputation and bilateral lymphadenectomy. <i>Journal of Urology</i> , 2002, 168, 81-6.	0.4	33
34	Palliative pelvic exenteration for patients with gynecological malignancies. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1107-1112.	1.7	32
35	Estrogen Receptor β^2 as a Prognostic Marker of Tumor Progression in Colorectal Cancer with Familial Adenomatous Polyposis and Sporadic Polyps. <i>Pathology and Oncology Research</i> , 2018, 24, 533-540.	1.9	29
36	Double-barreled wet colostomy is a safe option for simultaneous urinary and fecal diversion. Analysis of 56 procedures from a single institution. <i>Journal of Surgical Oncology</i> , 2006, 93, 206-211.	1.7	28

#	ARTICLE	IF	CITATIONS
37	Pathologic and imunohistochemical characterization of tumoral inflammatory cell infiltrate in invasive penile squamous cell carcinomas: Fox-P3 expression is an independent predictor of recurrence. <i>Tumor Biology</i> , 2015, 36, 2509-2516.	1.8	28
38	SOD2 immunoexpression predicts lymph node metastasis in penile cancer. <i>BMC Clinical Pathology</i> , 2015, 15, 3.	1.8	28
39	A genomic case study of desmoplastic small round cell tumor: comprehensive analysis reveals insights into potential therapeutic targets and development of a monitoring tool for a rare and aggressive disease. <i>Human Genomics</i> , 2016, 10, 36.	2.9	28
40	Gene Expression Profiling in Leiomyosarcomas and Undifferentiated Pleomorphic Sarcomas: SRC as a New Diagnostic Marker. <i>PLoS ONE</i> , 2014, 9, e102281.	2.5	28
41	Vascular Reconstruction in Limbs Associated with Resection of Tumors. <i>Annals of Vascular Surgery</i> , 2003, 17, 411-416.	0.9	27
42	Primary Invasive versus Progressive Invasive Transitional Cell Bladder Cancer: Multicentric Study of Overall Survival Rate. <i>Urologia Internationalis</i> , 2007, 79, 200-203.	1.3	26
43	Upstaging benefits and accuracy of sentinel lymph node mapping in colorectal adenocarcinoma nodal staging. <i>Journal of Surgical Oncology</i> , 2008, 98, 324-330.	1.7	26
44	Metastases to retroperitoneal or lateral pelvic lymph nodes indicated unfavorable survival and high pelvic recurrence rates in a cohort of 102 patients with low rectal adenocarcinoma. <i>Journal of Surgical Oncology</i> , 2012, 106, 653-658.	1.7	25
45	Desmoplastic Small Round Cell Tumor: A Review of Main Molecular Abnormalities and Emerging Therapy. <i>Cancers</i> , 2021, 13, 498.	3.7	25
46	Genomic Signatures Predict Poor Outcome in Undifferentiated Pleomorphic Sarcomas and Leiomyosarcomas. <i>PLoS ONE</i> , 2013, 8, e67643.	2.5	24
47	hMLH1 and hMSH2 Gene Mutation in Brazilian Families With Suspected Hereditary Nonpolyposis Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2002, 9, 555-561.	1.5	24
48	Comparison of biological behavior between early-stage adenocarcinoma and squamous cell carcinoma of the uterine cervix. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 136, 215-223.	1.1	23
49	Human papillomavirus as a prognostic factor in carcinoma of the penis. <i>Cancer</i> , 2001, 91, 2315-2321.	4.1	23
50	Nitric Oxide Synthases, Cyclooxygenase-2, Nitrotyrosine, and Angiogenesis in Chondrosarcoma and Their Relation to Prognosis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1738-1746.	3.0	22
51	Intestinal paracoccidioidomycosis simulating colon cancer. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2000, 33, 309-312.	0.9	21
52	The Use of the American Society of Anesthesiology Classification as a Prognostic Factor in Patients with Renal Cell Carcinoma. <i>Urologia Internationalis</i> , 2010, 84, 67-72.	1.3	21
53	A clinical, pathologic, and molecular study of p53 and murine double minute 2 in penile carcinogenesis and its relation to prognosis. <i>Human Pathology</i> , 2012, 43, 481-488.	2.0	21
54	Prognostic factors in patients with penile carcinoma and inguinal lymph node metastasis. <i>International Journal of Urology</i> , 2015, 22, 669-673.	1.0	21

#	ARTICLE	IF	CITATIONS
55	Relationship of the methylenetetrahydrofolate reductase C677T polymorphism with microsatellite instability and promoter hypermethylation in sporadic colorectal cancer. <i>Genetics and Molecular Research</i> , 2006, 5, 315-22.	0.2	21
56	Idiopathic aneurysm of inferior vena cava associated with retroperitoneal ganglioneuroma: Case report. <i>Journal of Vascular Surgery</i> , 2003, 37, 895-898.	1.1	19
57	Prognostic and predictive value of the thymidylate synthase expression in patients with non-metastatic colorectal cancer. <i>European Journal of Surgical Oncology</i> , 2005, 31, 863-868.	1.0	19
58	Sarcomas Often Express Constitutive Nitric Oxide Synthases (NOS) But Infrequently Inducible NOS. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006, 14, 404-410.	1.2	19
59	Prognostic factors in locally advanced colon cancer treated by extended resection. <i>Revista Do Hospital Das Clinicas</i> , 2004, 59, 361-368.	0.5	19
60	Glial fibrillary acidic protein in tumor types with cartilaginous differentiation. <i>Modern Pathology</i> , 2009, 22, 1321-1327.	5.5	18
61	Pattern of invasion is the most important prognostic factor in patients with penile cancer submitted to lymph node dissection and pathological absence of lymph node metastasis. <i>BJU International</i> , 2015, 116, 584-589.	2.5	17
62	Epithelial-mesenchymal transition (EMT) phenotype at invasion front of squamous cell carcinoma of the penis influences oncological outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 433.e19-433.e26.	1.6	17
63	Vascular Reconstruction in Limbs with Malignant Tumors. <i>Vascular and Endovascular Surgery</i> , 2004, 38, 423-429.	0.7	16
64	A comprehensive characterization of cell cultures and xenografts derived from a human verrucous penile carcinoma. <i>Tumor Biology</i> , 2016, 37, 11375-11384.	1.8	16
65	Results of preoperative electrical stimulation of pelvic floor muscles in the continence status following radical retropubic prostatectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 182-188.	1.5	15
66	Surgical treatment of colon and rectum adenocarcinoma in elderly patients. <i>Journal of Surgical Oncology</i> , 1992, 51, 203-206.	1.7	14
67	Epidermal growth factor receptor as an adverse survival predictor in squamous cell carcinoma of the penis. <i>Human Pathology</i> , 2017, 61, 97-104.	2.0	14
68	Antibodies against the cancer testis antigen CTSP are frequently found in prostate cancer patients and are an independent prognostic factor for biochemical recurrence. <i>International Journal of Cancer</i> , 2008, 122, 2385-2390.	5.1	13
69	Late assessment of quality of life in patients with rectal carcinoma: comparison between sphincter preservation and definitive colostomy. <i>International Journal of Colorectal Disease</i> , 2018, 33, 1039-1045.	2.2	13
70	Pelvic exenteration and sphincter preservation: An analysis of 96 cases. <i>Journal of Surgical Oncology</i> , 2004, 86, 122-127.	1.7	12
71	Nuclear markers (star volume, mitotic index, AgNOR and Ki-67) of the primary tumor and its metastasis in non-small cell lung carcinomas. <i>Pathology Research and Practice</i> , 2004, 200, 13-23.	2.3	12
72	Biópsia percutânea por agulha grossa de tumores de partes moles guiada por tomografia computadorizada: resultados e correlação com análise da peça cirúrgica. <i>Radiologia Brasileira</i> , 2012, 45, 259-262.	0.7	12

#	ARTICLE	IF	CITATIONS
73	Does Histologic Type Correlate to Outcome after Pelvic Exenteration for Cervical and Vaginal Cancer?. <i>Annals of Surgical Oncology</i> , 2013, 20, 1694-1700.	1.5	12
74	A proposal of Brazilian Society of Surgical Oncology (BSSO/SBCO) for standardizing cytoreductive surgery (CRS) plus hyperthermic intraperitoneal chemotherapy (HIPEC) procedures in Brazil: pseudomixoma peritonei, appendiceal tumors and malignant peritoneal mesothelioma. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2017, 44, 530-544.	0.6	12
75	Neoadjuvant chemoradiation therapy for soft tissue sarcomas of the extremities. <i>Clinics</i> , 2009, 64, 1059-1064.	1.5	11
76	Fillet flap for reconstruction after hemipelvectomy: report of three cases. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009, 62, e110-e111.	1.0	11
77	Prognostication of Soft Tissue Sarcomas Based on Chromosome 17q Gene and Protein Status: Evaluation of TOP2A, HER-2/neu, and Survivin. <i>Annals of Surgical Oncology</i> , 2012, 19, 1790-1799.	1.5	11
78	Can a Sentinel Node Mapping Algorithm Detect All Positive Lymph Nodes in Cervical Cancer?. <i>Annals of Surgical Oncology</i> , 2015, 22, 1564-1569.	1.5	11
79	Neoadjuvant radiochemotherapy in the treatment of fixed and semi-fixed rectal tumors. Analysis of results and prognostic factors. <i>Radiation Oncology</i> , 2006, 1, 5.	2.7	10
80	Retroperitoneal and Lateral Pelvic Lymphadenectomy Mapped by Lymphoscintigraphy for Rectal Adenocarcinoma Staging. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 746-753.	1.3	10
81	Neoadjuvant Hypofractionated Radiotherapy and Chemotherapy in High-Grade Extremity Soft Tissue Sarcomas: Phase 2 Clinical Trial Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e97.	1.0	10
82	Internal hemipelvectomy in the treatment of recurrent carcinoma of the colon. <i>Diseases of the Colon and Rectum</i> , 1997, 40, 1504-1507.	1.3	9
83	Penile Cancer-Derived Cells Molecularly Characterized as Models to Guide Targeted Therapies. <i>Cells</i> , 2021, 10, 814.	4.1	9
84	High-dose-rate brachytherapy combined with hypofractionated external beam radiotherapy for men with intermediate or high risk prostate cancer: analysis of short- and medium-term urinary toxicity and biochemical control. <i>International Journal of Clinical and Experimental Medicine</i> , 2011, 4, 43-52.	1.3	9
85	RHABDOMYOSARCOMA OF THE PENIS IN A 15-MONTH-OLD BOY. <i>Journal of Urology</i> , 1998, 160, 2200-2201.	0.4	8
86	Retroperitoneal and Lateral Pelvic Lymphadenectomy Mapped by Lymphoscintigraphy and Blue Dye for Rectal Adenocarcinoma Staging: Preliminary Results. <i>Annals of Surgical Oncology</i> , 2006, 13, 1617-1621.	1.5	8
87	The use of silicone expander and cecal transposition after pelvic exenteration. <i>European Journal of Surgical Oncology</i> , 2007, 33, 586-589.	1.0	8
88	Neoadjuvant hypofractionated radiotherapy and chemotherapy for extremity soft tissue sarcomas: Safety, feasibility, and early oncologic outcomes of a phase 2 trial. <i>Radiotherapy and Oncology</i> , 2021, 159, 161-167.	0.6	8
89	Treatment of patients with superficial bladder cancer stratified by risk groups treated with lyophilized Moreau-Rio de Janeiro BCG strain. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2002, 28, 426-35; discussion 435-6.	1.5	8
90	Chordoma: retrospective analysis of 24 cases. <i>Sao Paulo Medical Journal</i> , 1996, 114, 1312-1316.	0.9	7

#	ARTICLE	IF	CITATIONS
91	A simple cost-effective lactate dehydrogenase level measurement can stratify patients with Ewing's tumor into low and high risk. <i>Annals of Oncology</i> , 2003, 14, 656.	1.2	7
92	Pelvic exenteration and sphincter preservation in the treatment of soft tissue sarcomas. <i>European Journal of Surgical Oncology</i> , 2004, 30, 972-975.	1.0	7
93	The expression of metalloproteinases-2 and -9 is different according to the patterns of growth and invasion in squamous cell carcinoma of the penis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 449, 637-646.	2.8	7
94	Prognostic impact of adenomatous polyposis coli gene expression in osteosarcoma of the extremities. <i>European Journal of Cancer</i> , 2010, 46, 3307-3315.	2.8	7
95	Genomic screening of testicular germ cell tumors from monozygotic twins. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 181.	2.7	7
96	Oestrogen receptor beta isoform expression in sporadic colorectal cancer, familial adenomatous polyposis and progressive stages of colorectal cancer. <i>BMC Cancer</i> , 2017, 17, 754.	2.6	7
97	Intensity of cervical inflammatory reaction as a risk factor for recurrence of carcinoma of the uterine cervix in stages IB and IIA. <i>Sao Paulo Medical Journal</i> , 2007, 125, 231-236.	0.9	7
98	Development and application of a multiplex PCR procedure for the detection of DNA methylation in colorectal cancer. <i>Oncology Reports</i> , 2005, 13, 325-8.	2.6	7
99	Análise do gene PTEN por hibridização in situ fluorescente no carcinoma de células renais. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2013, 40, 471-475.	0.6	6
100	Natural history and surgical treatment of chordoma: a retrospective cohort study. <i>Sao Paulo Medical Journal</i> , 2014, 132, 297-302.	0.9	6
101	Clinical Characteristics, Management, and Outcomes of 19 Nonpediatric Patients with Desmoplastic Small Round Cell Tumor: A Cohort of Brazilian Patients. <i>Sarcoma</i> , 2020, 2020, 1-7.	1.3	6
102	Cost-effectiveness analysis of robotic-assisted versus retropubic radical prostatectomy: a single cancer center experience. <i>Journal of Robotic Surgery</i> , 2021, 15, 859-868.	1.8	6
103	Prostate Cancer Screening in Brazil: a single center experience in the public health system. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021, 47, 558-565.	1.5	6
104	Prognostic Factors in Carcinoma of the Penis. <i>Journal of Urology</i> , 1996, , 1637-1642.	0.4	6
105	p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. <i>Journal of Urology</i> , 2002, , 81-86.	0.4	5
106	A retrospective study of the use of bovine pericardium, dura mater, and polypropylene mesh as reinforcement materials in abdominal and thoracic wall reconstruction. <i>Current Therapeutic Research</i> , 1995, 56, 492-497.	1.2	4
107	Anal paracoccidioidomycosis: an unusual presentation of disseminated disease. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2001, 34, 583-586.	0.9	4
108	Prognostic value of nuclear factor κ B expression in patients with advanced cervical cancer undergoing radiation therapy followed by hysterectomy. <i>Journal of Clinical Pathology</i> , 2012, 65, 614-618.	2.0	4

#	ARTICLE	IF	CITATIONS
109	The impact of immunohistochemical expression of nitric oxide synthases on clinical and pathological features of renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 1197-1203.	2.2	4
110	Prognostic factors in 291 patients with pulmonary metastases submitted to thoracotomy. <i>Sao Paulo Medical Journal</i> , 1995, 113, 910-916.	0.9	3
111	Chondrosarcoma secondary to hereditary multiple exostosis treated by extended internal hemipleectomy. <i>Sao Paulo Medical Journal</i> , 1997, 115, 1440-1443.	0.9	3
112	Tumores colorretais hereditários. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 1998, 25, 271-280.	0.6	2
113	The double-barreled wet ileostomy: an alternative method for simultaneous urinary and intestinal diversion without intestinal anastomosis after total colectomy and pelvic exenteration. <i>International Journal of Colorectal Disease</i> , 2005, 20, 190-193.	2.2	2
114	Tratamento conservador do carcinoma do canal anal. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2005, 32, 23-31.	0.6	2
115	Extent of pelvic lymphadenectomy in women with squamous cell carcinoma of the uterine cervix: Is there any prognostic value?. <i>Journal of Surgical Oncology</i> , 2009, 100, 252-257.	1.7	2
116	Suggestion of optimal patient characteristics for sentinel lymph node mapping in colorectal adenocarcinoma. <i>Arquivos De Gastroenterologia</i> , 2010, 47, 344-347.	0.8	2
117	The Role of Surgical Treatment in Orbital Vascular Anomalies. <i>Aesthetic Plastic Surgery</i> , 2011, 35, 1087-1096.	0.9	2
118	Solitary Bone Metastasis as the First Presentation of Germ Cell Testicular Cancer Treated with Internal Hemipelvectomy: A Case Report. <i>Urologia Internationalis</i> , 2019, 103, 116-119.	1.3	2
119	Chemoradiation Instead of Surgery To Treat Mid and Low Rectal Tumors: Is It Safe?. <i>Annals of Surgical Oncology</i> , 2002, 9, 568-573.	1.5	2
120	Condrossarcoma de ramo pbico superior simulando hrnia inguinal. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2005, 32, 353-354.	0.6	2
121	Interplay Between Immune and Cancer-Associated Fibroblasts: A Path to Target Metalloproteinases in Penile Cancer. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	2
122	Radioterapia e cirurgia na abordagem do cncer do reto: reviso de literatura, fatores prognsticos e resultados de tratamento. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 1998, 25, 81-90.	0.6	1
123	Evaluation of prostate specific antigen in the prognosis of patients with advanced prostate cancer. <i>Sao Paulo Medical Journal</i> , 1998, 116, 1798-1802.	0.9	1
124	Response to "Germline TP53 R337H mutation is not sufficient to establish Li-Fraumeni or Li-Fraumeni-like syndrome", by Ribeiro et al.. <i>Cancer Letters</i> , 2007, 247, 356-358.	7.2	1
125	Genomic expression, chemotherapy response, and molecular targets in soft tissue sarcomas of the extremities: Promising strategies for treatment selection. <i>Journal of Surgical Oncology</i> , 2010, 101, 92-96.	1.7	1
126	Tratamento do carcinoma do canal anal com radioterapia e quimioterapia concomitantes: resultados preliminares do Hospital do Cncer A. C. Camargo. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2001, 28, 30-38.	0.6	1

#	ARTICLE	IF	CITATIONS
127	Sarcoma sinovial de extremidades com doença localizada ao diagnóstico: tratamento e padrões de recidiva em 57 casos. Revista Do Colegio Brasileiro De Cirurgioes, 2005, 32, 304-309.	0.6	1
128	Treatment of severe actinic proctitis. Sao Paulo Medical Journal, 1998, 116, 1629-1633.	0.9	0
129	Prognostic factors and biomarkers of penile carcinoma. Expert Opinion on Medical Diagnostics, 2008, 2, 925-936.	1.6	0
130	Menopausal status: A possible predictive factor for recurrence in women with cancer of the uterine cervix without pelvic lymph node metastasis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 146, 204-209.	1.1	0
131	Surgical complications and metachronous rectal cancer risk in patients with classic familial adenomatous polyposis. Journal of Coloproctology, 2015, 35, 008-013.	0.1	0
132	Cirurgia de tikhoff-linberg para tratamento de condrossarcoma localmente avançado da região escapulo-umeral. Revista Do Colegio Brasileiro De Cirurgioes, 2003, 30, 241-243.	0.6	0
133	Analysis of PTEN Methylation Pattern by Pyrosequencing in Renal Cell Carcinoma. Journal of Cancer Therapy, 2020, 11, 793-802.	0.4	0
134	HER-2 Expression and Response to Radiotherapy in Patients with Advanced Cervical Cancer. Journal of reproductive medicine, The, 2017, 62, 234-40.	0.2	0