

Enrico M Forlenza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6375601/publications.pdf>

Version: 2024-02-01

28
papers

275
citations

932766

10
h-index

996533

15
g-index

28
all docs

28
docs citations

28
times ranked

187
citing authors

#	ARTICLE	IF	CITATIONS
1	Machine-learning model successfully predicts patients at risk for prolonged postoperative opioid use following elective knee arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 762-772.	2.3	16
2	Incidence and risk factors for symptomatic venous thromboembolism following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1552-1559.	2.3	11
3	PROMIS Upper Extremity underperforms psychometrically relative to American Shoulder and Elbow Surgeons score in patients undergoing primary rotator cuff repair. <i>Journal of Shoulder and Elbow Surgery</i> , 2022, 31, 718-725.	1.2	6
4	COVID-19 Infection After Total Joint Arthroplasty Is Associated With Increased Complications. <i>Journal of Arthroplasty</i> , 2022, 37, S457-S464.	1.5	16
5	Return to Play and Player Performance After Foot Fracture in UEFA Soccer Players. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210783.	0.8	3
6	Two-Year Clinical Outcomes and Survivorship After Isolated Biceps Tenodesis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1834-1842.	1.3	3
7	Duration of Care and Operative Time Are the Primary Drivers of Total Charges After Ambulatory Hip Arthroscopy: A Machine Learning Analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 2204-2216.e3.	1.3	15
8	Machine learning can reliably identify patients at risk of overnight hospital admission following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2958-2966.	2.3	20
9	How can we define clinically important improvement in pain scores after biceps tenodesis?. <i>Journal of Shoulder and Elbow Surgery</i> , 2021, 30, 430-438.	1.2	10
10	Protecting Surgical Patient Safety During the Coronavirus Disease 2019 (COVID-19) Pandemic. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e615-e618.	0.8	2
11	All Inside Intraepiphyseal ACL Reconstruction Using Flexible Curved Instrumentation and Intraoperative Fluoroscopy in a Skeletally Immature Patient. <i>Case Reports in Orthopedics</i> , 2021, 2021, 1-5.	0.1	0
12	Return-to-Play Times and Player Performance After ACL Reconstruction in Elite UEFA Professional Soccer Players: A Matched-Cohort Analysis From 1999 to 2019. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110088.	0.8	22
13	Establishing Clinically Significant Outcomes for Patient-Reported Outcomes Measurement Information System After Biceps Tenodesis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1731-1739.	1.3	15
14	Preoperative Corticosteroid Injections Demonstrate a Temporal and Dose-Dependent Relationship with the Rate of Postoperative Infection Following Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021, 36, 2033-2037.e1.	1.5	20
15	Arthroscopic distal clavicle excision is associated with fewer postoperative complications than open. <i>JSES International</i> , 2021, 5, 856-862.	0.7	3
16	Return to Play and Player Performance After Achilles Tendon Rupture in UEFA Professional Soccer Players: A Matched-Cohort Analysis of Players From 1999 to 2018. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110241.	0.8	8
17	Corticosteroid Injections 1 Month Before Arthroscopic Meniscectomy Increase the Risk of Surgical-Site Infection. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2885-2890.e2.	1.3	4
18	Return-to-Play Times and Player Performance After Medial Collateral Ligament Injury in Elite-Level European Soccer Players. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110339.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Defining maximal outcome improvement thresholds for patient satisfaction after reverse total shoulder arthroplasty: a minimum two-year follow-up study. <i>Seminars in Arthroplasty</i> , 2021, , .	0.3	0
20	Acromioclavicular Joint Separation in UEFA Soccer Players: A Matched-Cohort Analysis of Return to Play and Player Performance From 1999 to 2018. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110262.	0.8	3
21	Discharge Destination After Shoulder Arthroplasty: An Analysis of Discharge Outcomes, Placement Risk Factors, and Recent Trends. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2021, 29, e969-e978.	1.1	11
22	Influence of mental health on postoperative outcomes in patients following biceps tenodesis. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, 2248-2256.	1.2	7
23	Adverse Impact of Corticosteroids on Rotator Cuff Tendon Health and Repair: A Systematic Review of Basic Science Studies. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2020, 2, e161-e169.	0.8	30
24	Effect of Shortened Preclinical Curriculum on Medical Student Musculoskeletal Knowledge and Confidence: An Institutional Survey. <i>Journal of Surgical Education</i> , 2020, 77, 1414-1421.	1.2	7
25	Influence of workers' compensation status on postoperative outcomes in patients following biceps tenodesis: a matched-pair cohort analysis. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, 2530-2537.	1.2	9
26	Editorial Commentary: Time to Transition to Opioid-Sparing Orthopaedic Surgery: The Writing Is on the Wall. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2840-2842.	1.3	1
27	Preoperative Opioid Use Predicts Prolonged Postoperative Opioid Use and Inferior Patient Outcomes Following Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2681-2688.e1.	1.3	21
28	Preoperative psychometric properties of visual analog scale assessments for function, pain, and strength compared with legacy upper extremity outcome measures in glenohumeral osteoarthritis. <i>JSES International</i> , 2020, 4, 443-448.	0.7	7