## VinÃ-cius Nunes de Gouvêa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6375642/publications.pdf

Version: 2024-02-01

23 papers

214 citations

6 h-index

1478280

1058333 14 g-index

23 all docs

23 docs citations

23 times ranked

334 citing authors

#	Article	IF	CITATIONS
1	Effects of wet distillers bran plus solubles and corn oil in diets containing flint corn grain and citrus pulp for finishing Nellore bulls. Livestock Science, 2022, 255, 104774.	0.6	1
2	Effects of feeding 25-hydroxyvitamin D3 with an acidogenic diet during the prepartum period in dairy cows: Mineral metabolism, energy balance, and lactation performance of Holstein dairy cows. Journal of Dairy Science, 2022, 105, 5796-5812.	1.4	5
3	Narasin inclusion for feedlot lambs fed a diet containing high amounts of ground flint corn. Scientia Agricola, 2021, 78, .	0.6	5
4	Effects of soybean oil or various levels of whole cottonseed on intake, digestibility, feeding behavior, and ruminal fermentation characteristics of finishing beef cattle. Livestock Science, 2021, 244, 104390.	0.6	2
5	Effects of grain adaptation programs and antimicrobial feed additives on performance and nutrient digestibility of <i>Bos indicus</i> cattle fed whole shelled corn. Translational Animal Science, 2021, 5, txab119.	0.4	1
6	Effects of supplemental phytomolecules on growth performance, carcass characteristics and liver abnormalities of finishing beef steers. Journal of Applied Animal Research, 2021, 49, 324-329.	0.4	2
7	Effects of supplemental fat and roughage level on intake, growth performance, and health of newly received feedlot calves. Translational Animal Science, 2021, 5, S25-S29.	0.4	2
8	Effects of supplementation with a bioactive phyto-compound on intake, growth performance, and health of newly received feedlot calves. Translational Animal Science, 2021, 5, S16-S19.	0.4	1
9	Effects of a blend of essential oils and exogenous α-amylase in diets containing different roughage sources for finishing beef cattle. Animal Feed Science and Technology, 2020, 269, 114643.	1.1	13
10	Beef cattle responses to pre-grazing sward height and low level of energy supplementation on tropical pastures. Journal of Animal Science, 2020, 98, .	0.2	6
11	Effects of soybean oil or various levels of whole cottonseed on growth performance, carcass traits, and meat quality of finishing bulls. Livestock Science, 2020, 232, 103934.	0.6	7
12	Impacts of commingling cattle from different sources on their physiological, health, and performance responses during feedlot receiving. Translational Animal Science, 2020, 4, txaa204.	0.4	4
13	Effects of alternative feed additives and flint maize grain particle size on growth performance, carcass traits and nutrient digestibility of finishing beef cattle. Journal of Agricultural Science, 2019, 157, 456-468.	0.6	7
14	Effects of dietary roughage neutral detergent fiber levels and flint corn processing method on growth performance, carcass characteristics, feeding behavior, and rumen morphometrics of Bos indicus cattle1. Journal of Animal Science, 2019, 97, 3562-3577.	0.2	9
15	Feeding the combination of essential oils and exogenous α-amylase increases performance and carcass production of finishing beef cattle1. Journal of Animal Science, 2019, 97, 456-471.	0.2	25
16	Nutritional strategies in ruminants: A lifetime approach. Research in Veterinary Science, 2018, 116, 28-39.	0.9	62
17	The combination of $\hat{l}^2$ -carotene and vitamins improve the pregnancy rate at first fixed-time artificial insemination in grazing beef cows. Livestock Science, 2018, 217, 30-36.	0.6	6
18	Net protein requirements and metabolizable protein use for growing ram lambs fed diets differing in concentrate level and roughage source. Small Ruminant Research, 2018, 165, 79-86.	0.6	5

#	Article	IF	CITATIONS
19	Flint corn grain processing and citrus pulp level in finishing diets for feedlot cattle1. Journal of Animal Science, 2016, 94, 665-677.	0.2	16
20	Energy efficiency of growing ram lambs fed concentrate-based diets with different roughage sources. Journal of Animal Science, 2014, 92, 250-263.	0.2	27
21	Utilização da silagem de restos culturais do abacaxizeiro em substituição à silagem de cana-de-açúcar na alimentação de ovinos. Ciencia Animal Brasileira, 2014, 15, 400-408.	0.3	5
22	Cinética de degradação ruminal de silagem de capim-elefante com diferentes nÃveis de jaca e raspa de mandioca. Semina:Ciencias Agrarias, 2013, 34, 2437.	0.1	1
23	Composição bromatológica e dinâmica de fermentação da silagem de jaca. Semina:Ciencias Agrarias, 2013, 34, .	0.1	2