

Florian D Zepf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6376299/publications.pdf>

Version: 2024-02-01

61
papers

1,094
citations

489802

18
h-index

511568

30
g-index

62
all docs

62
docs citations

62
times ranked

1686
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of acute tryptophan depletion on instrumental reward learning in anorexia nervosa – an fMRI study. <i>Psychological Medicine</i> , 2023, 53, 3426-3436.	2.7	2
2	The Perth Gender Picture (PGP): Young people’s feedback about acceptability and usefulness of a new pictorial and narrative approach to gender identity assessment and exploration. <i>International Journal of Transgender Health</i> , 2021, 22, 337-348.	1.1	4
3	Effects of dietary omega-3 intake on vigilant attention and resting-state functional connectivity in neurotypical children and adolescents. <i>Nutritional Neuroscience</i> , 2021, , 1-10.	1.5	0
4	Age-related resting-state functional connectivity of the Vigilant Attention network in children and adolescents. <i>Brain and Cognition</i> , 2021, 154, 105791.	0.8	1
5	Integrity of Amygdala Subregion-Based Functional Networks and Emotional Lability in Drug-Naïve Boys With ADHD. <i>Journal of Attention Disorders</i> , 2020, 24, 1661-1673.	1.5	28
6	Effects of serotonin depletion and dopamine depletion on bimodal divided attention. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 183-194.	1.3	0
7	Child and adolescent psychiatry training in Australia and New Zealand. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 95-103.	2.8	9
8	Functional consequences of acute tryptophan depletion on raphe nuclei connectivity and network organization in healthy women. <i>NeuroImage</i> , 2020, 207, 116362.	2.1	12
9	Meta-analysis of the neural correlates of vigilant attention in children and adolescents. <i>Cortex</i> , 2020, 132, 374-385.	1.1	11
10	Mental Health Correlates of Autism Spectrum Disorder in Gender Diverse Young People: Evidence from a Specialised Child and Adolescent Gender Clinic in Australia. <i>Journal of Clinical Medicine</i> , 2019, 8, 1503.	1.0	34
11	Serotonergic Contributions to Human Brain Aggression Networks. <i>Frontiers in Neuroscience</i> , 2019, 13, 42.	1.4	20
12	Serotonin and aggressive behaviour in children and adolescents: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 117-144.	2.2	18
13	Concurrent developmental course of sleep problems and emotional/behavioral problems in childhood and adolescence as reflected by the dysregulation profile. <i>Sleep</i> , 2019, 42, .	0.6	21
14	Gender-affirming hormones and surgery in transgender children and adolescents. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 484-498.	5.5	95
15	Functional connectivity of the vigilant-attention network in children and adolescents with attention-deficit/hyperactivity disorder. <i>Brain and Cognition</i> , 2019, 131, 56-65.	0.8	16
16	Acute Tryptophan Depletion Moja-De: A Method to Study Central Nervous Serotonin Function in Children and Adolescents. <i>Frontiers in Psychiatry</i> , 2019, 10, 1007.	1.3	5
17	Neural networks underlying trait aggression depend on MAOA gene alleles. <i>Brain Structure and Function</i> , 2018, 223, 873-881.	1.2	22
18	Effects of Dietary Acute Tryptophan Depletion (ATD) on NPY Serum Levels in Healthy Adult Humans Whilst Controlling for Methionine Supply – A Pilot Study. <i>Nutrients</i> , 2018, 10, 594.	1.7	0

#	ARTICLE	IF	CITATIONS
19	Using acute tryptophan depletion to investigate predictors of treatment response in adolescents with major depressive disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 434.	0.7	5
20	Central serotonin modulates neural responses to virtual violent actions in emotion regulation networks. <i>Brain Structure and Function</i> , 2018, 223, 3327-3345.	1.2	23
21	Puberty suppression in transgender children and adolescents. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 816-826.	5.5	82
22	Nitrous oxide (N2O) and subsequent open-label SSRI treatment of adolescents with depression (NOTAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 617.	0.7	1
23	Effects of a structured 20-session slow-cortical-potential-based neurofeedback program on attentional performance in children and adolescents with attention-deficit hyperactivity disorder: retrospective analysis of an open-label pilot-approach and 6-month follow-up. <i>Neuropsychiatric Disease and Treatment</i> . 2017, Volume 13, 667-683.	1.0	8
24	Attention-deficit/hyperactivity disorder and the encoding of emotional information. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 503-505.	2.2	1
25	Atypical antipsychotic prescribing patterns amongst Child and Adolescent Mental Health Services clinicians in a defined National Health Service Trust. <i>Translational Developmental Psychiatry</i> , 2016, 4, 28537.	0.3	2
26	Developmental Trajectories of Sleep Problems from Childhood to Adolescence Both Predict and Are Predicted by Emotional and Behavioral Problems. <i>Frontiers in Psychology</i> , 2016, 7, 1874.	1.1	78
27	Resting state default mode network connectivity in children and adolescents with <sc>ADHD</sc> after acute tryptophan depletion. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 161-171.	2.2	23
28	Reactive aggression in young patients with <sc>ADHD</sc> – a critical role for small provocations. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 566-568.	2.2	0
29	Inflammation, immunology, stress and depression: a role for kynurenine metabolism in physical exercise and skeletal muscle. <i>Acta Neuropsychiatrica</i> , 2016, 28, 244-245.	1.0	6
30	A web-based teaching module on the administration of EEG-based neurofeedback for the treatment of ADHD. <i>Translational Developmental Psychiatry</i> , 2016, 4, 30339.	0.3	0
31	Bipolar disorder in children and adolescents: diagnostic inpatient rates from 2000 to 2013 in Germany. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 23.	0.8	7
32	Neural correlates of reactive aggression in children with attention-deficit/hyperactivity disorder and comorbid disruptive behaviour disorders. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 310-323.	2.2	23
33	Inflammation, immunity and suicidality: a potential role for autoantibodies against neurotransmitters and antiphospholipid syndrome?. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 249-250.	2.2	3
34	Human breast milk and adipokines – A potential role for the soluble leptin receptor (sOb-R) in the regulation of infant energy intake and development. <i>Medical Hypotheses</i> , 2016, 86, 53-55.	0.8	7
35	Serotonergic modulation of resting state default mode network connectivity in healthy women. <i>Amino Acids</i> , 2016, 48, 1109-1120.	1.2	17
36	Great expectations: Nutritional medicine as a mainstream in clinical psychiatry and weighing opportunities against risks. <i>Medical Hypotheses</i> , 2016, 88, 68-69.	0.8	2

#	ARTICLE	IF	CITATIONS
37	Disruptive mood dysregulation disorder in ICD-11: a new disorder or ODD with a specifier for chronic irritability?. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 331-332.	2.8	8
38	Dietary tryptophan depletion in humans using a simplified two amino acid formula—A pilot study. <i>Food and Nutrition Research</i> , 2016, 60, 29272.	1.2	3
39	Studying the effects of dietary body weight-adjusted acute tryptophan depletion on punishment-related behavioral inhibition. <i>Food and Nutrition Research</i> , 2015, 59, 28443.	1.2	9
40	Simplified dietary acute tryptophan depletion: effects of a novel amino acid mixture on the neurochemistry of C57BL/6J mice. <i>Food and Nutrition Research</i> , 2015, 59, 27424.	1.2	11
41	Diagnostic inexactitude — Reframing and relabelling Disruptive Mood Dysregulation Disorder for ICD-11 does not solve the problem. <i>Medical Hypotheses</i> , 2015, 85, 1035-1036.	0.8	3
42	Social reward improves the voluntary control over localized brain activity in fMRI-based neurofeedback training. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 136.	1.0	42
43	Cognitive and neural strategies during control of the anterior cingulate cortex by fMRI neurofeedback in patients with schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 169.	1.0	53
44	The Role of Serotonin (5-HT) in Behavioral Control: Findings from Animal Research and Clinical Implications. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyv050.	1.0	10
45	Reduced Responsiveness to Social Provocation in Autism Spectrum Disorder. <i>Autism Research</i> , 2015, 8, 297-306.	2.1	13
46	Effects of serotonin depletion on punishment processing in the orbitofrontal and anterior cingulate cortices of healthy women. <i>European Neuropsychopharmacology</i> , 2015, 25, 846-856.	0.3	27
47	Effects of a short-term reduction in brain serotonin synthesis on the availability of the soluble leptin receptor in healthy women. <i>Journal of Neural Transmission</i> , 2015, 122, 343-348.	1.4	6
48	Food and your mood: nutritional psychiatry. <i>Lancet Psychiatry</i> , the, 2015, 2, e19.	3.7	12
49	Effects of dietary tryptophan and phenylalanine—tyrosine depletion on phasic alertness in healthy adults — A pilot study. <i>Food and Nutrition Research</i> , 2015, 59, 26407.	1.2	12
50	Change in electrodermal activity after acute tryptophan depletion associated with aggression in young people with attention deficit hyperactivity disorder (ADHD). <i>Journal of Neural Transmission</i> , 2014, 121, 451-455.	1.4	16
51	Acute tryptophan depletion — converging evidence for decreasing central nervous serotonin synthesis in rodents and humans. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 157-159.	2.2	8
52	Effects of tryptophan depletion on reactive aggression and aggressive decision-making in young people with ADHD. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 114-123.	2.2	45
53	No effect of acute tryptophan depletion on verbal declarative memory in young persons with ADHD. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 133-141.	2.2	17
54	Differences in Serum Zn Levels in Acutely Ill and Recovered Adolescents and Young Adults with Anorexia Nervosa — A Pilot Study. <i>European Eating Disorders Review</i> , 2012, 20, 203-210.	2.3	8

#	ARTICLE	IF	CITATIONS
55	Differences in zinc status and the leptin axis in anorexic and recovered adolescents and young adults: a pilot study. <i>Food and Nutrition Research</i> , 2012, 56, 10941.	1.2	8
56	Commentary on Bell & Collins (2011): Outpatient management of gamma-hydroxy butyric acid (GHB) withdrawal – an alternative strategy for the future?. <i>Addiction</i> , 2011, 106, 448-448.	1.7	0
57	No association between affective and behavioral dysregulation and parameters of thyroid function in youths. <i>Journal of Affective Disorders</i> , 2011, 134, 478-482.	2.0	10
58	Serotonergic neurotransmission and lapses of attention in children and adolescents with attention deficit hyperactivity disorder: availability of tryptophan influences attentional performance. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 933-941.	1.0	24
59	Serotonergic functioning and trait impulsivity in attention-deficit/hyperactivity-disordered boys (ADHD): influence of rapid tryptophan depletion. <i>Human Psychopharmacology</i> , 2008, 23, 43-51.	0.7	72
60	Diminished 5-HT functioning in CBCL pediatric bipolar disorder-profiled ADHD patients versus normal ADHD: susceptibility to rapid tryptophan depletion influences reaction time performance. <i>Human Psychopharmacology</i> , 2008, 23, 291-299.	0.7	45
61	Influence of Rapid Tryptophan Depletion on Laboratory-Provoked Aggression in Children with ADHD. <i>Neuropsychobiology</i> , 2007, 56, 104-110.	0.9	45