

Renata N Kirkwood

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6377030/renata-n-kirkwood-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,115
citations

19
h-index

31
g-index

80
ext. papers

1,363
ext. citations

2.3
avg, IF

4.28
L-index

#	Paper	IF	Citations
74	Spatial-temporal parameters, pelvic and lower limb movements during gait in individuals with reduced passive ankle dorsiflexion.. <i>Gait and Posture</i> , 2022 , 93, 32-38	2.6	0
73	Do Older Brazilian Women Who Participate in a Regular Physical Exercise Program Have Higher Habitual Physical Activity Levels? A Cross-Sectional Study Based on Accelerometer Data. <i>Journal of Aging and Physical Activity</i> , 2021 , 1-9	1.6	
72	Estimation of Spatial-Temporal Gait Parameters Using a Momentary-Contact-Sensors-Based System: A Preliminary Evaluation. <i>Smart Innovation, Systems and Technologies</i> , 2021 , 259-269	0.5	
71	Determinants of physical activity in older adults: an umbrella review protocol. <i>JBI Evidence Synthesis</i> , 2021 , 19, 2883-2892	2.1	1
70	Feasibility of a 6-Month Home-Based Fall Prevention Exercise Program in Older Adults with COPD. <i>International Journal of COPD</i> , 2021 , 16, 1569-1579	3	1
69	A prospective study to establish the minimal clinically important difference of the Mini-BESTest in individuals with stroke. <i>Clinical Rehabilitation</i> , 2021 , 35, 1207-1215	3.3	6
68	Cross-cultural validity of the Animated Activity Questionnaire for patients with hip and knee osteoarthritis: a comparison between the Netherlands and Brazil. <i>Brazilian Journal of Physical Therapy</i> , 2021 ,	3.7	1
67	Cross-cultural adaptation and reliability of the Functional Gait Assessment in older Brazilian adults. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 78-85	3.7	2
66	Construct and criterion validity of the functional gait assessment-Brazil in community-dwelling older adults. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 186-193	3.7	1
65	Effectiveness of exercises by telerehabilitation on pain, physical function and quality of life in people with physical disabilities: a systematic review of randomised controlled trials with GRADE recommendations. <i>British Journal of Sports Medicine</i> , 2021 , 55, 155-162	10.3	10
64	Impact of COVID-19 on mobility and participation of older adults living in Hamilton, Ontario, Canada: a multimethod cohort design protocol.. <i>BMJ Open</i> , 2021 , 11, e053758	3	0
63	Functional recovery following hospitalisation of patients diagnosed with COVID-19: a protocol for a longitudinal cohort study.. <i>BMJ Open</i> , 2021 , 11, e053021	3	0
62	Validity of balance and mobility screening tests for assessing fall risk in COPD. <i>Chronic Respiratory Disease</i> , 2020 , 17, 1479973120922538	3	6
61	Pelvic floor muscle function in women with and without urinary incontinence: are strength and endurance the only relevant functions? a cross-sectional study. <i>Physiotherapy</i> , 2020 , 109, 85-93	3	8
60	Which Balance Subcomponents Distinguish Between Fallers and Non-Fallers in People with COPD?. <i>International Journal of COPD</i> , 2020 , 15, 1557-1564	3	1
59	The burden of disease among Brazilian older adults and the challenge for health policies: results of the Global Burden of Disease Study 2017. <i>Population Health Metrics</i> , 2020 , 18, 14	3	7
58	Brazilian versions of the Measure of Processes of Care-20 and Measure of Processes of Care-Service Providers: translation, cross-cultural adaptation and reliability. <i>Brazilian Journal of Physical Therapy</i> , 2020 , 24, 144-151	3.7	3

57	Reduced version of the Activity Measure for Post-Acute Care (AM-PAC) for inpatients, "6-clicks": Brazilian-Portuguese cross-cultural adaptation and measurement properties. <i>Brazilian Journal of Physical Therapy</i> , 2020 , 24, 231-239	3.7	1
56	Frailty Status and Gait Parameters of Older Women With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 121-127	2.1	7
55	The influence of hip mobility and quadriceps fatigue on sagittal spinal posture and muscle activation in rugby scrum performance. <i>European Journal of Sport Science</i> , 2019 , 19, 603-611	3.9	4
54	Analysis of symmetry between lower limbs during gait of older women with bilateral knee osteoarthritis. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 67-73	4.8	7
53	Increased physical activity in older adults is associated with decreased fear of falling. <i>Evidence-based Nursing</i> , 2018 , 21, 52	0.3	3
52	The effect of adenotonsillectomy on the position of head, cervical and thoracic spine and scapular girdle of mouth breathing children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018 , 107, 101-106	1.7	0
51	Gait parameters, functional mobility and fall risk in individuals with early to moderate primary open angle glaucoma: a cross-sectional study. <i>Brazilian Journal of Physical Therapy</i> , 2018 , 22, 376-382	3.7	10
50	Postural disorders in mouth breathing children: a systematic review. <i>Brazilian Journal of Physical Therapy</i> , 2018 , 22, 7-19	3.7	7
49	Cross-cultural adaptation to Brazilian Portuguese of the Activity Measure for Post-Acute Care (AM-PAC) short forms for outpatients in rehabilitation. <i>Brazilian Journal of Physical Therapy</i> , 2018 , 22, 135-143	3.7	2
48	The slowing down phenomenon: What is the age of major gait velocity decline?. <i>Maturitas</i> , 2018 , 115, 31-36	5	13
47	Impact of Type-2 Diabetes Time Since Diagnosis on Elderly Women Gait and Functional Status. <i>Physiotherapy Research International</i> , 2017 , 22, e1651	1.8	6
46	Factors associated with fear of falling in community-dwelling older adults with and without diabetes mellitus: Findings from the Frailty in Brazilian Older People Study (FIBRA-BR). <i>Experimental Gerontology</i> , 2017 , 89, 103-111	4.5	22
45	How symmetric are metal-on-metal hip resurfacing patients during gait? Insights for the rehabilitation. <i>Journal of Biomechanics</i> , 2017 , 58, 37-44	2.9	7
44	Response to Letter to the Editor concerning "How symmetric are metal-on-metal hip resurfacing patients during gait? Insights for the rehabilitation". <i>Journal of Biomechanics</i> , 2017 , 63, 204-205	2.9	1
43	Effects of aerobic exercise on functional capacity, anthropometric measurements and inflammatory markers in diabetic elderly women. <i>Journal of Bodywork and Movement Therapies</i> , 2017 , 21, 509-516	1.6	5
42	Biomechanical strategies implemented to compensate for mild leg length discrepancy during gait. <i>Gait and Posture</i> , 2016 , 46, 147-53	2.6	49
41	The geriatric depression scale and the timed up and go test predict fear of falling in community-dwelling elderly women with type 2 diabetes mellitus: a cross-sectional study. <i>BMC Geriatrics</i> , 2016 , 16, 56	4.1	30
40	The Relationship Between Diabetes Mellitus, Geriatric Syndromes, Physical Function, and Gait: A Review of the Literature. <i>Current Diabetes Reviews</i> , 2016 , 12, 240-51	2.7	24

39	Spatiotemporal and variability gait data in community-dwelling elderly women from Brazil. <i>Brazilian Journal of Physical Therapy</i> , 2016 , 20, 258-66	3.7	15
38	Strategies to reduce joint load in the medial compartment of the knee during gait in individuals with osteoarthritis: a review of the literature. <i>Fisioterapia Em Movimento</i> , 2016 , 29, 831-842	0.8	
37	Ipsilateral and contralateral foot pronation affect lower limb and trunk biomechanics of individuals with knee osteoarthritis during gait. <i>Clinical Biomechanics</i> , 2016 , 34, 30-7	2.2	19
36	Mild leg length discrepancy affects lower limbs, pelvis and trunk biomechanics of individuals with knee osteoarthritis during gait. <i>Clinical Biomechanics</i> , 2016 , 38, 1-7	2.2	30
35	Increased unilateral foot pronation affects lower limbs and pelvic biomechanics during walking. <i>Gait and Posture</i> , 2015 , 41, 395-401	2.6	52
34	Factors associated with inadequate work ability among women in the clothing industry. <i>Work</i> , 2015 , 50, 275-83	1.6	2
33	Spatiotemporal gait parameters and recurrent falls in community-dwelling elderly women: a prospective study. <i>Brazilian Journal of Physical Therapy</i> , 2015 , 19, 61-9	3.7	12
32	Moderating effect of the environment in the relationship between mobility and school participation in children and adolescents with cerebral palsy. <i>Brazilian Journal of Physical Therapy</i> , 2015 , 19, 311-9	3.7	12
31	Is there an association between symptoms of anxiety and depression and quality of life in patients with chronic obstructive pulmonary disease?. <i>Canadian Respiratory Journal</i> , 2015 , 22, 37-41	2.1	8
30	Clinical functional tests help identify elderly women highly concerned about falls. <i>Experimental Aging Research</i> , 2015 , 41, 89-103	1.7	7
29	Forefoot midsole stiffness affects forefoot and rearfoot kinematics during the stance phase of gait. <i>Journal of the American Podiatric Medical Association</i> , 2014 , 104, 183-90	1	5
28	Validation of the Human Activity Profile Questionnaire as a Measure of Physical Activity Levels in Older Community-Dwelling Women. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 348-356	1.6	12
27	Validation of the Human Activity Profile Questionnaire as a Measure of Physical Activity Levels in Older Community-Dwelling Women. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 348-356	1.6	1
26	Increased hip internal abduction moment and reduced speed are the gait strategies used by women with knee osteoarthritis. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 1243-9	2.5	9
25	Impact of leg length and body mass on the stride length and gait speed of infants with normal motor development: a longitudinal study. <i>Brazilian Journal of Physical Therapy</i> , 2013 , 17, 163-9	3.7	5
24	Capacidade para o trabalho e saúde: o que pensam as trabalhadoras da indústria de vestuário. <i>Fisioterapia E Pesquisa</i> , 2013 , 20, 256-261	0.2	0
23	Chronic pain profile: An interaction between biological and psychosocial factors*. <i>Pain Studies and Treatment</i> , 2013 , 01, 9-16	0.2	3
22	Desenvolvimento de um modelo de p-segmentado para avaliaç de indivíduos calçados. <i>Fisioterapia Em Movimento</i> , 2013 , 26, 95-105	0.8	

21	The effects of walking sticks on gait kinematics and kinetics with chronic stroke survivors. <i>Clinical Biomechanics</i> , 2012 , 27, 131-7	2.2	47
20	Power at hip, knee and ankle joints are compromised in women with mild and moderate knee osteoarthritis. <i>Clinical Biomechanics</i> , 2012 , 27, 1038-44	2.2	5
19	Sistema GaitGrabber na captaço de dados cinemticos durante a marcha. <i>Motriz Revista De Educacao Fisica</i> , 2012 , 18, 505-514	0.9	1
18	Frontal Plane Motion of the Pelvis and Hip during Gait Stance Discriminates Children with Diplegia Levels I and II of the GMFCS. <i>ISRN Pediatrics</i> , 2012 , 2012, 163039		7
17	GAIT VELOCITY AND STEP LENGTH MAY DISCRIMINATE ACTIVE FROM SEDENTARY ELDERLY WOMEN. <i>Revista Brasileira De Atividade Fsica E Sade</i> , 2012 , 17, 33		2
16	Decreased gastrocnemius temporal muscle activation during gait in elderly women with history of recurrent falls. <i>Gait and Posture</i> , 2011 , 34, 60-4	2.6	16
15	Aplicaço da anlise de componentes principais na cinemtica da marcha de idosas com osteoartrite de joelho. <i>Brazilian Journal of Physical Therapy</i> , 2011 , 15, 52-58	3.7	27
14	Step length appears to be a strong discriminant gait parameter for elderly females highly concerned about falls: a cross-sectional observational study. <i>Physiotherapy</i> , 2011 , 97, 126-31	3	47
13	Application of principal component analysis on gait kinematics in elderly women with knee osteoarthritis 2011 , 15, 52-8		8
12	Temporal couplings between rearfoot-shank complex and hip joint during walking. <i>Clinical Biomechanics</i> , 2010 , 25, 745-8	2.2	70
11	Disability associated with pain--a clinical approximation of the mediating effect of belief and attitudes. <i>Physiotherapy Theory and Practice</i> , 2010 , 26, 459-67	1.5	3
10	Validade e confiabilidade intra e interexaminadores da Escala Observacional de Marcha para crianas com paralisia cerebral espstica. <i>Brazilian Journal of Physical Therapy</i> , 2009 , 13, 267-273	3.7	13
9	Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface. <i>Journal of the American Podiatric Medical Association</i> , 2009 , 99, 503-11	1	30
8	Orientation and position of head posture, scapula and thoracic spine in mouth-breathing children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2009 , 73, 227-36	1.7	44
7	Bilateral and unilateral increases in calcaneal eversion affect pelvic alignment in standing position. <i>Manual Therapy</i> , 2008 , 13, 513-9		74
6	Efficacy of ankle-foot orthoses on gait of children with cerebral palsy: systematic review of literature. <i>Pediatric Physical Therapy</i> , 2008 , 20, 207-23	0.9	61
5	Anlise biomecnica das articulaes do quadril e joelho durante a marcha em participantes idosos. <i>Acta Ortopedica Brasileira</i> , 2007 , 15, 267-271	0.6	18
4	Linking the Disabilities of Arm, Shoulder, and Hand to the International Classification of Functioning, Disability, and Health. <i>Journal of Hand Therapy</i> , 2007 , 20, 336-43; quiz 344	1.6	64

3	Radiographic and non-invasive determination of the hip joint center location: effect on hip joint moments. <i>Clinical Biomechanics</i> , 1999 , 14, 227-35	2.2	78
2	Hip Moments During Level Walking, Stair Climbing, and Exercise in Individuals Aged 55 Years or Older. <i>Physical Therapy</i> , 1999 , 79, 360-370	3.3	22
1	Shoulder complex position and glenohumeral subluxation in hemiplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 1995 , 76, 857-64	2.8	32