

Shahla - Mansouri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6377032/publications.pdf>

Version: 2024-02-01

62
papers

1,327
citations

430442

18
h-index

360668

35
g-index

65
all docs

65
docs citations

65
times ranked

1864
citing authors

#	ARTICLE	IF	CITATIONS
1	In vitro evaluation of antibacterial and antioxidant activities of the essential oil and methanol extract of endemic <i>Zataria multiflora</i> Boiss. <i>Food Control</i> , 2007, 18, 800-805.	2.8	273
2	Synthesis and in vitro antibacterial evaluation of N-[5-(5-nitro-2-thienyl)-1,3,4-thiadiazole-2-yl] piperazinyl quinolones. <i>European Journal of Medicinal Chemistry</i> , 2003, 38, 851-854.	2.6	165
3	Antibacterial Activity of the Crude Extracts and Fractionated Constituents of <i>Myrtus communis</i> . <i>Pharmaceutical Biology</i> , 2001, 39, 399-401.	1.3	82
4	Synthesis and antibacterial activity of levofloxacin derivatives with certain bulky residues on piperazine ring. <i>European Journal of Medicinal Chemistry</i> , 2007, 42, 985-992.	2.6	70
5	Iron limitation enhances acyl homoserine lactone (AHL) production and biofilm formation in clinical isolates of <i>Acinetobacter baumannii</i> . <i>Virulence</i> , 2015, 6, 152-161.	1.8	42
6	Evaluation of the Effect of Radiofrequency Radiation Emitted From Wi-Fi Router and Mobile Phone Simulator on the Antibacterial Susceptibility of Pathogenic Bacteria <i>Listeria monocytogenes</i> and <i>Escherichia coli</i> . <i>Dose-Response</i> , 2017, 15, 155932581668852.	0.7	42
7	Effect of iron on expression of efflux pump (<i>adeABC</i>) and quorum sensing (<i>luxI</i>), Tj ETQq1 1 0.784314 rgBT /Overlock 1010,9 40		
8	Characterization of AmpC, CTX-M and MBLs types of β -lactamases in clinical isolates of <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> producing Extended Spectrum β -lactamases in Kerman, Iran. <i>Jundishapur Journal of Microbiology</i> , 2014, 7, e8756.	0.2	39
9	Molecular Analysis and Expression of Gene in Biofilm-Forming Multi-Drug-Resistant. <i>Reports of Biochemistry and Molecular Biology</i> , 2016, 5, 62-72.	0.5	35
10	Effect of phosphate buffer saline on coronal leakage of mineral trioxide aggregate. <i>Journal of Oral Science</i> , 2009, 51, 187-191.	0.7	34
11	Molecular characterization and antibiotic resistance of clinical isolates of methicillin-resistant <i>Staphylococcus aureus</i> obtained from Southeast of Iran (Kerman). <i>Apmis</i> , 2014, 122, 405-411.	0.9	31
12	Distribution of genes encoding virulence factors and molecular analysis of <i>Shigella</i> spp. isolated from patients with diarrhea in Kerman, Iran. <i>Microbial Pathogenesis</i> , 2016, 92, 68-71.	1.3	28
13	The effect of tobramycin incorporated with bismuth-ethanedithiol loaded on niosomes on the quorum sensing and biofilm formation of <i>Pseudomonas aeruginosa</i> . <i>Microbial Pathogenesis</i> , 2017, 107, 129-135.	1.3	27
14	Inhibition of <i>Staphylococcus Aureus</i> Mediated by Extracts from Iranian Plants. <i>Pharmaceutical Biology</i> , 1999, 37, 375-377.	1.3	25
15	Association between virulence profile, biofilm formation and phylogenetic groups of <i>Escherichia coli</i> causing urinary tract infection and the commensal gut microbiota: A comparative analysis. <i>Microbial Pathogenesis</i> , 2017, 110, 540-545.	1.3	25
16	Class 1 integrons in non-clonal multidrug-resistant <i>Acinetobacter baumannii</i> from Iran, description of the new bla IMP-55 allele in In1243. <i>Journal of Medical Microbiology</i> , 2016, 65, 928-936.	0.7	25
17	Synthesis and Antibacterial Activity of Nitroaryl Thiadiazole-Levofloxacin Hybrids. <i>Archiv Der Pharmazie</i> , 2006, 339, 621-624.	2.1	24
18	Toxin production of <i>Clostridium difficile</i> in sub-MIC of vancomycin and clindamycin alone and in combination with ceftazidime. <i>Microbial Pathogenesis</i> , 2017, 107, 249-253.	1.3	22

#	ARTICLE	IF	CITATIONS
19	Survey for Correlation between Biofilm Formation and Virulence Determinants in a Collection of Pathogenic and Fecal <i>Enterococcus faecalis</i> Isolates. <i>Infection and Chemotherapy</i> , 2017, 49, 176.	1.0	21
20	Screening of Plants from the Southeast of Iran for Antimicrobial Activity. <i>International Journal of Crude Drug Research</i> , 1987, 25, 72-76.	0.3	19
21	Antimicrobial Resistance Pattern of <i>Escherichia coli</i> Causing Urinary Tract Infections, and That of Human Fecal Flora, in the Southeast of Iran. <i>Microbial Drug Resistance</i> , 2002, 8, 123-128.	0.9	18
22	<i>Toxoplasma gondii</i> Exposure and the Risk of Schizophrenia. <i>Jundishapur Journal of Microbiology</i> , 2014, 7, e12776.	0.2	18
23	Synthesis and antibacterial activity of N-[5-chlorobenzylthio-1,3,4-thiadiazol-2-yl] piperazinyl quinolone derivatives. <i>Archives of Pharmacal Research</i> , 2007, 30, 138-145.	2.7	17
24	Clonal relationships, antimicrobial susceptibilities, and molecular characterization of extended-spectrum beta-lactamase-producing <i>Escherichia coli</i> isolates from urinary tract infections and fecal samples in Southeast Iran. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2018, 51, 44-51.	0.4	17
25	Virulence Gene Profile and Multilocus Variable-Number Tandem-Repeat Analysis (MLVA) of Enteroinvasive <i>Escherichia coli</i> (EIEC) Isolates From Patients With Diarrhea in Kerman, Iran. <i>Jundishapur Journal of Microbiology</i> , 2016, 9, e33529.	0.2	16
26	Vaginal Colonization of Group B Streptococci During Late Pregnancy in Southeast of Iran: Incidence, Serotype Distribution and Susceptibility to Antibiotics. <i>Journal of Medical Sciences (Faisalabad)</i> , 2010, 30, 100-105.	0.0	16
27	Frequency of antibiotic associated diarrhea caused by among hospitalized patients in intensive care unit, Kerman, Iran. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2017, 10, 229-234.	0.6	15
28	Prevalence of β -lactamase genes, class 1 integrons, major virulence factors and clonal relationships of multidrug-resistant isolated from hospitalized patients in southeast of Iran. <i>Iranian Journal of Basic Medical Sciences</i> , 2019, 22, 806-812.	1.0	13
29	Molecular diagnosis and anti-microbial resistance patterns among <i>Shigella</i> spp. isolated from patients with diarrhea. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2016, 9, 205-10.	0.6	12
30	Prevalence of β -Lactamase Production and Antimicrobial Susceptibility of Multidrug Resistant Clinical Isolates of Non-Fermenting Gram Negative Bacteria From Hospitalized Patients in Kerman/Iran. <i>Jundishapur Journal of Microbiology</i> , 2012, 5, 405-410.	0.2	11
31	Identification of Extended-Spectrum β -Lactamase Genes and AmpC- β -Lactamase in Clinical Isolates of <i>Escherichia coli</i> Recovered from Patients with Urinary Tract Infections in Kerman, Iran. <i>Archives of Pediatric Infectious Diseases</i> , 2016, 5, .	0.1	9
32	Inhibition of quorum sensing-controlled virulence factor production in by gall extracts. <i>Iranian Journal of Microbiology</i> , 2017, 9, 26-32.	0.8	8
33	Characterization of <i>Klebsiella pneumoniae</i> strains producing extended spectrum beta-lactamases and AMPC type beta-lactamases isolated from hospitalized patients in Kerman, Iran. <i>Roumanian Archives of Microbiology and Immunology</i> , 2012, 71, 81-6.	0.1	8
34	Inducible Clindamycin Resistance in Methicillin-Resistant and-Susceptible <i>Staphylococcus aureus</i> Isolated From South East of Iran. <i>Jundishapur Journal of Microbiology</i> , 2014, 7, e11868.	0.2	7
35	Effect of sub-MIC of vancomycin and clindamycin alone and in combination with ceftazidime on <i>Clostridium difficile</i> surface layer protein A (slpA) gene expression. <i>Microbial Pathogenesis</i> , 2017, 111, 163-167.	1.3	7
36	Vaginal Colonization and Susceptibility to Antibiotics of Enterococci During Late Pregnancy in Kerman City, Iran. <i>Archives of Clinical Infectious Diseases</i> , 2016, 11, .	0.1	7

#	ARTICLE	IF	CITATIONS
37	The emergence of vancomycin-resistant <i>Staphylococcus aureus</i> in an intensive care unit in Kerman, Iran. <i>Wiener Medizinische Wochenschrift</i> , 2018, 168, 85-88.	0.5	6
38	Novel Combinations of Synthesized ZnO NPs and Ceftazidime: Evaluation of their Activity against Standards and New Clinically Isolated. <i>Avicenna Journal of Medical Biotechnology</i> , 2016, 8, 169-174.	0.2	6
39	Comparison of virulence genes and phylogenetic groups of <i>Escherichia coli</i> isolates from urinary tract infections and normal fecal flora. <i>Gene Reports</i> , 2020, 20, 100709.	0.4	5
40	Effects of Sub-Inhibitory Concentrations of <i>Myrtus communis</i> Leave Extracts on the Induction of Free Radicals in <i>Staphylococcus aureus</i> ; A Possible Mechanism for the Antibacterial Action. <i>Asian Journal of Plant Sciences</i> , 2009, 8, 551-556.	0.2	5
41	Prevalence of plasmid-mediated quinolone resistance and ESBLs genes in <i>Escherichia coli</i> isolated from urinary tract infections and fecal samples in Southeast Iran. <i>Gene Reports</i> , 2019, 17, 100487.	0.4	4
42	Inhibitory Effect of Some Medicinal Plants from Iran on Swarming Motility of <i>Proteus</i> Rods. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2005, 5, 216-221.	0.0	4
43	Correlation Between <i>hlyA</i> and <i>cnf1</i> Virulent Genes with Antibiotic Resistance and non-ESBLs <i>Escherichia coli</i> Isolates Collected from Patient with Urinary Tract Infections in Kerman, Iran. <i>Archives of Pediatric Infectious Diseases</i> , 2017, 5, .	0.1	4
44	Cloning and expression of quorum sensing N-acyl-homoserine synthase (<i>LuxI</i>) gene detected in <i>Acinetobacter baumannii</i> . <i>Iranian Journal of Microbiology</i> , 2016, 8, 139-46.	0.8	4
45	Pregnancy-related listeriosis: frequency and genotypic characteristics of <i>L. monocytogenes</i> from human specimens in Kerman, Iran. <i>Wiener Medizinische Wochenschrift</i> , 2019, 169, 226-231.	0.5	3
46	Enterococci from breast-fed infants exert higher antibacterial effects than those from adults: A comparative study. <i>Human Microbiome Journal</i> , 2020, 17, 100072.	3.8	3
47	Evaluation of chromosomally and acquired mechanisms of resistance to carbapenem antibiotics among clinical isolates of <i>Pseudomonas aeruginosa</i> in Kerman, Iran. <i>Gene Reports</i> , 2020, 21, 100918.	0.4	3
48	Evaluation of the 900 MHz Radiofrequency Radiation Effects on the Antimicrobial Susceptibility and Growth Rate of <i>Klebsiella pneumoniae</i> . <i>Shiraz E Medical Journal</i> , 2017, 18, .	0.1	2
49	Immunoreactivity evaluation of a new recombinant chimeric protein against in the murine model. <i>Iranian Journal of Microbiology</i> , 2016, 8, 193-202.	0.8	2
50	Synthesis and in vitro Antibacterial Evaluation of N-[5-(5-Nitro-2-thienyl)-1,3,4-thiadiazole-2-yl] Piperazinyl Quinolones.. <i>ChemInform</i> , 2004, 35, no.	0.1	1
51	First detection of insertion sequences ISpa1635 and IS1411 among non-carbapenemase producing strains of <i>Pseudomonas aeruginosa</i> in Kerman, Iran. <i>Gene Reports</i> , 2019, 15, 100373.	0.4	1
52	Frequency of <i>Chlamydia trachomatis</i> , <i>Mycoplasma genitalium</i> , and <i>Ureaplasma urealyticum</i> Isolated From Vaginal Samples of Women in Kerman, Iran. <i>Archives of Clinical Infectious Diseases</i> , 2018, 13, .	0.1	1
53	Nitazoxanide and Doxycycline Sensitivity Among Metronidazole Resistant <i>Helicobacter pylori</i> Isolates from Patients with Gastritis. <i>Archives of Clinical Infectious Diseases</i> , 2018, 13, .	0.1	1
54	Novel Synergistic Activity of <i>Quercus infectoria</i> Gall Extract with Ceftazidime Against Standard and Multiple Drug Resistant <i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> Isolates. <i>Archives of Iranian Medicine</i> , 2021, 24, 684-688.	0.2	1

#	ARTICLE	IF	CITATIONS
55	Dissemination of different sequence types lineages harboring among uropathogenic in Kerman, Iran. Iranian Journal of Basic Medical Sciences, 2020, 23, 1551-1557.	1.0	1
56	Enterococci as Intestinal Microbiota: Investigation of Characteristics and Probiotic Potential in Isolates from Adults and Breast-Fed Infants. Probiotics and Antimicrobial Proteins, 2022, 14, 1139-1150.	1.9	1
57	Anti-Streptomyces Activity of Myrthus communis and Terminalia chebula, Medicinal Plants of South East Regions of Iran. Journal of Applied Sciences, 2006, 6, 654-656.	0.1	0
58	The β -Lactamase Disk Test: A Modified Method to Detect Extended-Spectrum- β -Lactamases in Multidrug-Resistant Escherichia coli Isolates. Archives of Clinical Infectious Diseases, 2016, 12, .	0.1	0
59	Spore Production of Toxigenic and Non-toxigenic Clostridium difficile Isolates in Sub-MIC of Vancomycin, Clindamycin, and Ceftazidime. Jundishapur Journal of Microbiology, 2019, In Press, .	0.2	0
60	Toxin A and B genes expression of Clostridium difficile in the sub-minimum inhibitory concentration of clindamycin, vancomycin and in combination with ceftazidime. Iranian Journal of Microbiology, 0, , .	0.8	0
61	Reducing Effect of Cloxacillin on Minimum Inhibitory Concentrations to Imipenem, Meropenem, Ceftazidime, and Cefepime in Carbapenem-resistant Isolates. Yale Journal of Biology and Medicine, 2020, 93, 29-34.	0.2	0
62	Toxin A and B genes expression of in the sub-minimum inhibitory concentration of clindamycin, vancomycin and in combination with ceftazidime. Iranian Journal of Microbiology, 2020, 12, 18-24.	0.8	0