

Harianto Rahardjo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6377318/harianto-rahardjo-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189
papers

5,643
citations

40
h-index

69
g-index

198
ext. papers

6,824
ext. citations

3.6
avg, IF

6.06
L-index

#	Paper	IF	Citations
189	Review of Soil-Water Characteristic Curve Equations. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 1997 , 123, 1106-1117	3.4	292
188	Determination of the shear strength parameters of an unsaturated soil using the direct shear test. <i>Canadian Geotechnical Journal</i> , 1988 , 25, 500-510	3.2	209
187	Controlling parameters for rainfall-induced landslides. <i>Computers and Geotechnics</i> , 2002 , 29, 1-27	4.4	194
186	Shear-strength characteristics of a residual soil. <i>Canadian Geotechnical Journal</i> , 1995 , 32, 60-77	3.2	189
185	Factors Controlling Instability of Homogeneous Soil Slopes under Rainfall. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2007 , 133, 1532-1543	3.4	182
184	Permeability Functions for Unsaturated Soils. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 1997 , 123, 1118-1126	3.4	179
183	Effect of rainfall on matric suctions in a residual soil slope. <i>Canadian Geotechnical Journal</i> , 1996 , 33, 618-628	3.2	168
182	Response of a residual soil slope to rainfall. <i>Canadian Geotechnical Journal</i> , 2005 , 42, 340-351	3.2	155
181	Infiltration effects on stability of a residual soil slope. <i>Computers and Geotechnics</i> , 2000 , 26, 145-165	4.4	147
180	Factors affecting drying and wetting soil-water characteristic curves of sandy soils. <i>Canadian Geotechnical Journal</i> , 2004 , 41, 908-920	3.2	137
179	Characteristics of residual soils in Singapore as formed by weathering. <i>Engineering Geology</i> , 2004 , 73, 157-169	6	123
178	Shear Strength Equations for Unsaturated Soil under Drying and Wetting. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2010 , 136, 594-606	3.4	116
177	Effect of Antecedent Rainfall Patterns on Rainfall-Induced Slope Failure. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2011 , 137, 483-491	3.4	106
176	Shear strength of a compacted residual soil from consolidated drained and constant water content triaxial tests. <i>Canadian Geotechnical Journal</i> , 2004 , 41, 421-436	3.2	98
175	Effect of hydraulic properties of soil on rainfall-induced slope failure. <i>Engineering Geology</i> , 2010 , 114, 135-143	6	97
174	High relative humidity measurements using gelatin coated long-period grating sensors. <i>Sensors and Actuators B: Chemical</i> , 2005 , 110, 335-341	8.5	86
173	Effects of Groundwater Table Position and Soil Properties on Stability of Slope during Rainfall. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2010 , 136, 1555-1564	3.4	82

172	Estimation of permeability function from the soil-water characteristic curve. <i>Engineering Geology</i> , 2015 , 199, 148-156	6	80
171	Water characteristic curve of soil with bimodal grain-size distribution. <i>Computers and Geotechnics</i> , 2013 , 48, 51-61	4.4	78
170	Determination of soil-water characteristic curve variables. <i>Computers and Geotechnics</i> , 2012 , 42, 37-43	4.4	77
169	A simple model for preliminary evaluation of rainfall-induced slope instability. <i>Engineering Geology</i> , 2009 , 108, 272-285	6	74
168	Variability of residual soil properties. <i>Engineering Geology</i> , 2012 , 141-142, 124-140	6	71
167	Measuring shear and compression wave velocities of soil using bender-extender elements. <i>Canadian Geotechnical Journal</i> , 2009 , 46, 792-812	3.2	71
166	Effect of antecedent rainfall on pore-water pressure distribution characteristics in residual soil slopes under tropical rainfall. <i>Hydrological Processes</i> , 2008 , 22, 506-523	3.3	70
165	A flexible wall permeameter for measurements of water and air coefficients of permeability of residual soils. <i>Canadian Geotechnical Journal</i> , 2003 , 40, 559-574	3.2	67
164	A simplified method to estimate the soil-water characteristic curve. <i>Canadian Geotechnical Journal</i> , 2010 , 47, 1382-1400	3.2	65
163	Performance of an instrumented slope covered with shrubs and deep-rooted grass. <i>Soils and Foundations</i> , 2014 , 54, 417-425	2.9	62
162	Effects of coarse-grained materials on properties of residual soil. <i>Engineering Geology</i> , 2006 , 82, 154-164	6	60
161	Shear Strength of Compacted Soil under Infiltration Condition. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2004 , 130, 807-817	3.4	59
160	Effects of coarse-grained material on hydraulic properties and shear strength of top soil. <i>Engineering Geology</i> , 2008 , 101, 165-173	6	51
159	A study of infiltration on three sand capillary barriers. <i>Canadian Geotechnical Journal</i> , 2004 , 41, 629-643	3.2	50
158	Soil-water characteristic curve and consolidation behavior for a compacted silt. <i>Canadian Geotechnical Journal</i> , 2007 , 44, 266-275	3.2	49
157	Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2006 , 132, 411-419	3.4	49
156	Elastoplastic model for unsaturated soil with incorporation of the soil-water characteristic curve. <i>Canadian Geotechnical Journal</i> , 2007 , 44, 67-77	3.2	48
155	Behavior of Unsaturated Layered Soil Columns during Infiltration. <i>Journal of Hydrologic Engineering - ASCE</i> , 2006 , 11, 329-337	1.8	46

154	General limit equilibrium method for lateral earth force. <i>Canadian Geotechnical Journal</i> , 1984 , 21, 166-175	2	45
153	Mini suction probe for matric suction measurements. <i>Canadian Geotechnical Journal</i> , 2002 , 39, 1427-1433	2	42
152	Quantification of uncertainties in soil-water characteristic curve associated with fitting parameters. <i>Engineering Geology</i> , 2013 , 163, 144-152	6	41
151	Effectiveness of horizontal drains for slope stability. <i>Engineering Geology</i> , 2003 , 69, 295-308	6	41
150	Effects of flux boundary conditions on pore-water pressure distribution in slope. <i>Engineering Geology</i> , 2013 , 165, 133-142	6	40
149	Effects of different drying rates on shrinkage characteristics of a residual soil and soil mixtures. <i>Engineering Geology</i> , 2008 , 102, 31-37	6	40
148	Estimation of unsaturated shear strength from soil-water characteristic curve. <i>Acta Geotechnica</i> , 2019 , 14, 1977-1990	4.9	39
147	Effect of rising water table in an unsaturated slope. <i>Engineering Geology</i> , 2010 , 114, 71-83	6	39
146	Role of unsaturated soil mechanics in geotechnical engineering. <i>International Journal of Geo-Engineering</i> , 2019 , 10, 1	2.1	37
145	Performance of an Instrumented Slope Covered by a Capillary Barrier System. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2012 , 138, 481-490	3.4	37
144	Unsaturated shear strength of a silty sand. <i>Engineering Geology</i> , 2013 , 162, 88-96	6	36
143	Effect of variations in rainfall intensity on slope stability in Singapore. <i>International Soil and Water Conservation Research</i> , 2017 , 5, 258-264	6.9	35
142	Infiltration characteristics of two instrumented residual soil slopes. <i>Canadian Geotechnical Journal</i> , 2003 , 40, 1012-1032	3.2	35
141	Soil-water characteristic curves of gap-graded soils. <i>Engineering Geology</i> , 2012 , 125, 102-107	6	34
140	Use of recycled crushed concrete and Secudrain in capillary barriers for slope stabilization. <i>Canadian Geotechnical Journal</i> , 2013 , 50, 662-673	3.2	33
139	Effects of Hysteresis on Steady-State Infiltration in Unsaturated Slopes. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2004 , 130, 956-967	3.4	33
138	Design and laboratory verification of a physical model of sloping capillary barrier. <i>Canadian Geotechnical Journal</i> , 2004 , 41, 814-830	3.2	32
137	Effects of residual suction and residual water content on the estimation of permeability function. <i>Geoderma</i> , 2017 , 303, 165-177	6.7	30

136	Stiffness of a compacted residual soil. <i>Engineering Geology</i> , 2011 , 120, 60-67	6	29
135	Volume change indices during loading and unloading of an unsaturated soil. <i>Canadian Geotechnical Journal</i> , 1992 , 29, 195-207	3.2	29
134	Variability in unsaturated hydraulic properties of residual soil in Singapore. <i>Engineering Geology</i> , 2016 , 209, 21-29	6	29
133	Effect of bimodal soil-water characteristic curve on the estimation of permeability function. <i>Engineering Geology</i> , 2017 , 230, 142-151	6	28
132	Tree stability in an improved soil to withstand wind loading. <i>Urban Forestry and Urban Greening</i> , 2009 , 8, 237-247	5.4	28
131	Lateral earth pressures in expansive clay soils. <i>Canadian Geotechnical Journal</i> , 1983 , 20, 228-241	3.2	28
130	A pore-size distribution function based method for estimation of hydraulic properties of sandy soils. <i>Engineering Geology</i> , 2018 , 246, 288-292	6	28
129	Experimental verification of the theory of consolidation for unsaturated soils. <i>Canadian Geotechnical Journal</i> , 1995 , 32, 749-766	3.2	27
128	Unsaturated properties of recycled concrete aggregate and reclaimed asphalt pavement. <i>Engineering Geology</i> , 2013 , 161, 44-54	6	25
127	Experimental study on dual capillary barrier using recycled asphalt pavement materials. <i>Canadian Geotechnical Journal</i> , 2014 , 51, 1165-1177	3.2	24
126	Mapping of cracked soils and lateral water flow characteristics through a network of cracks. <i>Engineering Geology</i> , 2014 , 172, 12-25	6	24
125	Estimating permeability functions of Singapore residual soils. <i>Engineering Geology</i> , 2005 , 78, 119-133	6	24
124	Soil improvement by surcharge and vacuum preloadings. <i>Geotechnique</i> , 2000 , 50, 601-605	3.4	24
123	Investigation of groundwater table distribution using borehole piezometer data interpolation: Case study of Singapore. <i>Engineering Geology</i> , 2020 , 271, 105590	6	24
122	Framework to estimate the soil-water characteristic curve for soils with different void ratios. <i>Bulletin of Engineering Geology and the Environment</i> , 2020 , 79, 4399-4409	4	23
121	Comparison of Soil Water Characteristic Curves from Conventional Testing and Combination of Small-Scale Centrifuge and Dew Point Methods. <i>Geotechnical and Geological Engineering</i> , 2019 , 37, 659-672	1.5	23
120	Modeling of suction distributions in an unsaturated heterogeneous residual soil slope. <i>Engineering Geology</i> , 2012 , 131-132, 70-82	6	23
119	Critical State Behavior of a Compacted Silt Specimen. <i>Soils and Foundations</i> , 2007 , 47, 749-755	2.9	23

118	Water content of soil matrix during lateral water flow through cracked soil. <i>Engineering Geology</i> , 2016 , 210, 168-179	6	23
117	Role of the pore-size distribution function on water flow in unsaturated soil. <i>Journal of Zhejiang University: Science A</i> , 2019 , 20, 10-20	2.1	21
116	Estimation of unimodal water characteristic curve for gap-graded soil. <i>Soils and Foundations</i> , 2017 , 57, 789-801	2.9	21
115	Hydrologic Behavior of Residual Soil Slopes in Singapore. <i>Journal of Hydrologic Engineering - ASCE</i> , 2003 , 8, 133-144	1.8	21
114	Estimation of the soil-water characteristic curve from the grain size distribution of coarse-grained soils. <i>Engineering Geology</i> , 2020 , 267, 105502	6	20
113	Comprehensive Instrumentation for Real Time Monitoring of Flux Boundary Conditions in Slope. <i>Procedia Earth and Planetary Science</i> , 2014 , 9, 23-43		20
112	Effects of soil-water characteristic curve and relative permeability equations on estimation of unsaturated permeability function. <i>Soils and Foundations</i> , 2015 , 55, 1400-1411	2.9	20
111	Measurement of wave velocities and attenuation using an ultrasonic test system. <i>Canadian Geotechnical Journal</i> , 2004 , 41, 844-860	3.2	20
110	Two and three-dimensional slope stability reanalyses of Bukit Batok slope. <i>Computers and Geotechnics</i> , 2012 , 42, 81-88	4.4	19
109	Drying and wetting characteristics of a two-layer soil column. <i>Canadian Geotechnical Journal</i> , 2007 , 44, 20-32	3.2	19
108	Pore-water pressure and water volume change of an unsaturated soil under infiltration conditions. <i>Canadian Geotechnical Journal</i> , 2005 , 42, 1509-1531	3.2	19
107	Effect of range of soil-water characteristic curve measurements on estimation of permeability function. <i>Engineering Geology</i> , 2015 , 185, 96-104	6	18
106	Response parameters for characterization of infiltration. <i>Environmental Earth Sciences</i> , 2010 , 60, 1369-1380	2.9	18
105	Use of Dual Capillary Barrier as Cover System for a Sanitary Landfill in Singapore 2016 , 46, 228-238		17
104	Use of instantaneous profile and statistical methods to determine permeability functions of unsaturated soils. <i>Canadian Geotechnical Journal</i> , 2009 , 46, 869-874	3.2	17
103	Coupled Model for Heat, Moisture, Air Flow, and Deformation Problems in Unsaturated Soils. <i>Journal of Engineering Mechanics - ASCE</i> , 1998 , 124, 1331-1338	2.4	17
102	Saturated and unsaturated stability analysis of slope subjected to rainfall infiltration. <i>MATEC Web of Conferences</i> , 2017 , 101, 05004	0.3	15
101	Understanding the stability of Samanea saman trees through tree pulling, analytical calculations and numerical models. <i>Urban Forestry and Urban Greening</i> , 2014 , 13, 355-364	5.4	15

100	Measurement of geotextile-water characteristic curve using capillary rise principle. <i>Geosynthetics International</i> , 2008 , 15, 86-94	3.3	15
99	Effects of Hysteresis on Shear Strength Envelopes from Constant Water Content and Consolidated Drained Triaxial Tests 2006 , 1212		15
98	Spatial and temporal variability of pore-water pressures in residual soil slopes in a tropical climate. <i>Earth Surface Processes and Landforms</i> , 2002 , 27, 317-338	3.7	15
97	Unsaturated shear strength of soil with bimodal soil-water characteristic curve. <i>Geotechnique</i> , 2019 , 69, 828-832	3.4	15
96	Upper-Bound Limit Analysis of Unsaturated Soil Slopes under Rainfall. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2018 , 144, 04018066	3.4	14
95	Microporous Membrane Technology for Measurement of Soil-Water Characteristic Curve. <i>Geotechnical Testing Journal</i> , 2012 , 35, 103670	1.3	14
94	Effect of hysteresis on the stability of residual soil slope. <i>International Soil and Water Conservation Research</i> , 2019 , 7, 226-238	6.9	13
93	Experimental Study of 1-D Capillary Barrier Model Using Geosynthetic Material as the Coarse-Grained Layer 2006 , 1683		13
92	Humidity sensing using plastic optical fibers. <i>Microwave and Optical Technology Letters</i> , 2004 , 43, 387-390.	0.2	13
91	Closed-Form Heave Solutions for Expansive Soils. <i>Journal of Geotechnical Engineering</i> , 1988 , 114, 573-588		13
90	Estimation of air permeability function from soil-water characteristic curve. <i>Canadian Geotechnical Journal</i> , 2019 , 56, 505-513	3.2	12
89	Tree-pulling experiment: an analysis into the mechanical stability of rain trees. <i>Trees - Structure and Function</i> , 2010 , 24, 1007-1015	2.6	12
88	Deformation characteristics of unstable shallow slopes triggered by rainfall infiltration. <i>Bulletin of Engineering Geology and the Environment</i> , 2021 , 80, 317-344	4	12
87	New approach to improve soil-water characteristic curve to reduce variation in estimation of unsaturated permeability function. <i>Canadian Geotechnical Journal</i> , 2016 , 53, 717-725	3.2	11
86	Evaluation of MLP-ANN Training Algorithms for Modeling Soil Pore-Water Pressure Responses to Rainfall. <i>Journal of Hydrologic Engineering - ASCE</i> , 2013 , 18, 50-57	1.8	11
85	Accuracy of suction measurement. <i>Geotechnique</i> , 2007 , 57, 547-556	3.4	11
84	Field instrumentations and monitoring of GeoBarrier System for steep slope protection. <i>Transportation Geotechnics</i> , 2018 , 16, 29-42	4	11
83	Back-analysis of the water retention curve of a GCL on the wetting path. <i>Geosynthetics International</i> , 2020 , 27, 523-537	3.3	10

82	Estimation of wetting hydraulic conductivity function for unsaturated sandy soil. <i>Engineering Geology</i> , 2021 , 285, 106034	6	10
81	Spatial variations of air-entry value for residual soils in Singapore. <i>Catena</i> , 2019 , 174, 259-268	5.8	10
80	Uncertainty in the estimation of hysteresis of soil-water characteristic curve. <i>Environmental Geotechnics</i> , 2019 , 6, 204-213	1.2	8
79	Estimation of the wetting scanning curves for sandy soils. <i>Engineering Geology</i> , 2020 , 272, 105635	6	8
78	Three-dimensional slope stability analysis incorporating unsaturated soil properties in Singapore. <i>Georisk</i> , 2021 , 15, 98-112	1.9	8
77	Measurement of a soil-water characteristic curve and unsaturated permeability using the evaporation method and the chilled-mirror method. <i>Journal of Zhejiang University: Science A</i> , 2019 , 20, 368-374	2.1	7
76	Sensing and monitoring for assessment of rainfall-induced slope failures in residual soil. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2019 , 172, 496-506	0.9	7
75	Effect of the uncertainty in soil-water characteristic curve on the estimated shear strength of unsaturated soil. <i>Journal of Zhejiang University: Science A</i> , 2020 , 21, 317-330	2.1	7
74	Estimation of tensile strength of sandy soil from soil-water characteristic curve. <i>Acta Geotechnica</i> , 2020 , 15, 3371-3381	4.9	7
73	Stability analysis of laterally loaded trees based on tree-root-soil interaction. <i>Urban Forestry and Urban Greening</i> , 2020 , 49, 126639	5.4	7
72	Flux boundary measurements for the study of tree stability. <i>Landscape and Ecological Engineering</i> , 2017 , 13, 81-92	2	7
71	Application of geosynthetic material in capillary barriers for slope stabilisation. <i>Geosynthetics International</i> , 2010 , 17, 323-331	3.3	7
70	Role of Unsaturated Soil Properties in The Development of Slope Susceptibility Map. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2020 , 1-44	0.9	7
69	Effects of unsaturated properties on stability of slope covered with <i>Caesalpinia crista</i> in Singapore. <i>Environmental Geotechnics</i> , 2020 , 7, 393-403	1.2	7
68	Spatial distribution, variation and trend of five-day antecedent rainfall in Singapore. <i>Georisk</i> , 2020 , 14, 177-191	1.9	7
67	Stability of containerized urban street trees. <i>Landscape and Ecological Engineering</i> , 2016 , 12, 13-24	2	6
66	Effect of hydraulic anisotropy on soil-water characteristic curve. <i>Soils and Foundations</i> , 2016 , 56, 228-239	2.9	6
65	Effect of concrete waste particles on infiltration characteristics of soil. <i>Environmental Earth Sciences</i> , 2018 , 77, 1	2.9	6

64	1D Infiltration Behavior of Two-Layered Recycled Concrete Aggregates Using Hydrophobic Materials in a Column Apparatus. <i>Journal of Materials in Civil Engineering</i> , 2017 , 29, 04017053	3	6
63	Characteristics of Scanning Curves of Two Soils. <i>Soils and Foundations</i> , 2007 , 47, 97-108	2.9	6
62	Laboratory investigation on hydraulic anisotropy behavior of unsaturated soil. <i>Canadian Geotechnical Journal</i> , 2017 , 54, 1034-1046	3.2	5
61	CFD analyses of the wind drags on <i>Khaya Senegalensis</i> and <i>Eugenia Grandis</i> . <i>Urban Forestry and Urban Greening</i> , 2018 , 34, 29-43	5.4	5
60	Unsaturated elasto-plastic constitutive equations for compacted kaolin under consolidated drained and shearing-infiltration conditions. <i>Soils and Foundations</i> , 2018 , 58, 534-546	2.9	5
59	Controlling parameter for unsaturated soil property functions: validated on the unsaturated shear strength. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 374-381	3.2	5
58	Field instrumentation for monitoring of water, heat, and gas transfers through unsaturated soils. <i>Engineering Geology</i> , 2012 , 151, 24-36	6	5
57	Reply to the discussion by Bellia et al. on Determination of soil-water characteristic curve variables. <i>Computers and Geotechnics</i> , 2012 , 45, 151-152	4.4	5
56	Numerical simulations of triaxial shearing-infiltration tests. <i>Soils and Foundations</i> , 2018 , 58, 398-411	2.9	4
55	Effect of Antecedent Conditions on Prediction of Pore-Water Pressure using Artificial Neural Networks. <i>Modern Applied Science</i> , 2012 , 6,	1.3	4
54	Theoretical method for the estimation of vapour conductivity for unsaturated soil. <i>Engineering Geology</i> , 2021 , 295, 106447	6	4
53	Effectiveness of Capillary Barrier and Vegetative Slope Covers in Maintaining Soil Suction. <i>Soils and Rocks</i> , 2016 , 51-69	0.9	4
52	Analyses and design of steep slope with GeoBarrier system (GBS) under heavy rainfall. <i>Geotextiles and Geomembranes</i> , 2020 , 48, 157-169	5.2	4
51	Measurement of soil suction using moist filter paper. <i>E3S Web of Conferences</i> , 2016 , 9, 10012	0.5	4
50	Mechanical response of the real tree root architecture under lateral load. <i>Canadian Journal of Forest Research</i> , 2020 , 50, 595-607	1.9	3
49	Closure to Shear Strength Equations for Unsaturated Soil under Drying and Wetting. By Goh Shin Guan, Harianto Rahardjo, and Leong Eng Choon. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2011 , 137, 1313-1315	3.4	3
48	Discussion of Assessment of the use of the vapour equilibrium technique in controlled-suction tests. Appears in Canadian Geotechnical Journal: 46(4): 411-423.. <i>Canadian Geotechnical Journal</i> , 2009 , 46, 1482-1484	3.2	3
47	Soil-Water Characteristic Curves for Compacted Clays. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 1999 , 125, 629-630	3.4	3

46	Field instrumentation for real-time measurement of soil-water characteristic curve. <i>International Soil and Water Conservation Research</i> , 2022 ,	6.9	3
45	DEVELOPMENT ASSESSMENT OF THE SINGAPORE LAND: A GIS SPATIAL-TEMPORAL APPROACH BASED ON LAND COVER ANALYSIS. <i>Geographia Technica</i> , 2019 , 14, 60-73	1.2	3
44	Effect of Rainfall Infiltration on Deformation of Geobarrier Wall. <i>Geotechnical and Geological Engineering</i> , 2019 , 37, 1383-1399	1.5	3
43	Estimation of effective cohesion using artificial neural networks based on index soil properties: A Singapore case. <i>Engineering Geology</i> , 2021 , 289, 106163	6	3
42	Estimation of the hydraulic conductivity of unsaturated soil incorporating the film flow. <i>Canadian Geotechnical Journal</i> ,	3.2	3
41	Performance of Residual Soil as Cover System for a Sanitary Landfill in Singapore. <i>Journal of Performance of Constructed Facilities</i> , 2017 , 31,	2	2
40	Stability of unsaturated soil slopes covered with <i>Melastoma malabathricum</i> in Singapore. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2019 , 172, 530-540	0.9	2
39	Calibration of a thermal conductivity sensor for field measurement of matric suction. <i>Geotechnique</i> , 2012 , 62, 81-85	3.4	2
38	Behaviour of Capillary Barrier System Constructed using Residual Soil 2005 , 1		2
37	Assessment of critical rainfall scenarios for slope stability analyses based on historical rainfall records in Singapore. <i>Environmental Earth Sciences</i> , 2022 , 81, 1	2.9	2
36	Spatial variation of shear strength properties incorporating auxiliary variables. <i>Catena</i> , 2021 , 200, 105196.8	6.8	2
35	Structural cell contribution to resistance of trees to uprooting. <i>Trees - Structure and Function</i> , 2016 , 30, 1843-1853	2.6	2
34	Effect of soil hydraulic properties on water infiltration of containerised soil. <i>Landscape and Urban Planning</i> , 2017 , 165, 84-92	7.7	1
33	Effect of weather conditions on leans of one <i>Eugenia Grandis</i> tree in Singapore. <i>Urban Forestry and Urban Greening</i> , 2019 , 43, 126375	5.4	1
32	Variability in Soil-Water Characteristic Curve associated with fitting parameters 2014 , 1031-1037		1
31	Calibrations of a high-suction tensiometer S. D. N. LOURENÇO, D. GALLIPOLI, D. G. TOLL, C. E. AUGARDE, F. D. EVANS and G. M. MEDERO (2008).. <i>Geotechnique</i> , 2010 , 60, 233-234	3.4	1
30	Modification of Volumetric Pressure Plate Extractor. <i>Journal of ASTM International</i> , 2010 , 7, 103075		1
29	Mechanical behavior of trees with structural defects under lateral load: A numerical modeling approach. <i>Urban Forestry and Urban Greening</i> , 2021 , 59, 126987	5.4	1

28	Regional stability and adaptation measures slope failures due to rainfall in Singapore. <i>Environmental Geotechnics</i> , 1-14	1.2	1
27	Effects of Rainfall Characteristics on the Stability of Tropical Residual Soil Slope. <i>E3S Web of Conferences</i> , 2016, 9, 15004	0.5	1
26	Anchorage and stability of tree root-soil plates. <i>Environmental Geotechnics</i> , 2020, 7, 330-337	1.2	1
25	Preventive measures for rainfall-induced slope failures in Singapore 2021, 205-223		1
24	New Osmotic Tensiometer Development. <i>Geotechnical Testing Journal</i> , 2021, 44, 20190451	1.3	1
23	Characteristics of unsaturated soil slope covered with capillary barrier system and deep-rooted grass under different rainfall patterns. <i>International Soil and Water Conservation Research</i> , 2021, 9, 405-418	6.0	1
22	Effect of Cr on the performance of Fredlund and Xing (1994)'s equation in best fitting soil-water characteristic curve data. <i>Results in Engineering</i> , 2022, 13, 100373	3.3	1
21	Effects of organic content on soil-water characteristic curve and soil shrinkage. <i>Environmental Geotechnics</i> , 2019, 1-10	1.2	0
20	Structured soil mixture for solving deformation issue in GeoBarrier System. <i>Transportation Geotechnics</i> , 2022, 33, 100727	4	0
19	Elastoplastic Behavior of Compacted Kaolin under Consolidated Drained and Shearing Infiltration Conditions. <i>Geotechnical Testing Journal</i> , 2020, 43, 20180218	1.3	0
18	Performance of capillary barrier as a sustainable slope protection. <i>MATEC Web of Conferences</i> , 2021, 337, 03021	0.3	0
17	Soil database for development of soil properties envelope. <i>Engineering Geology</i> , 2022, 304, 106698	6	0
16	The role of pore-size distribution function on the estimation of engineering properties of unsaturated soil. <i>Japanese Geotechnical Society Special Publication</i> , 2019, 7, 382-389	0.2	
15	Effect of grain-size distribution on hydraulic anisotropy of unsaturated soils. <i>Japanese Geotechnical Society Special Publication</i> , 2019, 7, 376-381	0.2	
14	Field instrumentation for performance assessment of Geobarrier System. <i>E3S Web of Conferences</i> , 2016, 9, 15006	0.5	
13	Response to discussion on Effects of different drying rates on shrinkage characteristics of a residual soil and soil mixtures [by Mamert Mbonimpa, Michel Aubertin, Bruno Bussiere [Engineering Geology 107/34 (2009) 172-173]. <i>Engineering Geology</i> , 2010, 110, 30-31	6	
12	Humidity sensing using plastic optical fibers 2004, 5590, 77		
11	Discussion: A framework for unsaturated soils behaviour. <i>Geotechnique</i> , 1991, 41, 159-161	3.4	

10 Closure to Closed-Form Heave Solutions for Expansive Soils by R. Rama Rao, Harianto Rahardjo, and Delwyn G. Fredlund (May, 1988, Vol. 114, No. 5). *Journal of Geotechnical Engineering*, **1989**, 115, 1822-1823

9 Use of synthesised polymers for the development of new osmotic tensiometers. *Geotechnique*, 1-33 3.4

8 Unsaturated residual soil **2004**, 57-71

7 Soil-Water Characteristic Curve and Permeability Function of Recycled Concrete Aggregates Coated with Oil or Wax. *Geotechnical Testing Journal*, **2019**, 42, 20170404 1.3

6 Susceptibility Assessment of Slope Failures in Singapore Using GIS-Based Prediction Models. *Lecture Notes in Civil Engineering*, **2020**, 825-830 0.3

5 Application of fitting parameters in best fit equation. *E3S Web of Conferences*, **2016**, 9, 10008 0.5

4 Governing failure mode of unsaturated soil slopes under rainwater infiltration. *E3S Web of Conferences*, **2016**, 9, 15008 0.5

3 Significance of unsaturated soil properties on stability analyses against extreme rainfall conditions **2021**, 193-203

2 Unsaturated Properties of Singapore Urban Soils **2022**, 321-335

1 Effect of threshold suction on the prediction of the permeability function by using the statistical method. *Results in Engineering*, **2022**, 14, 100456 3.3