

# Ling Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6377852/publications.pdf>

Version: 2024-02-01

63  
papers

2,515  
citations

257357

24  
h-index

197736

49  
g-index

65  
all docs

65  
docs citations

65  
times ranked

4414  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modified cellulose nanocrystals based on SI-ATRP for enhancing interfacial compatibility and mechanical performance of biodegradable PLA/PBAT blend. <i>Polymer Composites</i> , 2022, 43, 3753-3764.	2.3	21
2	Preparation of flame retardant glass fiber via emulsion impregnation and application in polyamide 6. <i>Journal of Polymer Engineering</i> , 2022, .	0.6	0
3	Significant Improvement in the Flame Retardancy and Thermal Conductivity of the Epoxy Resin via Constructing a Branched Flame Retardant Based on SI-ATRP Initiated by Dopamine-Modified Boron Nitride. <i>Industrial &amp; Engineering Chemistry Research</i> , 2022, 61, 8031-8042.	1.8	15
4	Modified TiO <sub>2</sub> @graphene oxide and montmorillonite synergistically enhanced multifunctional nanocomposite films. <i>Polymer Composites</i> , 2021, 42, 2511-2522.	2.3	4
5	High thermal conduction and low cost composite originated from the tight packing structure of boron nitride sheets and binary alumina balls. <i>Polymer Composites</i> , 2021, 42, 3562-3571.	2.3	5
6	Revealing the Sudden Alternation in Pt@BN Nanoreactors for Nearly 100% CO <sub>2</sub> to CH <sub>4</sub> Photoreduction. <i>Advanced Functional Materials</i> , 2021, 31, 2010780.	7.8	43
7	Branched Aggregates with Tunable Morphology via Hierarchical Self-Assembly of Azobenzene-Derived Molecular Double Brushes. <i>Angewandte Chemie</i> , 2021, 133, 17848-17854.	1.6	0
8	Branched Aggregates with Tunable Morphology via Hierarchical Self-Assembly of Azobenzene-Derived Molecular Double Brushes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 17707-17713.	7.2	15
9	Highly transparent and scratch resistant polysiloxane coatings containing silica nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2020, 559, 273-281.	5.0	31
10	Stretch induced photoluminescence enhanced perovskite quantum dot polymer composites. <i>Journal of Materials Chemistry C</i> , 2020, 8, 1413-1420.	2.7	23
11	Inactive step-edge Pt atoms boost oxygen reduction reaction by activating adsorbed hydrogen atoms. <i>Applied Surface Science</i> , 2020, 504, 144434.	3.1	6
12	Largely enhanced transcrystalline formation and properties of polypropylene on the surface of glass fiber as induced by PEI-CNT and PEI-GO modification. <i>Polymer</i> , 2020, 186, 122025.	1.8	10
13	Bridging boron nitride nanosheets with oriented carbon nanotubes by electrospinning for the fabrication of thermal conductivity enhanced flexible nanocomposites. <i>Composites Science and Technology</i> , 2020, 200, 108429.	3.8	46
14	Promoting the dispersibility of silica and interfacial strength of rubber/silica composites prepared by latex compounding. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49526.	1.3	9
15	The synergetic effect of zinc phthalate and carboxymethyl cellulose " carbon nanotube of glass fibers surfaces on improving strength and toughness of polypropylene composite. <i>Journal of Polymer Science</i> , 2020, 58, 2022-2031.	2.0	5
16	A general carbon monoxide-assisted strategy for synthesizing one-nanometer-thick Pt-based nanowires as effective electrocatalysts. <i>Journal of Colloid and Interface Science</i> , 2020, 572, 170-178.	5.0	10
17	Evolution mechanism of surface hydroxyl groups of silica during heat treatment. <i>Applied Surface Science</i> , 2020, 513, 145766.	3.1	20
18	Locally-ordered PtNiPb ternary nano-pompons as efficient bifunctional oxygen reduction and methanol oxidation catalysts. <i>Nanoscale</i> , 2019, 11, 16945-16953.	2.8	18

#	ARTICLE	IF	CITATIONS
19	Highly enhanced thermal conductivity of epoxy composites by constructing dense thermal conductive network with combination of alumina and carbon nanotubes. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 125, 105496.	3.8	37
20	Highly Stable, Transparent, and Conductive Electrode of Solution-Processed Silver Nanowire-Mxene for Flexible Alternating-Current Electroluminescent Devices. <i>Industrial &amp; Engineering Chemistry Research</i> , 2019, 58, 21485-21492.	1.8	31
21	Zinc oxide with dominant (110) facets boosts vulcanization activity. <i>European Polymer Journal</i> , 2019, 113, 148-154.	2.6	15
22	Multifunctional films with a highly oriented "nano-brick wall" structure by regulating modified TiO <sub>2</sub> @graphene oxide/poly(vinyl alcohol) nanocomposites. <i>Nanoscale</i> , 2019, 11, 7424-7432.	2.8	21
23	Polyamide 6 composite with highly improved mechanical properties by PEI-CNT grafted glass fibers through interface wetting, infiltration and crystallization. <i>Polymer</i> , 2019, 172, 253-264.	1.8	24
24	Highly Stretchable, Sensitive, and Transparent Strain Sensors with a Controllable In-Plane Mesh Structure. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 5316-5324.	4.0	44
25	A Highly Stretchable, Sensitive, and Transparent Strain Sensor Based on Binary Hybrid Network Consisting of Hierarchical Multiscale Metal Nanowires. <i>Advanced Materials Technologies</i> , 2018, 3, 1800020.	3.0	55
26	Transcrystalline induced by MWCNTs and organic nucleating agents at the interface of glass fiber/polypropylene. <i>Polymer Composites</i> , 2018, 39, 3424-3433.	2.3	11
27	L1 <sub>2</sub> Atomic Ordered Substrate Enhanced Pt-Skin Cu <sub>3</sub> Pt Catalyst for Efficient Oxygen Reduction Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 38015-38023.	4.0	28
28	3D Ordered Macroporous MoS <sub>2</sub> @C Nanostructure for Flexible Li-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1603020.	11.1	350
29	Three-Dimensional Highly Stretchable Conductors from Elastic Fiber Mat with Conductive Polymer Coating. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 30772-30778.	4.0	28
30	Kirigami-patterned highly stretchable conductors from flexible carbon nanotube-embedded polymer films. <i>Journal of Materials Chemistry C</i> , 2017, 5, 8714-8722.	2.7	63
31	Engineering the outermost layers of TiO <sub>2</sub> nanoparticles using <i>in situ</i> Mg doping in a flame aerosol reactor. <i>AIChE Journal</i> , 2017, 63, 870-880.	1.8	21
32	Comparative Study on Optical Properties and Scratch Resistance of Nanocomposite Coatings Incorporated with Flame Spray Pyrolyzed Silica Modified via <i>in-situ</i> Route and <i>ex-situ</i> Route. <i>Journal of Materials Science and Technology</i> , 2016, 32, 251-258.	5.6	12
33	Fabrication of Highly Stretchable Conductors Based on 3D Printed Porous Poly(dimethylsiloxane) and Conductive Carbon Nanotubes/Graphene Network. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 2187-2192.	4.0	104
34	Batteries: 2D Monolayer MoS <sub>2</sub> @Carbon Interoverlapped Superstructure: Engineering Ideal Atomic Interface for Lithium Ion Storage ( <i>Adv. Mater.</i> 24/2015). <i>Advanced Materials</i> , 2015, 27, 3582-3582.	11.1	6
35	2D Monolayer MoS <sub>2</sub> @Carbon Interoverlapped Superstructure: Engineering Ideal Atomic Interface for Lithium Ion Storage. <i>Advanced Materials</i> , 2015, 27, 3687-3695.	11.1	504
36	Facile fabrication of silica@polymer@graphene collaborative nanostructure-based hybrid materials with high conductivity and robust mechanical performance. <i>RSC Advances</i> , 2015, 5, 25450-25456.	1.7	10

#	ARTICLE	IF	CITATIONS
37	One-step rod coating of high-performance silver nanowireâ€“PEDOT:PSS flexible electrodes with enhanced adhesion after sulfuric acid post-treatment. RSC Advances, 2015, 5, 95280-95286.	1.7	32
38	Electrostatic Layer-by-Layer Assembly of Hierarchical Structure of Multi-Walled Carbon Nanotubes With Glass Fiber Cloth Reinforced Epoxy Composites. Journal of Macromolecular Science - Physics, 2014, 53, 673-682.	0.4	10
39	Self-assembling few-layer MoS <sub>2</sub> nanosheets on a CNT backbone for high-rate and long-life lithium-ion batteries. RSC Advances, 2014, 4, 40368-40372.	1.7	35
40	Highly Stretchable Conductors Integrated with a Conductive Carbon Nanotube/Graphene Network and 3D Porous Poly(dimethylsiloxane). Advanced Functional Materials, 2014, 24, 7548-7556.	7.8	162
41	Preparation of polydopamine-functionalized grapheneâ€“Fe <sub>3</sub> O <sub>4</sub> magnetic composites with high adsorption capacities. RSC Advances, 2014, 4, 30536-30541.	1.7	55
42	Functional mesoporous carbon-coated CNT network for high-performance supercapacitors. New Journal of Chemistry, 2013, 37, 1294.	1.4	12
43	Synthesis of glass fiberâ€“multiwall carbon nanotube hybrid structures for highâ€“performance conductive composites. Polymer Composites, 2013, 34, 1313-1320.	2.3	11
44	Production of Flexible and Electrically Conductive Polyethyleneâ€“Carbon Nanotube Shish-Kebab Structures and Their Assembly into Thin Films. Industrial & Engineering Chemistry Research, 2012, 51, 5456-5460.	1.8	5
45	Synthesis, Characterization and Electrochemical Capacitance of Urchin-Like Hierarchical Polyaniline Microspheres. Journal of Macromolecular Science - Physics, 2012, 51, 897-905.	0.4	8
46	Direct Growth of Aligned Carbon Nanotubes on Quartz Fibers for Structural Epoxy Composites. Industrial & Engineering Chemistry Research, 2012, 51, 4927-4933.	1.8	11
47	Polyamide 6 composites reinforced with glass fibers modified with electrostatically assembled multiwall carbon nanotubes. Journal of Materials Science, 2012, 47, 5446-5454.	1.7	19
48	The Effects of Copper and Polytetrafluoroethylene (PTFE) on Thermal Conductivity and Tribological Behavior of Polyoxymethylene (POM) Composites. Journal of Macromolecular Science - Physics, 2011, 50, 2023-2033.	0.4	15
49	Effect of perfluoroalkylmethacrylate esterâ€“ <i>grafted</i> â€“linear lowâ€“density polyethylene on the tribological property of polyoxymethyleneâ€“linear lowâ€“density polyethylene composites. Polymer Engineering and Science, 2011, 51, 925-930.	1.5	3
50	Study of the Preparation and Properties of PBT/Epoxy/SiO <sub>2</sub> Nanocomposites. Journal of Macromolecular Science - Physics, 2011, 50, 967-974.	0.4	9
51	Synthesis and characterization of polypyrrole/graphite oxide composite by <i>in situ</i> emulsion polymerization. Journal of Polymer Science, Part B: Polymer Physics, 2010, 48, 1329-1335.	2.4	89
52	Thermal conductivity and tribological properties of POMâ€“Cu composites. Polymer Engineering and Science, 2010, 50, 2153-2159.	1.5	24
53	Nonisothermal Crystallization Behaviors of Poly(butylene terephthalate) Nucleated with Elastomer-Modified Nano-SiO <sub>2</sub> , a Commercial Nucleating Agent (P250), and Talc. Journal of Macromolecular Science - Physics, 2010, 49, 514-527.	0.4	8
54	Effect of Surface Structure of Nano-CaCO <sub>3</sub> Particles on Mechanical and Rheological Properties of PVC Composites. Journal of Macromolecular Science - Physics, 2010, 49, 970-982.	0.4	24

#	ARTICLE	IF	CITATIONS
55	Crystallization behavior and UV protection property of PET/ZnO nanocomposites prepared by <i>in situ</i> polymerization. <i>Journal of Applied Polymer Science</i> , 2009, 114, 1303-1311.	1.3	51
56	A novel approach to prepare PBT nanocomposites with elastomer modified SiO <sub>2</sub> particles. <i>Polymer Composites</i> , 2009, 30, 673-679.	2.3	12
57	Aluminum hydroxide filled ethylene vinyl acetate (EVA) composites: effect of the interfacial compatibilizer and the particle size. <i>Journal of Materials Science</i> , 2007, 42, 4227-4232.	1.7	51
58	The influence of thermoelastomers on the crystallization behavior of isotactic polypropylene under shear. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 1188-1198.	2.4	6
59	Interfacial structures and mechanical properties of PVC composites reinforced by CaCO <sub>3</sub> with different particle sizes and surface treatments. <i>Polymer International</i> , 2006, 55, 158-164.	1.6	100
60	Mechanical properties of PVC/nano-CaCO <sub>3</sub> composites. <i>Journal of Materials Science</i> , 2005, 40, 2097-2098.	1.7	27
61	Toughness mechanism of polypropylene/elastomer/filler composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 1113-1123.	2.4	40
62	Toughness mechanism in polypropylene composites: Polypropylene toughened with elastomer and calcium carbonate. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 1656-1662.	2.4	49
63	Direct Reductive Amination from Ketones, Aldehydes to Synthesize Amines Using N, S-Dual Doped Co/C Catalyst. <i>Catalysis Letters</i> , 0, , 1.	1.4	1