

Michelina Ruocco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6377987/publications.pdf>

Version: 2024-02-01

52
papers

4,429
citations

147566

31
h-index

189595

50
g-index

53
all docs

53
docs citations

53
times ranked

4453
citing authors

#	ARTICLE	IF	CITATIONS
1	Context-Dependent Effects of Trichoderma Seed Inoculation on Anthracnose Disease and Seed Yield of Bean (<i>Phaseolus Vulgaris</i>): Ambient Conditions Override Cultivar-Specific Differences. <i>Plants</i> , 2021, 10, 1739.	1.6	2
2	Transcriptome modulation by the beneficial fungus <i>Trichoderma longibrachiatum</i> drives water stress response and recovery in tomato. <i>Environmental and Experimental Botany</i> , 2021, 190, 104588.	2.0	11
3	First report of <i>Neopestalotiopsis clavispora</i> causing crown rot in strawberry in Italy. <i>Journal of Plant Pathology</i> , 2020, 102, 281-281.	0.6	6
4	Plant Roots Release Small Extracellular Vesicles with Antifungal Activity. <i>Plants</i> , 2020, 9, 1777.	1.6	44
5	Morphological and Molecular Characterization of <i>Lema bilineata</i> (Germar), a New Alien Invasive Leaf Beetle for Europe, with Notes on the Related Species <i>Lema daturaphila</i> Kogan & Goeden. <i>Insects</i> , 2020, 11, 295.	1.0	3
6	The Vocabulary of Trichoderma-Plant Interactions. <i>Rhizosphere Biology</i> , 2020, , 19-33.	0.4	2
7	Tomato Plants Treated with Systemin Peptide Show Enhanced Levels of Direct and Indirect Defense Associated with Increased Expression of Defense-Related Genes. <i>Plants</i> , 2019, 8, 395.	1.6	28
8	Influence of three different soil types on the interaction of two strains of <i>Trichoderma harzianum</i> with <i>Brassica rapa</i> subsp. <i>sylvestris</i> cv. <i>esculenta</i> , under soil mineral fertilization. <i>Geoderma</i> , 2019, 350, 11-18.	2.3	14
9	Transcriptome reprogramming, epigenetic modifications and alternative splicing orchestrate the tomato root response to the beneficial fungus <i>Trichoderma harzianum</i> . <i>Horticulture Research</i> , 2019, 6, 5.	2.9	113
10	Root Exudates of Stressed Plants Stimulate and Attract <i>Trichoderma</i> Soil Fungi. <i>Molecular Plant-Microbe Interactions</i> , 2018, 31, 982-994.	1.4	147
11	Improvement of plant performance under water deficit with the employment of biological and chemical priming agents. <i>Journal of Agricultural Science</i> , 2018, 156, 680-688.	0.6	49
12	The Hydrophobin HYTLO1 Secreted by the Biocontrol Fungus <i>Trichoderma longibrachiatum</i> Triggers a NAADP-Mediated Calcium Signalling Pathway in <i>Lotus japonicus</i> . <i>International Journal of Molecular Sciences</i> , 2018, 19, 2596.	1.8	33
13	First report of brown leaf spot caused by <i>Alternaria alternata</i> on cast iron plant (<i>Aspidistra elatior</i>) in Italy. <i>Journal of Plant Pathology</i> , 2018, 100, 117-117.	0.6	4
14	Polyketide synthases of <i>Diaporthe helianthi</i> and involvement of DhPKS1 in virulence on sunflower. <i>BMC Genomics</i> , 2018, 19, 27.	1.2	15
15	A comparison between constitutive and inducible transgenic expression of the PhRIP I gene for broad-spectrum resistance against phytopathogens in potato. <i>Biotechnology Letters</i> , 2017, 39, 1049-1058.	1.1	11
16	Potential Role of Beneficial Soil Microorganisms in Plant Tolerance to Abiotic Stress Factors. , 2017, , 191-207.		8
17	Resilience and robustness of IPM in protected horticulture in the face of potential invasive pests. <i>Crop Protection</i> , 2017, 97, 119-127.	1.0	33
18	<i>Trichoderma</i> and its secondary metabolites improve yield and quality of grapes. <i>Crop Protection</i> , 2017, 92, 176-181.	1.0	135

#	ARTICLE	IF	CITATIONS
19	Draft whole-genome sequence of the <i>Diaporthe helianthi</i> 7/96 strain, causal agent of sunflower stem canker. <i>Genomics Data</i> , 2016, 10, 151-152.	1.3	16
20	New tools to improve the shelf life of chestnut fruit during storage. <i>Acta Horticulturae</i> , 2016, , 309-316.	0.1	12
21	Suppression Subtractive Hybridization analysis provides new insights into the tomato (<i>Solanum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Journal of Plant Physiology</i> , 2016, 190, 79-94.	1.6	56
22	Response of key stress-related genes of the seagrass <i>Posidonia oceanica</i> in the vicinity of submarine volcanic vents. <i>Biogeosciences</i> , 2015, 12, 4185-4194.	1.3	36
23	Multiple Roles and Effects of a Novel <i>Trichoderma</i> Hydrophobin. <i>Molecular Plant-Microbe Interactions</i> , 2015, 28, 167-179.	1.4	100
24	Changes in <i>Trichoderma asperellum</i> enzyme expression during parasitism of the cotton root rot pathogen <i>Phymatotrichopsis omnivora</i> . <i>Fungal Biology</i> , 2015, 119, 264-273.	1.1	31
25	Genetic variability and evolutionary diversification of membrane ABC transporters in plants. <i>BMC Plant Biology</i> , 2015, 15, 51.	1.6	66
26	The Top 10 oomycete pathogens in molecular plant pathology. <i>Molecular Plant Pathology</i> , 2015, 16, 413-434.	2.0	695
27	Response of the seagrass <i>Posidonia oceanica</i> to different light environments: Insights from a combined molecular and photo-physiological study. <i>Marine Environmental Research</i> , 2014, 101, 225-236.	1.1	93
28	<i>Trichoderma</i> spp. alleviate phytotoxicity in lettuce plants (<i>Lactuca sativa</i> L.) irrigated with arsenic-contaminated water. <i>Journal of Plant Physiology</i> , 2014, 171, 1378-1384.	1.6	45
29	Metabolites produced by <i>Gnomoniopsis castanea</i> associated with necrosis of chestnut galls. <i>Chemical and Biological Technologies in Agriculture</i> , 2014, 1, .	1.9	7
30	A Novel Fungal Metabolite with Beneficial Properties for Agricultural Applications. <i>Molecules</i> , 2014, 19, 9760-9772.	1.7	89
31	<i>Trichoderma</i> -based Products and their Widespread Use in Agriculture. <i>The Open Mycology Journal</i> , 2014, 8, 71-126.	0.8	451
32	<i>Trichoderma</i> Secondary Metabolites Active on Plants and Fungal Pathogens. <i>The Open Mycology Journal</i> , 2014, 8, 127-139.	0.8	188
33	Harzianic acid: a novel siderophore from <i>Trichoderma harzianum</i>. <i>FEMS Microbiology Letters</i> , 2013, 347, n/a-n/a.	0.7	139
34	Tomato Below Groundâ€“Above Ground Interactions: <i>Trichoderma longibrachiatum</i> Affects the Performance of <i>Macrosiphum euphorbiae</i> and Its Natural Antagonists. <i>Molecular Plant-Microbe Interactions</i> , 2013, 26, 1249-1256.	1.4	103
35	Establishing Research Strategies, Methodologies and Technologies to Link Genomics and Proteomics to Seagrass Productivity, Community Metabolism, and Ecosystem Carbon Fluxes. <i>Frontiers in Plant Science</i> , 2013, 4, 38.	1.7	38
36	Cerinolactone, a Hydroxy-Lactone Derivative from <i>Trichoderma cerinum</i>. <i>Journal of Natural Products</i> , 2012, 75, 103-106.	1.5	49

#	ARTICLE	IF	CITATIONS
37	<i>Trichoderma</i> Secondary Metabolites that Affect Plant Metabolism. Natural Product Communications, 2012, 7, 1934578X1200701.	0.2	67
38	The expression of the cerato-platanin gene is related to hyphal growth and chlamydospores formation in <i>Ceratocystis platani</i> . FEMS Microbiology Letters, 2012, 327, 155-163.	0.7	33
39	<i>Trichoderma</i> secondary metabolites that affect plant metabolism. Natural Product Communications, 2012, 7, 1545-50.	0.2	61
40	Four potato (<i>Solanum tuberosum</i>) ABCG transporters and their expression in response to abiotic factors and <i>Phytophthora infestans</i> infection. Journal of Plant Physiology, 2011, 168, 2225-2233.	1.6	28
41	The beneficial effect of <i>Trichoderma</i> spp. on tomato is modulated by the plant genotype. Molecular Plant Pathology, 2011, 12, 341-354.	2.0	304
42	Stepwise screening of microorganisms for commercial use in biological control of plant-pathogenic fungi and bacteria. Biological Control, 2011, 57, 1-12.	1.4	189
43	Purification and characterization of a viral chitinase active against plant pathogens and herbivores from transgenic tobacco. Journal of Biotechnology, 2010, 147, 1-6.	1.9	41
44	Identification of a New Biocontrol Gene in <i>Trichoderma atroviride</i> : The Role of an ABC Transporter Membrane Pump in the Interaction with Different Plant-Pathogenic Fungi. Molecular Plant-Microbe Interactions, 2009, 22, 291-301.	1.4	139
45	Cloning and functional characterization of BcatrA, a gene encoding an ABC transporter of the plant pathogenic fungus <i>Botryotinia fuckeliana</i> (<i>Botrytis cinerea</i>). Mycological Research, 2008, 112, 737-746.	2.5	25
46	Studies on the Effect of Amadoriase from <i>Aspergillus fumigatus</i> on Peptide and Protein Glycation In Vitro. Journal of Agricultural and Food Chemistry, 2007, 55, 4189-4195.	2.4	17
47	The Molecular Biology of the Interactions Between <i>Trichoderma</i> spp., Phytopathogenic Fungi, and Plants. Phytopathology, 2006, 96, 181-185.	1.1	301
48	Treatment of Cereal Products with a Tailored Preparation of <i>Trichoderma</i> Enzymes Increases the Amount of Soluble Dietary Fiber. Journal of Agricultural and Food Chemistry, 2006, 54, 7863-7869.	2.4	43
49	Study of the three-way interaction between <i>Trichoderma atroviride</i> , plant and fungal pathogens by using a proteomic approach. Current Genetics, 2006, 50, 307-321.	0.8	247
50	Substrate Specificity of Amadoriase I from <i>Aspergillus fumigatus</i> . Annals of the New York Academy of Sciences, 2005, 1043, 837-844.	1.8	11
51	Functional Expression of the Gene <i>cu</i> , Encoding the Phytotoxic Hydrophobin Cerato-ulmin, Enables <i>Ophiostoma quercus</i> , a Nonpathogen on Elm, to Cause Symptoms of Dutch Elm Disease. Molecular Plant-Microbe Interactions, 2000, 13, 43-53.	1.4	41
52	A novel understanding of the three-way interaction between <i>Trichoderma</i> spp., the colonized plant and fungal pathogens. , 0, , 291-309.		1