Mathilde Touvier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6378233/publications.pdf

Version: 2024-02-01

320 papers 46,624 citations

73 h-index

9756

203 g-index

334 all docs

334 docs citations

times ranked

334

61651 citing authors

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
2	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
3	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
4	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
5	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	6.3	3,062
6	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
7	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
8	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
9	Consumption of ultra-processed foods and cancer risk: results from NutriNet-Santé prospective cohort. BMJ: British Medical Journal, 2018, 360, k322.	2.4	605
10	Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Santé). BMJ: British Medical Journal, 2019, 365, l1451.	2.4	512
11	The Nutrinet-Santé Study: a web-based prospective study on the relationship between nutrition and health and determinants of dietary patterns and nutritional status. BMC Public Health, 2010, 10, 242.	1.2	355
12	Dietary intake of 337 polyphenols in French adults. American Journal of Clinical Nutrition, 2011, 93, 1220-1228.	2.2	351
13	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March–May 2020): results from the French NutriNet-Santé cohort study. American Journal of Clinical Nutrition, 2021, 113, 924-938.	2.2	284
14	Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Santé Prospective Cohort. JAMA Internal Medicine, 2020, 180, 283.	2.6	257
15	Association Between Ultraprocessed Food Consumption and Risk of Mortality Among Middle-aged Adults in France. JAMA Internal Medicine, 2019, 179, 490.	2.6	246
16	Comparison between an interactive web-based self-administered 24Âh dietary record and an interview by a dietitian for large-scale epidemiological studies. British Journal of Nutrition, 2011, 105, 1055-1064.	1.2	241
17	Trends in food and nutritional intakes of French adults from 1999 to 2007: results from the INCA surveys. British Journal of Nutrition, 2010, 103, 1035-1048.	1.2	228
18	Comparison between web-based and paper versions of a self-administered anthropometric questionnaire. European Journal of Epidemiology, 2010, 25, 287-296.	2.5	209

#	Article	IF	CITATIONS
19	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. European Journal of Clinical Nutrition, 2009, 63, S226-S238.	1.3	204
20	Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Santé Study. Nutrients, 2017, 9, 1023.	1.7	203
21	Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e152.	2.1	198
22	Association of Self-reported COVID-19 Infection and SARS-CoV-2 Serology Test Results With Persistent Physical Symptoms Among French Adults During the COVID-19 Pandemic. JAMA Internal Medicine, 2022, 182, 19.	2.6	183
23	Meta-Analyses of Vitamin D Intake, 25-Hydroxyvitamin D Status, Vitamin D Receptor Polymorphisms, and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1003-1016.	1.1	177
24	Postmenopausal Breast Cancer Risk and Dietary Patterns in the E3N-EPIC Prospective Cohort Study. American Journal of Epidemiology, 2009, 170, 1257-1267.	1.6	171
25	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S206-S225.	1.3	163
26	Contribution of ultra-processed foods in the diet of adults from the French NutriNet-Sant \tilde{A} \otimes study. Public Health Nutrition, 2018, 21, 27-37.	1.1	163
27	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions. American Journal of Preventive Medicine, 2016, 50, 627-636.	1.6	150
28	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: AÂprospective analysis of the French NutriNet-Santé cohort. PLoS Medicine, 2020, 17, e1003256.	3.9	140
29	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. Public Health Nutrition, 2007, 10, 1515-1525.	1.1	139
30	Agreement between web-based and paper versions of a socio-demographic questionnaire in the NutriNet-Santé study. International Journal of Public Health, 2011, 56, 407-417.	1.0	139
31	Total and Specific Polyphenol Intakes in Midlife Are Associated with Cognitive Function Measured 13 Years Later3. Journal of Nutrition, 2012, 142, 76-83.	1.3	131
32	Cross-Sectional and Longitudinal Associations of Different Sedentary Behaviors with Cognitive Performance in Older Adults. PLoS ONE, 2012, 7, e47831.	1.1	130
33	Sugary drink consumption and risk of cancer: results from NutriNet-Santé prospective cohort. BMJ: British Medical Journal, 2019, 366, l2408.	2.4	129
34	Dietary and Physical Activity Patterns in French Children Are Related to Overweight and Socioeconomic Status. Journal of Nutrition, 2008, 138, 101-107.	1.3	125
35	Trends in food intake in French children from 1999 to 2007: results from the INCA (étude Individuelle) Tj ETQq1 585-601.	1 0.7843 1.2	314 rgBT /0 125
36	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	1.3	123

#	Article	IF	CITATIONS
37	Determinants of Vitamin D Status in Caucasian Adults: Influence of Sun Exposure, Dietary Intake, Sociodemographic, Lifestyle, Anthropometric, and Genetic Factors. Journal of Investigative Dermatology, 2015, 135, 378-388.	0.3	119
38	Association of Frequency of Organic Food Consumption With Cancer Risk. JAMA Internal Medicine, 2018, 178, 1597.	2.6	119
39	Cholesterol and breast cancer risk: a systematic review and meta-analysis of prospective studies. British Journal of Nutrition, 2015, 114, 347-357.	1.2	118
40	Trends in Child Overweight Rates and Energy Intake in France From 1999 to 2007: Relationships With Socioeconomic Status. Obesity, 2009, 17, 1092-1100.	1.5	117
41	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. Cancer Research, 2016, 76, 2288-2300.	0.4	117
42	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2007, 121, 1103-1114.	2.3	115
43	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Santé cohort. BMC Medicine, 2019, 17, 78.	2.3	113
44	Region-Specific Nutrient Intake Patterns Exhibit a Geographical Gradient within and between European Countries. Journal of Nutrition, 2010, 140, 1280-1286.	1.3	108
45	Changes in leisure-time physical activity and sedentary behaviour at retirement: a prospective study in middle-aged French subjects. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 14.	2.0	108
46	New Biomarkers of Coffee Consumption Identified by the Non-Targeted Metabolomic Profiling of Cohort Study Subjects. PLoS ONE, 2014, 9, e93474.	1.1	108
47	Prospective associations between serum biomarkers of lipid metabolism and overall, breast and prostate cancer risk. European Journal of Epidemiology, 2014, 29, 119-132.	2.5	108
48	Artificial sweeteners and cancer risk: Results from the NutriNet-Sant \tilde{A} population-based cohort study. PLoS Medicine, 2022, 19, e1003950.	3.9	108
49	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. European Journal of Clinical Nutrition, 2009, 63, S61-S80.	1.3	107
50	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. American Journal of Clinical Nutrition, 2015, 102, 1142-1157.	2,2	107
51	Prospective association between the dietary inflammatory index and metabolic syndrome: Findings from the SU.VI.MAX study. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 988-996.	1.1	106
52	Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Santé Cohort. American Journal of Gastroenterology, 2018, 113, 1217-1228.	0.2	106
53	Excess body weight and second primary cancer risk after breast cancer: a systematic review and meta-analysis of prospective studies. Breast Cancer Research and Treatment, 2012, 135, 647-654.	1.1	102
54	A comprehensive assessment of demographic, environmental, and host genetic associations with gut microbiome diversity in healthy individuals. Microbiome, 2019, 7, 130.	4.9	101

#	Article	IF	CITATIONS
55	Association Between Prediagnostic Biomarkers of Inflammation and Endothelial Function and Cancer Risk: A Nested Case-Control Study. American Journal of Epidemiology, 2013, 177, 3-13.	1.6	100
56	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. Journal of Nutrition, 2021, 151, 120-131.	1.3	100
57	Red and processed meat intake and cancer risk: Results from the prospective NutriNetâ€Santé cohort study. International Journal of Cancer, 2018, 142, 230-237.	2.3	96
58	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S101-S121.	1.3	93
59	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Santé Cohort Study). Nutrients, 2017, 9, 88.	1.7	93
60	Intake of total, animal and plant proteins, and their food sources in 10 countries in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S16-S36.	1.3	89
61	Food additives: distribution and co-occurrence in 126,000 food products of the French market. Scientific Reports, 2020, 10, 3980.	1.6	89
62	Dual Association of \hat{l}^2 -Carotene With Risk of Tobacco-Related Cancers in a Cohort of French Women. Journal of the National Cancer Institute, 2005, 97, 1338-1344.	3.0	88
63	Alcoholic beverages, obesity, physical activity and other nutritional factors, and cancer risk: A review of the evidence. Critical Reviews in Oncology/Hematology, 2016, 99, 308-323.	2.0	88
64	Characteristics of energy under-reporting in children and adolescents. British Journal of Nutrition, 2011, 105, 1671-1680.	1.2	87
65	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Santé Cohort Study. PLoS ONE, 2015, 10, e0140898.	1.1	85
66	Eating out of home: energy, macro- and micronutrient intakes in 10 European countries. The European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S239-S262.	1.3	84
67	Incidence of cancers, ischemic cardiovascular diseases and mortality during 5â€year followâ€up after stopping antioxidant vitamins and minerals supplements: A postintervention followâ€up in the SU.VI.MAX Study. International Journal of Cancer, 2010, 127, 1875-1881.	2.3	84
68	Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects: Comparisons with other format labels. PLoS ONE, 2018, 13, e0202095.	1.1	84
69	Relative Validity and Reproducibility of a Food Frequency Questionnaire Designed for French Adults. Annals of Nutrition and Metabolism, 2010, 57, 153-162.	1.0	82
70	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. Nutrients, 2015, 7, 7106-7125.	1.7	80
71	Proteins, Dietary Acid Load, and Calcium and Risk of Postmenopausal Fractures in the E3N French Women Prospective Study. Journal of Bone and Mineral Research, 2008, 23, 1915-1922.	3.1	78
72	Associations between dietary patterns, physical activity (leisure-time and occupational) and television viewing in middle-aged French adults. British Journal of Nutrition, 2011, 105, 902-910.	1.2	78

#	Article	IF	CITATIONS
73	Antibody status and cumulative incidence of SARS-CoV-2 infection among adults in three regions of France following the first lockdown and associated risk factors: a multicohort study. International Journal of Epidemiology, 2021, 50, 1458-1472.	0.9	75
74	Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Santé) Tj ETQq0 C	0 0 rgBT /O	verlock 10 Tf
75	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. European Journal of Nutrition, 2017, 56, 1647-1655.	1.8	72
76	Association Between Mediterranean Anti-inflammatory Dietary Profile and Severity of Psoriasis. JAMA Dermatology, 2018, 154, 1017.	2.0	70
77	Association Between Childhood Consumption of Ultraprocessed Food and Adiposity Trajectories in the Avon Longitudinal Study of Parents and Children Birth Cohort. JAMA Pediatrics, 2021, 175, e211573.	3.3	70
78	Application of the British Food Standards Agency nutrient profiling system in a French food composition database. British Journal of Nutrition, 2014, 112, 1699-1705.	1.2	69
79	Variations of physical activity and sedentary behavior between before and after cancer diagnosis. Medicine (United States), 2016, 95, e4629.	0.4	69
80	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. American Journal of Clinical Nutrition, 2019, 109, 1472-1483.	2.2	66
81	Alcohol Drinking and Second Primary Cancer Risk in Patients with Upper Aerodigestive Tract Cancers: A Systematic Review and Meta-analysis of Observational Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 324-331.	1.1	65
82	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 101.	2.0	64
83	Circadian nutritional behaviours and cancer risk: New insights from the NutriNetâ€santé prospective cohort study: Disclaimers. International Journal of Cancer, 2018, 143, 2369-2379.	2.3	64
84	Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context. Journal of Nutrition, 2014, 144, 2009-2017.	1.3	63
85	Interpretation of Plasma PTH Concentrations According to 25OHD Status, Gender, Age, Weight Status, and Calcium Intake: Importance of the Reference Values. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 1196-1203.	1.8	63
86	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	3.9	63
87	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. Nutrients, 2020, 12, 1303.	1.7	63
88	Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the SUpplémentation en VItamines et Minéraux AntioXydants (SU.VI.MAX) Cohort. Journal of the American Heart Association, 2016, 5, e002735.	1.6	62
89	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. European Journal of Preventive Cardiology, 2016, 23, 1669-1676.	0.8	62
90	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Santé cohort participants. BMJ Open, 2017, 7, e016108.	0.8	62

#	Article	IF	Citations
91	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Santé cohort study. British Journal of Nutrition, 2013, 110, 1480-1491.	1.2	61
92	Dietary intakes of retinol, \hat{l}^2 -carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Clinical Nutrition, 2009, 63, S150-S178.	1.3	60
93	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887.	1.3	60
94	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 195-207.	2.2	60
95	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. Preventive Medicine, 2015, 81, 189-194.	1.6	59
96	Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 56.	2.0	59
97	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 1267-1279.	2.2	59
98	Programme National Nutrition Santé – guidelines score 2 (PNNS-GS2): development and validation of a diet quality score reflecting the 2017 French dietary guidelines. British Journal of Nutrition, 2019, 122, 331-342.	1.2	55
99	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. Journal of Nutrition, 2015, 145, 2355-2361.	1.3	54
100	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	3.0	54
101	Monitoring the proportion of the population infected by SARS-CoV-2 using age-stratified hospitalisation and serological data: a modelling study. Lancet Public Health, The, 2021, 6, e408-e415.	4.7	54
102	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S188-S205.	1.3	52
103	Dietary Total and Insoluble Fiber Intakes Are Inversely Associated with Prostate Cancer Risk. Journal of Nutrition, 2014, 144, 504-510.	1.3	52
104	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. British Journal of Nutrition, 2015, 114, 1702-1710.	1.2	52
105	Cancer-Specific and General Nutritional Scores and Cancer Risk: Results from the Prospective NutriNet-Santé Cohort. Cancer Research, 2018, 78, 4427-4435.	0.4	52
106	Socioeconomic, Lifestyle and Dietary Factors Associated with Dietary Supplement Use during Pregnancy. PLoS ONE, 2013, 8, e70733.	1.1	49
107	Is food portion size a risk factor of childhood overweight?. European Journal of Clinical Nutrition, 2009, 63, 382-391.	1.3	48
108	Greenhouse gas emissions, energy demand and land use associated with omnivorous, pesco-vegetarian, vegetarian, and vegan diets accounting for farming practices. Sustainable Production and Consumption, 2020, 22, 138-146.	5.7	48

#	Article	IF	Citations
109	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. Nutrition Journal, 2015, 14, 100.	1.5	47
110	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. International Journal of Cardiology, 2017, 234, 22-27.	0.8	47
111	NMR metabolomic signatures reveal predictive plasma metabolites associated with long-term risk of developing breast cancer. International Journal of Epidemiology, 2018, 47, 484-494.	0.9	47
112	Association Between Adult Acne and Dietary Behaviors. JAMA Dermatology, 2020, 156, 854.	2.0	45
113	Dietary patterns associated with vitamin/mineral supplement use and smoking among women of the E3N–EPIC cohort. European Journal of Clinical Nutrition, 2009, 63, 39-47.	1.3	44
114	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. Journal of Nutrition, 2016, 146, 785-791.	1.3	44
115	Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-SantA© study. European Journal of Nutrition, 2018, 57, 2477-2488.	1.8	44
116	Prospective Association between Total and Specific Dietary Polyphenol Intakes and Cardiovascular Disease Risk in the Nutrinet-Santé French Cohort. Nutrients, 2018, 10, 1587.	1.7	44
117	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. Breast Cancer Research and Treatment, 2013, 137, 225-236.	1.1	43
118	Performance of a five category front-of-pack labelling system $\hat{a} \in \text{``the 5-colour nutrition label } \hat{a} \in \text{``todifferentiate nutritional quality of breakfast cereals in France. BMC Public Health, 2015, 15, 179.}$	1.2	43
119	Dietary patterns of French adults: associations with demographic, socioâ€economic and behavioural factors. Journal of Human Nutrition and Dietetics, 2016, 29, 241-254.	1.3	43
120	Long-term associations between inflammatory dietary scores in relation to long-term C-reactive protein status measured 12 years later: findings from the SupplÃ@mentation en Vitamines et MinÃ@raux Antioxydants (SU.VI.MAX) cohort. British Journal of Nutrition, 2017, 117, 306-314.	1.2	42
121	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Santé Cohort Study. Public Health Nutrition, 2017, 20, 638-648.	1.1	42
122	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Santé Study. Journal of Medical Internet Research, 2013, 15, e205.	2.1	42
123	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. Lancet Planetary Health, The, 2021, 5, e786-e796.	5.1	42
124	Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. British Journal of Nutrition, 2013, 110, 747-754.	1.2	41
125	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. American Journal of Clinical Nutrition, 2016, 103, 878-885.	2.2	40
126	Validation of the FSA nutrient profiling system dietary index in French adultsâ€"findings from SUVIMAX study. European Journal of Nutrition, 2016, 55, 1901-1910.	1.8	39

#	Article	IF	Citations
127	Plasma Carotenoids and Retinol and Overall and Breast Cancer Risk: A Nested Case-Control Study. Nutrition and Cancer, 2014, 66, 980-988.	0.9	38
128	Dietary Patterns, Ultra-processed Food, and the Risk of Inflammatory Bowel Diseases in the NutriNet-Santé Cohort. Inflammatory Bowel Diseases, 2021, 27, 65-73.	0.9	38
129	Consumption of Ultra-Processed Food and Its Association with Sociodemographic Characteristics and Diet Quality in a Representative Sample of French Adults. Nutrients, 2021, 13, 682.	1.7	38
130	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S122-S149.	1.3	37
131	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. Journal of the National Cancer Institute, 2016, 108, djw153.	3.0	37
132	Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Sant \tilde{A} © cohort. Scientific Reports, 2021, 11, 19680.	1.6	37
133	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Santé cohort study. British Journal of Nutrition, 2016, 116, 700-709.	1.2	36
134	Sustainability analysis of French dietary guidelines using multiple criteria. Nature Sustainability, 2020, 3, 377-385.	11.5	36
135	Vitamin and Mineral Inadequacy in the French Population: Estimation and Application for the Optimization of Food Fortification. International Journal for Vitamin and Nutrition Research, 2006, 76, 343-351.	0.6	35
136	Are Eating Occasions and Their Energy Content Related to Child Overweight and Socioeconomic Status?. Obesity, 2008, 16, 2518-2523.	1.5	35
137	Determinants of serum zinc concentrations in a population of French middle-age subjects (SU.VI.MAX) Tj ETQq1	1 0. 78431	14 ggBT /Ove
138	B Vitamin and/or ï‰-3 Fatty Acid Supplementation and Cancer. Archives of Internal Medicine, 2012, 172, 540.	4.3	34
139	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk – Modulation by Antioxidants: A Nested Case-Control Study. PLoS ONE, 2014, 9, e90442.	1.1	34
140	Associations between fruit, vegetable and legume intakes and prostate cancer risk: results from the prospective SupplÃ@mentation en Vitamines et MinÃ@raux Antioxydants (SU.VI.MAX) cohort. British Journal of Nutrition, 2016, 115, 1579-1585.	1.2	34
141	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 1122-1129.	1.5	34
142	Effectiveness of Different Front-of-Pack Nutrition Labels among Italian Consumers: Results from an Online Randomized Controlled Trial. Nutrients, 2020, 12, 2307.	1.7	34
143	The Nutri-Score nutrition label. International Journal for Vitamin and Nutrition Research, 2022, 92, 147-157.	0.6	34
144	Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-Santé Cohort Study. Journal of Medical Internet Research, 2014, 16, e189.	2.1	34

#	Article	IF	Citations
145	Incidence and risk factors of COVID-19-like symptoms in the French general population during the lockdown period: a multi-cohort study. BMC Infectious Diseases, 2021, 21, 169.	1.3	33
146	Dietary and cancer–related behaviors of vitamin/mineral dietary supplement users in a large cohort of French women. European Journal of Nutrition, 2006, 45, 205-214.	1.8	32
147	Relationships between adipokines, biomarkers of endothelial function and inflammation and risk of type 2 diabetes. Diabetes Research and Clinical Practice, 2014, 105, 231-238.	1.1	32
148	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. BMJ Open, 2017, 7, e013718.	0.8	31
149	Saturated, mono- and polyunsaturated fatty acid intake and cancer risk: results from the French prospective cohort NutriNet-Santé. European Journal of Nutrition, 2019, 58, 1515-1527.	1.8	31
150	What Do People Know and Believe about Vitamin D?. Nutrients, 2016, 8, 718.	1.7	30
151	A prospective study of plasma 25-hydroxyvitamin D concentration and prostate cancer risk. British Journal of Nutrition, 2016, 115, 305-314.	1.2	30
152	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. Nutrients, 2018, 10, 1268.	1.7	30
153	Plasma Metabolomic Signatures Associated with Long-term Breast Cancer Risk in the SU.VI.MAX Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1300-1307.	1.1	30
154	Ultra-processed foods and cancer risk: from global food systems to individual exposures and mechanisms. British Journal of Cancer, 2022, 127, 14-20.	2.9	30
155	Dietary iron intake and breast cancer risk: modulation by an antioxidant supplementation. Oncotarget, 2016, 7, 79008-79016.	0.8	29
156	Seeking health- and nutrition-related information on the Internet in a large population of French adults: results of the NutriNet-Santé study. British Journal of Nutrition, 2016, 115, 2039-2046.	1.2	29
157	Quick and Easy Screening for Vitamin D Insufficiency in Adults. Medicine (United States), 2016, 95, e2783.	0.4	29
158	Association between a pro plantâ€based dietary score and cancer risk in the prospective <scp>N</scp> utri <scp>N</scp> etâ€santé cohort. International Journal of Cancer, 2018, 143, 2168-2176.	2.3	29
159	Environmental and nutritional analysis of the EAT-Lancet diet at the individual level: insights from the NutriNet-Santé study. Journal of Cleaner Production, 2021, 296, 126555.	4.6	29
160	Cross-Sectional but Not Longitudinal Association Between n-3 Fatty Acid Intake and Depressive Symptoms: Results From the SU.VI.MAX 2 Study. American Journal of Epidemiology, 2012, 175, 979-987.	1.6	28
161	Intakes of PUFAs Were Inversely Associated with Plasma C-Reactive Protein 12 Years Later in a Middle-Aged Population with Vitamin E Intake as an Effect Modifier. Journal of Nutrition, 2013, 143, 1760-1766.	1.3	28
162	Prospective Association between Dietary Fiber Intake and Breast Cancer Risk. PLoS ONE, 2013, 8, e79718.	1.1	28

#	Article	IF	Citations
163	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. International Journal of Cancer, 2014, 134, 445-459.	2.3	28
164	Do alcoholic beverages, obesity and other nutritional factors modify the risk of familial colorectal cancer? A systematic review. Critical Reviews in Oncology/Hematology, 2017, 119, 94-112.	2.0	28
165	Association between Neu5Gc carbohydrate and serum antibodies against it provides the molecular link to cancer: French NutriNet-Santé study. BMC Medicine, 2020, 18, 262.	2.3	28
166	Do not neglect SARS-CoV-2 hospitalization and fatality risks in the middle-aged adult population. Infectious Diseases Now, 2021, 51, 380-382.	0.7	28
167	Prospective association between red and processed meat intakes and breast cancer risk: modulation by an antioxidant supplementation in the SU.VI.MAX randomized controlled trial. International Journal of Epidemiology, 2014, 43, 1583-1592.	0.9	27
168	Dietary supplement use among cancer survivors of the NutriNet-Sant \tilde{A} \otimes cohort study. British Journal of Nutrition, 2015, 113, 1319-1329.	1.2	27
169	Modifications in dietary and alcohol intakes between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Santé cohort. International Journal of Cancer, 2017, 141, 457-470.	2.3	27
170	Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 1106-1119.	0.9	27
171	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Santà @ cohort. BMC Medicine, 2021, 19, 290.	2.3	26
172	Higher adherence to French dietary guidelines and chronic diseases in the prospective SU.VI.MAX cohort. European Journal of Clinical Nutrition, 2011, 65, 887-894.	1.3	25
173	Prospective association between alcohol intake and hormone-dependent cancer risk: modulation by dietary fiber intake. American Journal of Clinical Nutrition, 2015, 102, 182-189.	2.2	25
174	Overall and abdominal adiposity in midlife and subsequent cognitive function. Journal of Nutrition, Health and Aging, 2015, 19, 183-189.	1.5	25
175	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. Cancer Research, 2019, 79, 274-285.	0.4	25
176	Weight of Evidence for Hazard Identification: A Critical Review of the Literature. Environmental Health Perspectives, 2018, 126, 076001.	2.8	23
177	Changes in Sedentary Behaviours and Associations with Physical Activity through Retirement: A 6-Year Longitudinal Study. PLoS ONE, 2014, 9, e106850.	1.1	23
178	Association between dietary fibre intake and asthma (symptoms and control): results from the French national e-cohort NutriNet-Santé. British Journal of Nutrition, 2019, 122, 1040-1051.	1.2	22
179	Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk: results from the French NutriNet-Sant© cohort. British Journal of Nutrition, 2021, 125, 902-914.	1.2	22
180	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 38.	2.0	22

#	Article	IF	CITATIONS
181	New cancer cases in France in 2015 attributable to different levels of alcohol consumption. Addiction, 2018, 113, 247-256.	1.7	21
182	Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. American Heart Journal, 2019, 217, 1-12.	1.2	21
183	Prospective association between organic food consumption and the risk of type 2 diabetes: findings from the NutriNet-Santé cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 136.	2.0	21
184	Pre-diagnostic levels of adiponectin and soluble vascular cell adhesion molecule-1 are associated with colorectal cancer risk. World Journal of Gastroenterology, 2012, 18, 2805.	1.4	21
185	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. European Journal of Clinical Nutrition, 2009, 63, S263-S274.	1.3	20
186	Total and specific dietary polyphenol intakes and 6-year anthropometric changes in a middle-aged general population cohort. International Journal of Obesity, 2018, 42, 310-317.	1.6	20
187	International evidence for the effectiveness of the front-of-package nutrition label called Nutri-Score. Central European Journal of Public Health, 2021, 29, 76-79.	0.4	20
188	Are foods †healthy†or †healthierâ€. Front-of-pack labelling and the concept of healthiness applied to foods. British Journal of Nutrition, 2022, 127, 948-952.	1.2	20
189	Weight Status and Alcohol Intake Modify the Association between Vitamin D and Breast Cancer Risk. Journal of Nutrition, 2016, 146, 576-585.	1.3	19
190	B-Vitamin Intake from Diet and Supplements and Breast Cancer Risk in Middle-Aged Women: Results from the Prospective NutriNet-SantA© Cohort. Nutrients, 2017, 9, 488.	1.7	19
191	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. Journal of Nutrition, 2019, 149, 1198-1207.	1.3	19
192	Association between sustainable dietary patterns and body weight, overweight, and obesity risk in the NutriNet-Santé prospective cohort. American Journal of Clinical Nutrition, 2020, 112, 138-149.	2.2	19
193	Ultra-processed foods and human health: What do we already know and what will further research tell us?. EClinicalMedicine, 2021, 32, 100747.	3.2	19
194	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. PLoS ONE, 2016, 11, e0157545.	1.1	18
195	Antioxidant intake from diet and supplements and risk of digestive cancers in middle-aged adults: results from the prospective NutriNet-Santé cohort. British Journal of Nutrition, 2017, 118, 541-549.	1.2	18
196	Compliance with Nutritional and Lifestyle Recommendations in 13,000 Patients with a Cardiometabolic Disease from the Nutrinet-Sant $\tilde{\mathbb{A}}$ Study. Nutrients, 2017, 9, 546.	1.7	18
197	Diet-Related Metabolomic Signature of Long-Term Breast Cancer Risk Using Penalized Regression: An Exploratory Study in the SU.VI.MAX Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 396-405.	1.1	18
198	Prospective association between dietary pesticide exposure profiles and postmenopausal breast-cancer risk in the NutriNet-SantA© cohort. International Journal of Epidemiology, 2021, 50, 1184-1198.	0.9	18

#	Article	IF	CITATIONS
199	Leisure-time physical activity and sedentary behavior clusters and their associations with overweight in middle-aged French adults. International Journal of Obesity, 2010, 34, 1293-1301.	1.6	17
200	Variations in Compliance with Recommendations and Types of Meat/Seafood/Eggs according to Sociodemographic and Socioeconomic Categories. Annals of Nutrition and Metabolism, 2010, 56, 65-73.	1.0	17
201	The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. Journal of Nutrition, 2018, 148, 437-444.	1.3	17
202	Bulgarian consumers' objective understanding of front-of-package nutrition labels: a comparative, randomized study. Archives of Public Health, 2020, 78, 35.	1.0	17
203	Accounting for the multidimensional nature of the relationship between adult obesity and socio-economic status: the French second National Individual Survey on Food Consumption (INCA 2) dietary survey (2006–07). British Journal of Nutrition, 2011, 106, 1602-1608.	1.2	16
204	Alcohol Consumption in Midlife and Cognitive Performance Assessed 13 Years Later in the SU.VI.MAX 2 Cohort. PLoS ONE, 2012, 7, e52311.	1.1	16
205	Prospective association between dietary folate intake and skin cancer risk: results from the Supplũmentation en Vitamines et Minéraux Antioxydants cohort. American Journal of Clinical Nutrition, 2015, 102, 471-478.	2.2	16
206	Exposure to contaminants and nutritional intakes in a French vegetarian population. Food and Chemical Toxicology, 2017, 109, 218-229.	1.8	16
207	Key Findings of the French BioNutriNet Project on Organic Food–Based Diets: Description, Determinants, and Relationships to Health and the Environment. Advances in Nutrition, 2022, 13, 208-224.	2.9	16
208	Circulating insulin-like growth factors and risks of overall, aggressive and early-onset prostate cancer: a collaborative analysis of 20 prospective studies and Mendelian randomization analysis. International Journal of Epidemiology, 2023, 52, 71-86.	0.9	16
209	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. BMJ Open, 2021, 11, e041196.	0.8	15
210	Estimated dietary exposure to pesticide residues based on organic and conventional data in omnivores, pesco-vegetarians, vegetarians and vegans. Food and Chemical Toxicology, 2021, 153, 112179.	1.8	15
211	Seroprevalence of SARS-CoV-2 Among Adults in Three Regions of France Following the Lockdown and Associated Risk Factors: A Multicohort Study. SSRN Electronic Journal, 0, , .	0.4	15
212	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. Nutrients, 2021, 13, 4530.	1.7	15
213	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGFâ€i, IGFâ€i, IGFBPâ€1, IGFBPâ€2 and IGFBPâ€3 in a pooled analysis of 16,024 men from 22 studies. International Journal of Cancer, 2019, 145, 3244-3256.	2.3	14
214	Identifying dietary patterns using a normal mixture model: application to the EPIC study. Journal of Epidemiology and Community Health, 2012, 66, 89-94.	2.0	13
215	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. British Journal of Nutrition, 2015, 113, 1628-1637.	1.2	13
216	Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. British Journal of Nutrition, 2019, 122, 63-70.	1.2	13

#	Article	IF	Citations
217	Estimated dietary pesticide exposure from plant-based foods using NMF-derived profiles in a large sample of French adults. European Journal of Nutrition, 2021, 60, 1475-1488.	1.8	13
218	Efficacy and Safety of Regular Vitamin and Mineral Supplement Use in France: Results from the ECCA Study. International Journal for Vitamin and Nutrition Research, 2005, 75, 201-209.	0.6	13
219	Lessons Learned From Methodological Validation Research in E-Epidemiology. JMIR Public Health and Surveillance, 2016, 2, e160.	1.2	13
220	Midlife Dietary Vitamin D Intake and Subsequent Performance in Different Cognitive Domains. Annals of Nutrition and Metabolism, 2014, 65, 81-89.	1.0	12
221	Prospective associations between vitamin D status, vitamin D–related gene polymorphisms, and risk of tobacco-related cancers. American Journal of Clinical Nutrition, 2015, 102, 1207-1215.	2.2	12
222	Macronutrient Intake in Relation to Migraine and Non-Migraine Headaches. Nutrients, 2018, 10, 1309.	1.7	12
223	Processed and ultra-processed foods: coming to a health problem?. International Journal of Food Sciences and Nutrition, 2020, 71, 653-655.	1.3	12
224	Halving food-related greenhouse gas emissions can be achieved by redistributing meat consumption: Progressive optimization results of the NutriNet-Santé cohort. Science of the Total Environment, 2021, 789, 147901.	3.9	12
225	Development and evaluation of a new dietary index assessing nutrient security by aggregating probabilistic estimates of the risk of nutrient deficiency in two French adult populations. British Journal of Nutrition, 2021, 126, 1225-1236.	1.2	12
226	How Computer Literacy and Socioeconomic Status Affect Attitudes Toward a Web-Based Cohort: Results From the NutriNet-Santé Study. Journal of Medical Internet Research, 2015, 17, e34.	2.1	12
227	Persistent symptoms after the first wave of COVID-19 in relation to SARS-CoV-2 serology and experience of acute symptoms: A nested survey in a population-based cohort. Lancet Regional Health - Europe, The, 2022, 17, 100363.	3.0	12
228	Comparison of different maximum safe levels in fortified foods and supplements using a probabilistic risk assessment approach. British Journal of Nutrition, 2010, 104, 1848-1857.	1.2	11
229	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2017, 56, 2289-2298.	1.8	11
230	Fasting and weightâ€loss restrictive diet practices among 2,700 cancer survivors: results from the NutriNetâ€Sant© cohort. International Journal of Cancer, 2018, 143, 2687-2697.	2.3	11
231	Prospective associations between sustainable dietary pattern assessed with the Sustainable Diet Index (SDI) and risk of cancer and cardiovascular diseases in the French NutriNet-Santé cohort. European Journal of Epidemiology, 2020, 35, 471-481.	2.5	11
232	Is FOP Nutrition Label Nutri-Score Well Understood by Consumers When Comparing the Nutritional Quality of Added Fats, and Does It Negatively Impact the Image of Olive Oil?. Foods, 2021, 10, 2209.	1.9	11
233	Sociodemographic and economic factors are associated with weight gain between before and after cancer diagnosis: results from the prospective population-based NutriNet-Santé cohort. Oncotarget, 2017, 8, 54640-54653.	0.8	11
234	New cancer cases attributable to diet among adults aged 30–84 years in France in 2015. British Journal of Nutrition, 2018, 120, 1171-1180.	1.2	10

#	Article	IF	Citations
235	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. PLoS Medicine, 2019, 16, e1003007.	3.9	10
236	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. European Journal of Nutrition, 2019, 58, 2679-2692.	1.8	10
237	Association between processed meat intake and asthma symptoms in the French NutriNet-Sant \tilde{A} © cohort. European Journal of Nutrition, 2020, 59, 1553-1562.	1.8	10
238	Untargeted plasma metabolomic profiles associated with overall diet in women from the SU.VI.MAX cohort. European Journal of Nutrition, 2020, 59, 3425-3439.	1.8	10
239	Conservative to disruptive diets for optimizing nutrition, environmental impacts and cost in French adults from the NutriNet-Santé cohort. Nature Food, 2021, 2, 174-182.	6.2	10
240	Plasma Metabolomics for Discovery of Early Metabolic Markers of Prostate Cancer Based on Ultra-High-Performance Liquid Chromatography-High Resolution Mass Spectrometry. Cancers, 2021, 13, 3140.	1.7	10
241	Age, COVID-19-like symptoms and SARS-CoV-2 seropositivity profiles after the first wave of the pandemic in France. Infection, 2022, 50, 257-262.	2.3	10
242	Polish Consumers' Understanding of Different Front-of-Package Food Labels: A Randomized Experiment. Foods, 2022, 11, 134.	1.9	10
243	Exposome Profiles and Asthma among French Adults. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 1208-1219.	2.5	10
244	Variations in compliance with starchy food recommendations and consumption of types of starchy foods according to sociodemographic and socioeconomic characteristics. British Journal of Nutrition, 2010, 103, 1485-1492.	1.2	9
245	Sociodemographic and economic characteristics associated with dairy intake vary across genders. Journal of Human Nutrition and Dietetics, 2011, 24, 74-85.	1.3	9
246	Dietary Zinc Intake and Inflammatory Bowel Disease in the French NutriNet-Santé Cohort. American Journal of Gastroenterology, 2020, 115, 1293-1297.	0.2	9
247	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. Nutrition Journal, 2020, 19, 6.	1.5	9
248	A Comparison of Sugar Intake between Individuals with High and Low Trait Anxiety: Results from the NutriNet-Santé Study. Nutrients, 2021, 13, 1526.	1.7	9
249	Are recent dietary changes observed in the NutriNet-Sant $\tilde{\mathbb{A}}$ ® participants healthier and more sustainable?. European Journal of Nutrition, 2022, 61, 141-155.	1.8	9
250	Prospective association between dietary pesticide exposure profiles and type 2 diabetes risk in the NutriNet-Sant \tilde{A} cohort. Environmental Health, 2022, 21, .	1.7	9
251	The Basis for Setting the Upper Range of Adequate Intake for Regulation of Macronutrient Intakes, Especially Amino Acids. Journal of Nutrition, 2004, 134, 1625S-1629S.	1.3	8
252	Déterminants et corrélats de la consommation d'aliments issus de l'agriculture biologique. Résulta du projet BioNutriNet. Cahiers De Nutrition Et De Dietetique, 2018, 53, 43-52.	ats 0.2	8

#	Article	IF	Citations
253	Alcoholic beverage consumption, smoking habits, and periodontitis: A crossâ€sectional investigation of the NutriNetâ€Santé study. Journal of Periodontology, 2021, 92, 727-737.	1.7	8
254	NMR metabolomic profiles associated with long-term risk of prostate cancer. Metabolomics, 2021, 17, 32.	1.4	8
255	Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Santé cohort. British Journal of Nutrition, 2021, , 1-11.	1.2	8
256	Heterogeneous SARS-CoV-2 humoral response after COVID-19 vaccination and/or infection in the general population. Scientific Reports, 2022, 12, .	1.6	8
257	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. American Journal of Clinical Nutrition, 2012, 95, 944-950.	2.2	7
258	Cluster analysis of polyphenol intake in a French middle-aged population (aged 35–64 years). Journal of Nutritional Science, 2016, 5, e28.	0.7	7
259	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. PLoS Medicine, 2021, 18, e1003834.	3.9	7
260	Antioxidant Status and the Risk of Elevated C-Reactive Protein 12 Years Later. Annals of Nutrition and Metabolism, 2014, 65, 289-298.	1.0	6
261	Dispositional optimism is associated with weight status, eating behavior, and eating disorders in a general populationâ€based study. International Journal of Eating Disorders, 2020, 53, 1696-1708.	2.1	6
262	Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-Sant \tilde{A} . British Journal of Nutrition, 2022, 127, 752-762.	1.2	6
263	Self-reported periodontal health and incident hypertension: longitudinal evidence from the NutriNet-Santé e-cohort. Journal of Hypertension, 2021, 39, 2422-2430.	0.3	6
264	Trends in breastfeeding practices and mothers' experience in the French NutriNet-Santé cohort. International Breastfeeding Journal, 2021, 16, 50.	0.9	6
265	Caffeine Intake and Its Sex-Specific Association with General Anxiety: A Cross-Sectional Analysis among General Population Adults. Nutrients, 2022, 14, 1242.	1.7	6
266	Do individual sustainable food purchase motives translate into an individual shift towards a more sustainable diet? A longitudinal analysis in the NutriNet-Santé cohort. Cleaner and Responsible Consumption, 2022, 5, 100062.	1.6	6
267	Health impact of foods: Time to switch to a 3D-vision. Frontiers in Nutrition, 0, 9, .	1.6	6
268	Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. Nutrition, 2021, 84, 111107.	1.1	5
269	Organic food consumption and gluten-free diet, is there a link? Results in French adults without coeliac disease. British Journal of Nutrition, 2021, 125, 1067-1078.	1.2	5
270	Dietary macronutrient intake according to sex and trait anxiety level among non-diabetic adults: a cross-sectional study. Nutrition Journal, 2021, 20, 78.	1.5	5

#	Article	IF	CITATIONS
271	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Santé cohort. International Journal of Epidemiology, 2022, 51, 250-264.	0.9	5
272	Application aux produits disponibles sur le march $\tilde{\mathbb{A}}$ © fran $\tilde{\mathbb{A}}$ Sais du profil nutritionnel associ $\tilde{\mathbb{A}}$ © au syst $\tilde{\mathbb{A}}$ "me 5 $\tilde{\mathbb{A}}$ couleurs (5-C) $\hat{\mathbb{A}}$: coh $\tilde{\mathbb{A}}$ ©rence avec les rep $\tilde{\mathbb{A}}$ "res de consommation du PNNS. Cahiers De Nutrition Et De Dietetique, 2015, 50, 189-201.	0.2	4
273	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Intérieur population of healthy adults. British Journal of Nutrition, 2020, 126, 1-11.	1.2	4
274	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-SantÃ $ \odot $ cohort. European Journal of Nutrition, 2021, 60, 1887-1896.	1.8	4
275	Public health potential of guidelines-based dietary scores for non-communicable diseases mortality prevention: simulation study using the Preventable Risk Integrated ModEl (PRIME) model. Public Health Nutrition, 2021, 24, 5539-5549.	1.1	4
276	Resilience Is Associated with Less Eating Disorder Symptoms in the NutriNet-Santé Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 1471.	1.2	4
277	Fermentable Oligo-, Di-, and Mono-Saccharides and Polyols (FODMAPs) Consumption and Irritable Bowel Syndrome in the French NutriNet-Santé Cohort. Nutrients, 2021, 13, 4513.	1.7	4
278	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. European Journal of Nutrition, 2021, 60, 3669-3678.	1.8	3
279	FODMAP Consumption by Adults from the French Population-Based NutriNet-Santé Cohort. Journal of Nutrition, 2021, 151, 3180-3186.	1.3	3
280	Association between Self-Reported Gluten Avoidance and Irritable Bowel Syndrome: Findings of the NutriNet-Sant \tilde{A} Study. Nutrients, 2021, 13, 4147.	1.7	3
281	Nutri-Score in tug-of-war between public health and economic interests in the European Union. Nature Food, 2022, 3, 181-181.	6.2	3
282	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. Journal of Behavioral Addictions, 2022, 11, 588-599.	1.9	3
283	Association between dietary polyphenols intake and an oxidative stress biomarker: interest of multiple imputation for handling missing covariates and outcomes. BMC Nutrition, 2016, 2, .	0.6	2
284	Authors' reply to Benton and Young. BMJ: British Medical Journal, 2019, 366, l5665.	2.4	2
285	Absence of association between inflammatory dietary pattern and low trauma fractures: Results of the French cohort NutriNet-Santé. Joint Bone Spine, 2020, 87, 632-639.	0.8	2
286	Modelling the number of avoidable new cancer cases in France attributable to alcohol consumption by following official recommendations: a simulation study. Addiction, 2021, 116, 2316-2325.	1.7	2
287	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-Santé Cohort. Journal of Nutrition, 2022, 152, 1059-1069.	1.3	2
288	Dairy product consumption and risk of cancer: A short report from the <scp>NutriNetâ€Santé</scp> prospective cohort study. International Journal of Cancer, 2022, 150, 1978-1986.	2.3	2

#	Article	IF	CITATIONS
289	Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-01-P1-09-01.	0.4	2
290	A high-throughput real-time PCR tissue-of-origin test to distinguish blood from lymphoblastoid cell line DNA for (epi)genomic studies. Scientific Reports, 2022, 12, 4684.	1.6	2
291	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Nutrients 2022, 14, 771. Nutrients, 2022, 14, 2165.	1.7	2
292	Associations between Resilience and Food Intake Are Mediated by Emotional Eating in the NutriNet-Santé Study. Journal of Nutrition, 2022, 152, 1907-1915.	1.3	2
293	A population-based study of macronutrient intake according to mental health status with a focus on pure and comorbid anxiety and eating disorders. European Journal of Nutrition, 2022, 61, 3685-3696.	1.8	2
294	Evaluation of a risk score based on dietary and lifestyle factors to target a population at risk in colorectal cancer screening. Digestive and Liver Disease, 2021, 53, 900-907.	0.4	1
295	Body weight, body composition and the risk of SARSâ€CoVâ€2 infection in a large populationâ€based sample. Journal of Internal Medicine, 2021, 290, 1268-1271.	2.7	1
296	Abstract P4-13-01: Prospective association between breast cancer risk and an individual dietary index based on the British Food Standards Agency nutrient profiling system. Cancer Research, 2017, 77, P4-13-01-P4-13-01.	0.4	1
297	Nutriâ€'Score vs NutrInform Battery frontâ€'ofâ€'pack labelling systems: weight of scientific evidence matters. Eating and Weight Disorders, 2021, , 1.	1.2	1
298	Association between positive psychological traits and changes in dietary behaviour related to first COVID-19 lockdown: A general population-based study. Appetite, 2022, 171, 105885.	1.8	1
299	Mastery Is Associated With Weight Status, Food Intake, Snacking, and Eating Disorder Symptoms in the NutriNet-Santé Cohort Study. Frontiers in Nutrition, 2022, 9, .	1.6	1
300	Exposure to Pesticide Residues and Contaminants of the Vegetarian Population—French data. , 2017, , 837-851.		0
301	Evidence for the Full Potential of Daily Food Choices to Minimize Premature Mortalityâ€"Reply. JAMA Internal Medicine, 2019, 179, 1149.	2.6	0
302	Adherence to the new French dietary guidelines and risk of overweight and obesity. Proceedings of the Nutrition Society, 2020, 79, .	0.4	0
303	Le comportement alimentaire, ses déterminants et son lien avec la santé bucco-dentaireÂ: résultats épidémiologiques chez les seniors inscrits à la cohorte NutriNet-Santé. Cahiers De Nutrition Et De Dietetique, 2021, 56, 111-116.	0.2	0
304	Aliments ultra-transformés, maladies chroniques, et mortalitéÂ: résultats de la cohorte prospective NutriNet-Santé. Cahiers De Nutrition Et De Dietetique, 2021, , .	0.2	0
305	Abstract P6-06-14: Weight gain and educational level are strongly associated with breast cancer prognosis. Findings from the prospective SU.VI.MAX study. , 2013, , .		0
306	Abstract P1-09-25: Determinants of weight gain after breast cancer diagnosis: Results from the prospective SU.VI.MAX cohort., 2015,,.		0

#	Article	IF	CITATIONS
307	Abstract P5-13-01: Sociodemographic and economic factors are essential determinants of weight gain between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Santé cohort. , 2017, , .		0
308	Ultra-processed food consumption and NCD-related dietary nutrient profile in a national sample of French children and adolescents. Zeitschrift Fur Gesundheitswissenschaften, $0, 1$.	0.8	0
309	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-Santé cohort. Cancer Research, 2022, 82, P1-09-02-P1-09-02.	0.4	0
310	Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INôS trial. Public Health Nutrition, 2023, 26, 96-105.	1.1	0
311	État des lieux des inégalités de santé liées Ãâ€T'alimentationâ€̃: analyse quantitative. Vie Sociale 37-48.	e, 2021, n. 0.1	° ₀ 36,
312	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study., 2019, 16, e1003007.		0
313	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
314	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study., 2019, 16, e1003007.		0
315	Title is missing!. , 2020, 17, e1003256.		0
316	Title is missing!. , 2020, 17, e1003256.		0
317	Title is missing!. , 2020, 17, e1003256.		0
318	Title is missing!. , 2020, 17, e1003256.		0
319	Title is missing!. , 2020, 17, e1003256.		0
320	Title is missing!. , 2020, 17, e1003256.		0