

Young-Myeong Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6380077/young-myeong-kim-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

3,365
citations

29
h-index

53
g-index

133
ext. papers

3,951
ext. citations

5.8
avg, IF

4.99
L-index

#	Paper	IF	Citations
128	REDD1 is a determinant of low-dose metronomic doxorubicin-elicited endothelial cell dysfunction through downregulation of VEGFR-2/3 expression. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 1612-1622	12.8	1
127	Regulation of Endothelial and Vascular Functions by Carbon Monoxide Crosstalk With Nitric Oxide. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 649630	5.4	7
126	Neuroprotective Effects of Salicin in a Gerbil Model of Transient Forebrain Ischemia by Attenuating Oxidative Stress and Activating PI3K/Akt/GSK3 β Pathway. <i>Antioxidants</i> , 2021 , 10,	7.1	3
125	Arginase II protein regulates Parkin-dependent p32 degradation that contributes to Ca ²⁺ -dependent eNOS activation in endothelial cells. <i>Cardiovascular Research</i> , 2021 ,	9.9	1
124	Primaquine Diphosphate, a Known Antimalarial Drug, Blocks Vascular Leakage Acting Through Junction Stabilization. <i>Frontiers in Pharmacology</i> , 2021 , 12, 695009	5.6	1
123	Macrophage inhibitory cytokine-1 promotes angiogenesis by eliciting the GFRAL-mediated endothelial cell signaling. <i>Journal of Cellular Physiology</i> , 2021 , 236, 4008-4023	7	3
122	Korean Red ginseng prevents endothelial senescence by downregulating the HO-1/NF- κ B/miRNA-155-5p/eNOS pathway. <i>Journal of Ginseng Research</i> , 2021 , 45, 344-353	5.8	3
121	Experimental pretreatment with YES-10, a plant extract rich in scutellarin and chlorogenic acid, protects hippocampal neurons from ischemia/reperfusion injury via antioxidant role. <i>Experimental and Therapeutic Medicine</i> , 2021 , 21, 183	2.1	1
120	Human plasminogen-derived N-acetyl-Arg-Leu-Tyr-Glu antagonizes VEGFR-2 to prevent blood-retinal barrier breakdown in diabetic mice. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 134, 111110	7.5	2
119	Transient forebrain ischemia under hyperthermic condition accelerates memory impairment and neuronal death in the gerbil hippocampus by increasing NMDAR1 expression. <i>Molecular Medicine Reports</i> , 2021 , 23,	2.9	1
118	Increased Calbindin D28k Expression via Long-Term Alternate-Day Fasting Does Not Protect against Ischemia-Reperfusion Injury: A Focus on Delayed Neuronal Death, Gliosis and Immunoglobulin G Leakage. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
117	Korean Red Ginseng Improves Astrocytic Mitochondrial Function by Upregulating HO-1-Mediated AMPK/PGC-1 β /ERR α Circuit after Traumatic Brain Injury. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
116	CU06-1004 (endothelial dysfunction blocker) ameliorates astrocyte end-feet swelling by stabilizing endothelial cell junctions in cerebral ischemia/reperfusion injury. <i>Journal of Molecular Medicine</i> , 2020 , 98, 875-886	5.5	3
115	CLEC14A deficiency exacerbates neuronal loss by increasing blood-brain barrier permeability and inflammation. <i>Journal of Neuroinflammation</i> , 2020 , 17, 48	10.1	10
114	p32-Dependent p38 MAPK Activation by Arginase II Downregulation Contributes to Endothelial Nitric Oxide Synthase Activation in HUVECs. <i>Cells</i> , 2020 , 9,	7.9	6
113	Post-treatment with oxcarbazepine confers potent neuroprotection against transient global cerebral ischemic injury by activating Nrf2 defense pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 124, 109850	7.5	6
112	Overexpressed p32 localized in the endoplasmic reticulum and mitochondria negatively regulates calcium-dependent endothelial nitric oxide synthase activit. <i>Molecular Medicine Reports</i> , 2020 , 22, 2395-2403	2.0	1

111	Co-administration of erythropoietin and iron complex improves late-phase liver regeneration. <i>BMB Reports</i> , 2020 , 53, 148-153	5.5	2
110	Experimental Pretreatment with Chlorogenic Acid Prevents Transient Ischemia-Induced Cognitive Decline and Neuronal Damage in the Hippocampus through Anti-Oxidative and Anti-Inflammatory Effects. <i>Molecules</i> , 2020 , 25,	4.8	18
109	Circulating miRNAs Associated with Dysregulated Vascular and Trophoblast Function as Target-Based Diagnostic Biomarkers for Preeclampsia. <i>Cells</i> , 2020 , 9,	7.9	11
108	Pycnogenol Supplementation Attenuates Memory Deficits and Protects Hippocampal CA1 Pyramidal Neurons via Antioxidative Role in a Gerbil Model of Transient Forebrain Ischemia. <i>Nutrients</i> , 2020 , 12,	6.7	3
107	Down-regulation of cyclin-dependent kinase 5 attenuates p53-dependent apoptosis of hippocampal CA1 pyramidal neurons following transient cerebral ischemia. <i>Scientific Reports</i> , 2019 , 9, 13032	4.9	7
106	A 2-Min Transient Ischemia Confers Cerebral Ischemic Tolerance in Non-Obese Gerbils, but Results in Neuronal Death in Obese Gerbils by Increasing Abnormal mTOR Activation-Mediated Oxidative Stress and Neuroinflammation. <i>Cells</i> , 2019 , 8,	7.9	5
105	Risperidone Treatment after Transient Ischemia Induces Hypothermia and Provides Neuroprotection in the Gerbil Hippocampus by Decreasing Oxidative Stress. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	5
104	Antioxidant Properties of Fucoïdan Alleviate Acceleration and Exacerbation of Hippocampal Neuronal Death Following Transient Global Cerebral Ischemia in High-Fat Diet-Induced Obese Gerbils. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	24
103	The metastasis suppressor CD82/KAI1 represses the TGF- β and Wnt signalings inducing epithelial-to-mesenchymal transition linked to invasiveness of prostate cancer cells. <i>Prostate</i> , 2019 , 79, 1400-1411	4.2	14
102	SALM4 regulates angiogenic functions in endothelial cells through VEGFR2 phosphorylation at Tyr1175. <i>FASEB Journal</i> , 2019 , 33, 9842-9857	0.9	3
101	NF- κ B-responsive miR-155 induces functional impairment of vascular smooth muscle cells by downregulating soluble guanylyl cyclase. <i>Experimental and Molecular Medicine</i> , 2019 , 51, 1-12	12.8	21
100	Melatonin alleviates asphyxial cardiac arrest-induced cerebellar Purkinje cell death by attenuation of oxidative stress. <i>Experimental Neurology</i> , 2019 , 320, 112983	5.7	10
99	Arg-Leu-Tyr-Glu Suppresses Retinal Endothelial Permeability and Choroidal Neovascularization by Inhibiting the VEGF Receptor 2 Signaling Pathway. <i>Biomolecules and Therapeutics</i> , 2019 , 27, 474-483	4.2	4
98	Fate of Astrocytes in The Gerbil Hippocampus After Transient Global Cerebral Ischemia. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
97	N-Terminal Modification of the Tetrapeptide Arg-Leu-Tyr-Glu, a Vascular Endothelial Growth Factor Receptor-2 (VEGFR-2) Antagonist, Improves Antitumor Activity by Increasing its Stability against Serum Peptidases. <i>Molecular Pharmacology</i> , 2019 , 96, 692-701	4.3	5
96	Pretreated fucoidan confers neuroprotection against transient global cerebral ischemic injury in the gerbil hippocampal CA1 area via reducing of glial cell activation and oxidative stress. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 109, 1718-1727	7.5	37
95	Tumor endothelial cells as a potential target of metronomic chemotherapy. <i>Archives of Pharmacal Research</i> , 2019 , 42, 1-13	6.1	21
94	Differential regional infarction, neuronal loss and gliosis in the gerbil cerebral hemisphere following 30 min of unilateral common carotid artery occlusion. <i>Metabolic Brain Disease</i> , 2019 , 34, 223-233	3.9	7

93	Melatonin attenuates scopolamine-induced cognitive impairment via protecting against demyelination through BDNF-TrkB signaling in the mouse dentate gyrus. <i>Chemico-Biological Interactions</i> , 2018 , 285, 8-13	5	17
92	Brain ischemic preconditioning protects against moderate, not severe, transient global cerebral ischemic injury. <i>Metabolic Brain Disease</i> , 2018 , 33, 1193-1201	3.9	2
91	Long-term treadmill exercise improves memory impairment through restoration of decreased synaptic adhesion molecule 1/2/3 induced by transient cerebral ischemia in the aged gerbil hippocampus. <i>Experimental Gerontology</i> , 2018 , 103, 124-131	4.5	6
90	Arginase II inhibition prevents interleukin-8 production through regulation of p38 MAPK phosphorylation activated by loss of mitochondrial membrane potential in nLDL-stimulated hAoSMCs. <i>Experimental and Molecular Medicine</i> , 2018 , 50, e438	12.8	11
89	Neuronal loss and gliosis in the rat striatum subjected to 15 and 30 minutes of middle cerebral artery occlusion. <i>Metabolic Brain Disease</i> , 2018 , 33, 775-784	3.9	10
88	Inhibition of VEGF-dependent angiogenesis and tumor angiogenesis by an optimized antibody targeting CLEC14a. <i>Molecular Oncology</i> , 2018 , 12, 356-372	7.9	21
87	Rufinamide, an antiepileptic drug, improves cognition and increases neurogenesis in the aged gerbil hippocampal dentate gyrus via increasing expressions of IGF-1, IGF-1R and p-CREB. <i>Chemico-Biological Interactions</i> , 2018 , 286, 71-77	5	8
86	Melatonin Improves Cognitive Deficits via Restoration of Cholinergic Dysfunction in a Mouse Model of Scopolamine-Induced Amnesia. <i>ACS Chemical Neuroscience</i> , 2018 , 9, 2016-2024	5.7	16
85	REDD-1 aggravates endotoxin-induced inflammation via atypical NF- κ B activation. <i>FASEB Journal</i> , 2018 , 32, 4585-4599	0.9	13
84	Arginase Inhibition Suppresses Native Low-Density Lipoprotein-Stimulated Vascular Smooth Muscle Cell Proliferation by NADPH Oxidase Inactivation. <i>Yonsei Medical Journal</i> , 2018 , 59, 366-375	3	4
83	TNF- α elicits phenotypic and functional alterations of vascular smooth muscle cells by miR-155-5p-dependent down-regulation of cGMP-dependent kinase 1. <i>Journal of Biological Chemistry</i> , 2018 , 293, 14812-14822	5.4	22
82	Tumor necrosis factor receptor 2 is required for ischemic preconditioning-mediated neuroprotection in the hippocampus following a subsequent longer transient cerebral ischemia. <i>Neurochemistry International</i> , 2018 , 118, 292-303	4.4	3
81	Effects of chronic scopolamine treatment on cognitive impairment and neurofilament expression in the mouse hippocampus. <i>Molecular Medicine Reports</i> , 2018 , 17, 1625-1632	2.9	14
80	Activated human B cells stimulate COX-2 expression in follicular dendritic cell-like cells via TNF- α . <i>Molecular Immunology</i> , 2018 , 94, 1-6	4.3	7
79	Chronic high-fat diet-induced obesity in gerbils increases pro-inflammatory cytokines and mTOR activation, and elicits neuronal death in the striatum following brief transient ischemia. <i>Neurochemistry International</i> , 2018 , 121, 75-85	4.4	15
78	NF- κ B-responsive miRNA-31-5p elicits endothelial dysfunction associated with preeclampsia via down-regulation of endothelial nitric-oxide synthase. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18989-19000	5.4	43
77	Melatonin improves vascular cognitive impairment induced by ischemic stroke by remyelination via activation of ERK1/2 signaling and restoration of glutamatergic synapses in the gerbil hippocampus. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 108, 687-697	7.5	22
76	Novel Hypoxia-Inducible Factor 1 (HIF-1) Inhibitors for Angiogenesis-Related Ocular Diseases: Discovery of a Novel Scaffold via Ring-Truncation Strategy. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 9266-9286	8.3	19

75	Tetraspanin CD82 represses Sp1-mediated Snail expression and the resultant E-cadherin expression interrupts nuclear signaling of β -catenin by increasing its membrane localization. <i>Cellular Signalling</i> , 2018 , 52, 83-94	4.9	9
74	Heme oxygenase metabolites improve astrocytic mitochondrial function via a Ca ²⁺ -dependent HIF-1 β /ERR α circuit. <i>PLoS ONE</i> , 2018 , 13, e0202039	3.7	17
73	Early IV-injected human dermis-derived mesenchymal stem cells after transient global cerebral ischemia do not pass through damaged blood-brain barrier. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, 1646-1657	4.4	11
72	Neuroprotection of ischemic preconditioning is mediated by thioredoxin 2 in the hippocampal CA1 region following a subsequent transient cerebral ischemia. <i>Brain Pathology</i> , 2017 , 27, 276-291	6	36
71	Neuroprotection and reduced gliosis by pre- and post-treatments of hydroquinone in a gerbil model of transient cerebral ischemia. <i>Chemico-Biological Interactions</i> , 2017 , 278, 230-238	5	15
70	Aspirin prevents TNF- α -induced endothelial cell dysfunction by regulating the NF- κ B-dependent miR-155/eNOS pathway: Role of a miR-155/eNOS axis in preeclampsia. <i>Free Radical Biology and Medicine</i> , 2017 , 104, 185-198	7.8	76
69	CD74-immunoreactive activated M1 microglia are shown late in the gerbil hippocampal CA1 region following transient cerebral ischemia. <i>Molecular Medicine Reports</i> , 2017 , 15, 4148-4154	2.9	16
68	A miRNA-101-3p/Bim axis as a determinant of serum deprivation-induced endothelial cell apoptosis. <i>Cell Death and Disease</i> , 2017 , 8, e2808	9.8	26
67	Pre-treatment with Chrysanthemum indicum Linn extract protects pyramidal neurons from transient cerebral ischemia via increasing antioxidants in the gerbil hippocampal CA1 region. <i>Molecular Medicine Reports</i> , 2017 , 16, 133-142	2.9	11
66	Immunoreactivities of calbindin-D28k, calretinin and parvalbumin in the somatosensory cortex of rodents during normal aging. <i>Molecular Medicine Reports</i> , 2017 , 16, 7191-7198	2.9	12
65	The metastasis suppressor CD82/KAI1 inhibits fibronectin adhesion-induced epithelial-to-mesenchymal transition in prostate cancer cells by repressing the associated integrin signaling. <i>Oncotarget</i> , 2017 , 8, 1641-1654	3.3	27
64	Integrative analysis of DNA methylation and mRNA expression during differentiation of umbilical cord blood derived mononuclear cells to endothelial cells. <i>Gene</i> , 2017 , 635, 48-60	3.8	8
63	The caspase-8/Bid/cytochrome c axis links signals from death receptors to mitochondrial reactive oxygen species production. <i>Free Radical Biology and Medicine</i> , 2017 , 112, 567-577	7.8	31
62	Sac-1004, a vascular leakage blocker, reduces cerebral ischemia-reperfusion injury by suppressing blood-brain barrier disruption and inflammation. <i>Journal of Neuroinflammation</i> , 2017 , 14, 122	10.1	49
61	Roles of HIF-1 β /VEGF, and NF- κ B in Ischemic Preconditioning-Mediated Neuroprotection of Hippocampal CA1 Pyramidal Neurons Against a Subsequent Transient Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2017 , 54, 6984-6998	6.2	17
60	Promoter CpG-Site Methylation of the KAI1 Metastasis Suppressor Gene Contributes to Its Epigenetic Repression in Prostate Cancer. <i>Prostate</i> , 2017 , 77, 350-360	4.2	7
59	Carbon Monoxide Potentiation of L-Type Ca Channel Activity Increases HIF-1 β -Independent VEGF Expression via an AMPK β /SIRT1-Mediated PGC-1 β /ERR α Axis. <i>Antioxidants and Redox Signaling</i> , 2017 , 27, 21-36	8.4	31
58	Arg-Leu-Tyr-Glu tetrapeptide inhibits tumor progression by suppressing angiogenesis and vascular permeability via VEGF receptor-2 antagonism. <i>Oncotarget</i> , 2017 , 8, 11763-11777	3.3	8

57	Atomoxetine Protects Against NMDA Receptor-mediated Hippocampal Neuronal Death Following Transient Global Cerebral Ischemia. <i>Current Neurovascular Research</i> , 2017 , 14, 158-168	1.8	16
56	Heme oxygenase-1 (HO-1)/carbon monoxide (CO) axis suppresses RANKL-induced osteoclastic differentiation by inhibiting redox-sensitive NF- κ B activation. <i>BMB Reports</i> , 2017 , 50, 103-108	5.5	20
55	Hydroquinone Strongly Alleviates Focal Ischemic Brain Injury via Blockage of Blood-Brain Barrier Disruption in Rats. <i>Toxicological Sciences</i> , 2016 , 154, 430-441	4.4	15
54	Opposing roles of TGF- β 1 in prostaglandin production by human follicular dendritic cell-like cells. <i>Molecular Immunology</i> , 2016 , 76, 41-8	4.3	3
53	Increases of Catalase and Glutathione Peroxidase Expressions by Lacosamide Pretreatment Contributes to Neuroprotection Against Experimentally Induced Transient Cerebral Ischemia. <i>Neurochemical Research</i> , 2016 , 41, 2380-90	4.6	12
52	Deguelin Analogue SH-1242 Inhibits Hsp90 Activity and Exerts Potent Anticancer Efficacy with Limited Neurotoxicity. <i>Cancer Research</i> , 2016 , 76, 686-99	10.1	32
51	Long-term observation of neuronal degeneration and microgliosis in the gerbil dentate gyrus after transient cerebral ischemia. <i>Journal of the Neurological Sciences</i> , 2016 , 363, 21-6	3.2	20
50	Time interval after ischaemic preconditioning affects neuroprotection and gliosis in the gerbil hippocampal CA1 region induced by transient cerebral ischaemia. <i>Neurological Research</i> , 2016 , 38, 210-9 ²⁻⁷		5
49	New GABAergic Neurogenesis in the Hippocampal CA1 Region of a Gerbil Model of Long-Term Survival after Transient Cerebral Ischemic Injury. <i>Brain Pathology</i> , 2016 , 26, 581-92	6	35
48	Vanillin and 4-hydroxybenzyl alcohol promotes cell proliferation and neuroblast differentiation in the dentate gyrus of mice via the increase of brain-derived neurotrophic factor and tropomyosin-related kinase B. <i>Molecular Medicine Reports</i> , 2016 , 13, 2949-56	2.9	10
47	Long-Term Exercise Improves Memory Deficits via Restoration of Myelin and Microvessel Damage, and Enhancement of Neurogenesis in the Aged Gerbil Hippocampus After Ischemic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 894-905	4.7	43
46	Pretreated duloxetine protects hippocampal CA1 pyramidal neurons from ischemia-reperfusion injury through decreases of glial activation and oxidative stress. <i>Journal of the Neurological Sciences</i> , 2016 , 370, 229-236	3.2	24
45	Dual effects of carbon monoxide on pericytes and neurogenesis in traumatic brain injury. <i>Nature Medicine</i> , 2016 , 22, 1335-1341	50.5	90
44	Carbon monoxide stimulates astrocytic mitochondrial biogenesis via L-type Ca channel-mediated PGC-1 α /ERR α activation. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 479, 297-304	3.4	29
43	Synthesis and biological evaluation of C-ring truncated deguelin derivatives as heat shock protein 90 (HSP90) inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 6082-6093	3.4	17
42	Specific activation of insulin-like growth factor-1 receptor by ginsenoside Rg5 promotes angiogenesis and vasorelaxation. <i>Journal of Biological Chemistry</i> , 2015 , 290, 467-77	5.4	34
41	The tetrapeptide Arg-Leu-Tyr-Glu inhibits VEGF-induced angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 463, 532-7	3.4	7
40	Interferon- β stimulates human follicular dendritic cell-like cells to produce prostaglandins via the JAK-STAT pathway. <i>Molecular Immunology</i> , 2015 , 66, 189-96	4.3	12

39	Ischemic preconditioning inhibits expression of Na(+)/H(+) exchanger 1 (NHE1) in the gerbil hippocampal CA1 region after transient forebrain ischemia. <i>Journal of the Neurological Sciences</i> , 2015 , 351, 146-153	3.2	10
38	p-Hydroxybenzyl alcohol-containing biodegradable nanoparticle improves functional blood flow through angiogenesis in a mouse model of hindlimb ischemia. <i>Biomaterials</i> , 2015 , 53, 679-87	15.6	31
37	Yes-associated protein regulates endothelial cell contact-mediated expression of angiopoietin-2. <i>Nature Communications</i> , 2015 , 6, 6943	17.4	140
36	Ring-truncated deguelin derivatives as potent Hypoxia Inducible Factor-1(HIF-1)inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2015 , 104, 157-64	6.8	20
35	Neuroprotection of Ischemic Preconditioning is Mediated by Anti-inflammatory, Not Pro-inflammatory, Cytokines in the Gerbil Hippocampus Induced by a Subsequent Lethal Transient Cerebral Ischemia. <i>Neurochemical Research</i> , 2015 , 40, 1984-95	4.6	15
34	BMP9 Induces Cord Blood-Derived Endothelial Progenitor Cell Differentiation and Ischemic Neovascularization via ALK1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 2020-31	9.4	26
33	Loss of NDRG2 promotes epithelial-mesenchymal transition of gallbladder carcinoma cells through MMP-19-mediated Slug expression. <i>Journal of Hepatology</i> , 2015 , 63, 1429-39	13.4	35
32	Neuroprotection and reduced gliosis by atomoxetine pretreatment in a gerbil model of transient cerebral ischemia. <i>Journal of the Neurological Sciences</i> , 2015 , 359, 373-80	3.2	20
31	Lipopolysaccharide induction of REDD1 is mediated by two distinct CREB-dependent mechanisms in macrophages. <i>FEBS Letters</i> , 2015 , 589, 2859-65	3.8	11
30	Ischemic preconditioning maintains the immunoreactivities of glucokinase and glucokinase regulatory protein in neurons of the gerbil hippocampal CA1 region following transient cerebral ischemia. <i>Molecular Medicine Reports</i> , 2015 , 12, 4939-46	2.9	2
29	Ischemic preconditioning protects neurons from damage and maintains the immunoreactivity of kynurenic acid in the gerbil hippocampal CA1 region following transient cerebral ischemia. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 1537-44	4.4	12
28	Hyperthermic preconditioning severely accelerates neuronal damage in the gerbil ischemic hippocampal dentate gyrus via decreasing SODs expressions. <i>Journal of the Neurological Sciences</i> , 2015 , 358, 266-75	3.2	6
27	Suppressor of cytokine signaling 1 is a positive regulator of TGF-β-induced prostaglandin production in human follicular dendritic cell-like cells. <i>Journal of Immunology</i> , 2015 , 194, 4287-97	5.3	8
26	Ischemic preconditioning protects hippocampal pyramidal neurons from transient ischemic injury via the attenuation of oxidative damage through upregulating heme oxygenase-1. <i>Free Radical Biology and Medicine</i> , 2015 , 79, 78-90	7.8	34
25	Functional role of NF-κB in expression of human endothelial nitric oxide synthase. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 448, 101-7	3.4	58
24	Changes and expressions of Redd1 in neurons and glial cells in the gerbil hippocampus proper following transient global cerebral ischemia. <i>Journal of the Neurological Sciences</i> , 2014 , 344, 43-50	3.2	18
23	Multiple paracrine factors secreted by mesenchymal stem cells contribute to angiogenesis. <i>Vascular Pharmacology</i> , 2014 , 63, 19-28	5.9	105
22	The tetraspanin CD81 protein increases melanoma cell motility by up-regulating metalloproteinase MT1-MMP expression through the pro-oncogenic Akt-dependent Sp1 activation signaling pathways. <i>Journal of Biological Chemistry</i> , 2014 , 289, 15691-704	5.4	46

21	Transient ischemia-induced change of CCR7 immunoreactivity in neurons and its new expression in astrocytes in the gerbil hippocampus. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 203-10	3.2	9
20	Hypoxia-inducible factor-2 β s an essential catabolic regulator of inflammatory rheumatoid arthritis. <i>PLoS Biology</i> , 2014 , 12, e1001881	9.7	50
19	Effects of ischemic preconditioning on VEGF and pFlk-1 immunoreactivities in the gerbil ischemic hippocampus after transient cerebral ischemia. <i>Journal of the Neurological Sciences</i> , 2014 , 347, 179-87	3.2	9
18	Neuroprotection of posttreatment with risperidone, an atypical antipsychotic drug, in rat and gerbil models of ischemic stroke and the maintenance of antioxidants in a gerbil model of ischemic stroke. <i>Journal of Neuroscience Research</i> , 2014 , 92, 795-807	4.4	19
17	Ischemic preconditioning-induced neuroprotection against transient cerebral ischemic damage via attenuating ubiquitin aggregation. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 74-82	3.2	25
16	Direct endothelial junction restoration results in significant tumor vascular normalization and metastasis inhibition in mice. <i>Oncotarget</i> , 2014 , 5, 2761-77	3.3	35
15	Neuronal damage and gliosis in the somatosensory cortex induced by various durations of transient cerebral ischemia in gerbils. <i>Brain Research</i> , 2013 , 1510, 78-88	3.7	23
14	Neuroprotective effect of a new synthetic aspirin-decursinol adduct in experimental animal models of ischemic stroke. <i>PLoS ONE</i> , 2013 , 8, e74886	3.7	28
13	Neuronal damage in hippocampal subregions induced by various durations of transient cerebral ischemia in gerbils using Fluoro-Jade B histofluorescence. <i>Brain Research</i> , 2012 , 1437, 50-7	3.7	33
12	Macrophage inhibitory cytokine-1 stimulates proliferation of human umbilical vein endothelial cells by up-regulating cyclins D1 and E through the PI3K/Akt-, ERK-, and JNK-dependent AP-1 and E2F activation signaling pathways. <i>Cellular Signalling</i> , 2012 , 24, 1485-95	4.9	40
11	Kurarinone promotes TRAIL-induced apoptosis by inhibiting NF- κ B-dependent cFLIP expression in HeLa cells. <i>Experimental and Molecular Medicine</i> , 2012 , 44, 653-64	12.8	27
10	Heme oxygenase in the regulation of vascular biology: from molecular mechanisms to therapeutic opportunities. <i>Antioxidants and Redox Signaling</i> , 2011 , 14, 137-67	8.4	177
9	Inhibitor of apoptosis (IAP)-like protein lacks a baculovirus IAP repeat (BIR) domain and attenuates cell death in plant and animal systems. <i>Journal of Biological Chemistry</i> , 2011 , 286, 42670-42678	5.4	13
8	Langerhans cell protein 1 (LCP1) binds to PNUTS in the nucleus: implications for this complex in transcriptional regulation. <i>Experimental and Molecular Medicine</i> , 2009 , 41, 189-200	12.8	12
7	Interleukin-33 induces angiogenesis and vascular permeability through ST2/TRAF6-mediated endothelial nitric oxide production. <i>Blood</i> , 2009 , 114, 3117-26	2.2	215
6	Cyclic Adenosine Monophosphate Inhibits Ursolic Acid-Induced Apoptosis via Activation of Protein Kinase A in Human Leukaemic HL-60 Cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 86, 53-58		
5	Nitric Oxide Protects Murine Embryonic Liver Cells (BNL CL.2) from Cytotoxicity Induced by Glucose Deprivation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 86, 140-144		
4	Protective effect of p53 in vascular smooth muscle cells against nitric oxide-induced apoptosis is mediated by up-regulation of heme oxygenase-2. <i>BMB Reports</i> , 2008 , 41, 164-9	5.5	13

3	Fractalkine stimulates angiogenesis by activating the Raf-1/MEK/ERK- and PI3K/Akt/eNOS-dependent signal pathways. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H2836-46	5.2	144
2	Nitric oxide prevents tumor necrosis factor alpha-induced rat hepatocyte apoptosis by the interruption of mitochondrial apoptotic signaling through S-nitrosylation of caspase-8. <i>Hepatology</i> , 2000 , 32, 770-8	11.2	184
1	Nitric oxide as a bifunctional regulator of apoptosis. <i>Circulation Research</i> , 1999 , 84, 253-6	15.7	366