

Do Young Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6380347/do-young-kim-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

4,032
citations

35
h-index

57
g-index

184
ext. papers

4,884
ext. citations

4.9
avg, IF

5.28
L-index

#	Paper	IF	Citations
167	A Multi-Center, Double-Blind Randomized Controlled Phase III Clinical Trial to Evaluate the Antiviral Activity and Safety of DA-2802 (Tenofovir Disoproxil Orotate) and Viread (Tenofovir Disoproxil Fumarate) in Chronic Hepatitis B Patients.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e92	4.7	0
166	Activated TAZ induces liver cancer in collaboration with EGFR/HER2 signaling pathways.. <i>BMC Cancer</i> , 2022 , 22, 423	4.8	0
165	Liver-Directed Concurrent Chemoradiotherapy versus Sorafenib in Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis. <i>Cancers</i> , 2022 , 14, 2396	6.6	0
164	Anti-Cancer Effects of YAP Inhibitor (CA3) in Combination with Sorafenib against Hepatocellular Carcinoma (HCC) in Patient-Derived Multicellular Tumor Spheroid Models (MCTS). <i>Cancers</i> , 2022 , 14, 2733	6.6	1
163	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 885-893	2.2	3
162	Direct-Acting Antivirals Improve Treatment Outcomes in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma Treated with Transarterial Chemoembolization: A Nationwide, Multi-center, Retrospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2427-2438	4	2
161	External validation of CAGE-B and SAGE-B scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 951-958	3.4	2
160	Negligible risks of hepatocellular carcinoma during biomarker-defined immune-tolerant phase for patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 295-304	6.9	3
159	Treatment efficacy by hepatic arterial infusion chemotherapy vs. sorafenib after liver-directed concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 3123-3133	4.9	1
158	Screening, confirmation, and treatment rates of hepatitis C virus infection in a tertiary academic medical center in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2479-2485	4.8	0
157	Independent Risk Factors for Hepatocellular Carcinoma Recurrence after Direct-Acting Antiviral Therapy in Patients with Chronic Hepatitis C. <i>Gut and Liver</i> , 2021 , 15, 410-419	4.8	2
156	P157 Microbiome Analysis Reveals That Ralstonia is Responsible for Decreased Renal Function in Patients with Ulcerative Colitis. <i>Journal of Crohns and Colitis</i> , 2021 , 15, S236-S238	1.5	0
155	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 467-476	5.3	0
154	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
153	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2021 ,	4.8	4
152	Evolution of liver fibrosis and steatosis markers in patients with type 2 diabetes after metformin treatment for 2 years. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107747	3.2	2
151	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2021 , 51, 406-416	5.1	2

150	Lenvatinib is independently associated with the reduced risk of progressive disease when compared with sorafenib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1317-1325	4	9
149	Metabolic activity assessment by F-fluorodeoxyglucose positron emission tomography in patients with hepatocellular carcinoma undergoing Yttrium-90 transarterial radioembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1679-1684	4	0
148	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2021 , 62, 12-20 ³		1
147	Association Between Curative Treatment after Transarterial Radioembolization and Better Survival Outcomes in Patients with Hepatocellular Carcinoma. <i>Cancer Investigation</i> , 2021 , 39, 274-283	2.1	0
146	Epidemiological and Clinical History of Viral Hepatitis in Korea. <i>Infection and Chemotherapy</i> , 2021 , 53, 159-165	3.9	3
145	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , 2021 , 15, 117-127	4.8	8
144	A novel predictive model for late recurrence after catheter ablation for atrial fibrillation using left appendage volume measured by cardiac computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2063-2070	2.5	1
143	Predictors of Complete Response in Patients with Hepatocellular Carcinoma Treated with Trans-Arterial Radioembolization. <i>Current Oncology</i> , 2021 , 28, 965-977	2.8	1
142	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , 2021 , 21, 69-75	0.7	1
141	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1362-1372 ^{3,4}		0
140	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 1168-1178	10.3	6
139	No influence of hepatic steatosis on the 3-year outcomes of patients with quiescent chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1545-1553	3.4	0
138	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , 2021 , 15, 1083-1092	8.8	5
137	Curative liver transplantation after lung resection for advanced hepatocellular carcinoma with lung metastasis and inferior vena cava tumor thrombosis: a case report. <i>Journal of Liver Cancer</i> , 2021 , 21, 181-186 ^{9,7}		
136	Effect of tenofovir alafenamide vs. tenofovir disoproxil fumarate on hepatocellular carcinoma risk in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1570-1578	3.4	2
135	Lung and lymph node metastases from hepatocellular carcinoma: Comparison of pathological aspects. <i>Liver International</i> , 2021 ,	7.9	4
134	History and future of hepatitis B virus control in South Korea. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 620-622	6.9	1
133	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	4	1

132	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	
131	Revised Korean Antiviral Guideline Reduces the Hepatitis B-related Hepatocellular Carcinoma Risk in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , 2021 , 36, e105	4.7	0
130	Entecavir and tenofovir on renal function in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 932-940	3.4	1
129	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 196-204	6.1	16
128	Efficacy and Safety of Liver-Directed Concurrent Chemoradiotherapy and Sequential Sorafenib for Advanced Hepatocellular Carcinoma: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 106-115	4	10
127	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea. <i>PLoS ONE</i> , 2020 , 15, e0232186	3.7	3
126	An optimized hepatocellular carcinoma prediction model for chronic hepatitis B with well-controlled viremia. <i>Liver International</i> , 2020 , 40, 1736-1743	7.9	15
125	Hepatocellular Carcinoma Risk Steadily Persists over Time Despite Long-Term Antiviral Therapy for Hepatitis B: A Multicenter Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 832-837	4	17
124	Appraisal of Long-Term Outcomes of Liver-Directed Concurrent Chemoradiotherapy for Hepatocellular Carcinoma with Major Portal Vein Invasion. <i>Journal of Hepatocellular Carcinoma</i> , 2020 , 7, 403-412	5.3	4
123	Influence of Besifovir Dipivoxil Maleate Combined with L-Carnitine on Hepatic Steatosis in Patients with Chronic Hepatitis B. <i>Journal of Korean Medical Science</i> , 2020 , 35, e104	4.7	2
122	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 24-32	6.9	17
121	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 33-44	6.9	11
120	Proposal of a New Risk Score for Patients Treated with Transarterial Chemoembolization due to Recurrent Hepatocellular Carcinoma after Curative Resection: A Multicenter Study. <i>Gut and Liver</i> , 2020 , 14, 477-485	4.8	1
119	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , 2020 , 14, 626-635	4.8	10
118	The Modified Response Evaluation Criteria in Solid Tumors (RECIST) Yield a More Accurate Prognoses Than the RECIST 1.1 in Hepatocellular Carcinoma Treated with Transarterial Radioembolization. <i>Gut and Liver</i> , 2020 , 14, 765-774	4.8	8
117	Prevention and management of viral hepatitis in inflammatory bowel disease: a clinical practice guideline by the Korean Association for the Study of Intestinal Diseases. <i>Intestinal Research</i> , 2020 , 18, 18-33	4.1	5
116	An observational study on long-term renal outcome in patients with chronic hepatitis B treated with tenofovir disoproxil fumarate. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 316-322	3.4	5
115	Establishment and validation of a risk prediction model in patients with hepatocellular carcinoma treated with transarterial radioembolization. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 739-747	2.2	2

114	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 58-65	2.2	5
113	Design and validation of risk prediction model for hepatocellular carcinoma development after sustained virological response in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 378-385	2.2	10
112	Effect of urea cream on sorafenib-associated hand-foot skin reaction in patients with hepatocellular carcinoma: A multicenter, randomised, double-blind controlled study. <i>European Journal of Cancer</i> , 2020 , 140, 19-27	7.5	3
111	Hepatocellular Carcinoma Risk According to Regimens for Eradication of Hepatitis C Virus; Interferon or Direct Acting Antivirals. <i>Cancers</i> , 2020 , 12,	6.6	5
110	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , 2020 , 52, 1338-1345	3.3	2
109	Liver-directed combined radiotherapy as a bridge to curative surgery in locally advanced hepatocellular carcinoma beyond the Milan criteria. <i>Radiotherapy and Oncology</i> , 2020 , 152, 1-7	5.3	7
108	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1352-1358	3.4	3
107	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , 2020 , 115, 584-595	0.7	24
106	Transarterial Chemoembolization in Treatment-Naïve and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 3660-3668	4	6
105	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. <i>BMC Cancer</i> , 2019 , 19, 363	4.8	7
104	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2019 , 39, 1624-1630	7.9	22
103	Evaluation of Early Response to Treatment of Hepatocellular Carcinoma with Yttrium-90 Radioembolization Using Quantitative Computed Tomography Analysis. <i>Korean Journal of Radiology</i> , 2019 , 20, 449-458	6.9	6
102	Dose escalation by intensity modulated radiotherapy in liver-directed concurrent chemoradiotherapy for locally advanced BCLC stage C hepatocellular carcinoma. <i>Radiotherapy and Oncology</i> , 2019 , 133, 1-8	5.3	18
101	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , 2019 , 11,	6.6	24
100	A multicenter study of entecavir vs. tenofovir on prognosis of treatment-naïve chronic hepatitis B in South Korea. <i>Journal of Hepatology</i> , 2019 , 71, 456-464	13.4	91
99	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , 2019 , 9, 2508	4.9	10
98	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Cancer Medicine</i> , 2019 , 8, 5023-5032	4.8	20
97	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1283-1290	2.4	8

96	Changes in real-life practice for hepatocellular carcinoma patients in the Republic of Korea over a 12-year period: A nationwide random sample study. <i>PLoS ONE</i> , 2019 , 14, e0223678	3.7	9
95	Failure of hepatocellular carcinoma surveillance: inadequate echogenic window and macronodular parenchyma as potential culprits. <i>Ultrasonography</i> , 2019 , 38, 311-320	4.3	7
94	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 283-293	6.9	16
93	Risk assessment of hepatocellular carcinoma development for indeterminate hepatic nodules in patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 390-399	6.9	14
92	An integrated analysis of elbasvir/grazoprevir in Korean patients with hepatitis C virus genotype 1b infection. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 400-407	6.9	3
91	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , 2019 , 13, 197-205	4.8	9
90	Retrospective analysis of stereotactic body radiation therapy efficacy over radiofrequency ablation for hepatocellular carcinoma. <i>Radiotherapy and Oncology</i> , 2019 , 131, 81-87	5.3	41
89	Postoperative Recurrence of Hepatocellular Carcinoma: The Importance of Distinguishing between Intrahepatic Metastasis and Multicentric Occurrence-Response. <i>Clinical Cancer Research</i> , 2019 , 25, 5427	12.9	1
88	Intraindividual Comparison between Gadoxetate-Enhanced Magnetic Resonance Imaging and Dynamic Computed Tomography for Characterizing Focal Hepatic Lesions: A Multicenter, Multireader Study. <i>Korean Journal of Radiology</i> , 2019 , 20, 1616-1626	6.9	16
87	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019 , 9, 15628	4.9	3
86	A Model to Predict 1-Month Risk of Transplant or Death in Hepatitis A-Related Acute Liver Failure. <i>Hepatology</i> , 2019 , 70, 621-629	11.2	15
85	Phase I/II trial of helical IMRT-based stereotactic body radiotherapy for hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2019 , 51, 445-451	3.3	19
84	Predictors of failure to detect early hepatocellular carcinoma in patients with chronic hepatitis B who received regular surveillance. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 1201-1212	6.1	11
83	Reproducibility of European Association for the Study of the Liver criteria and modified Response Evaluation Criteria in Solid Tumors in patients treated with sorafenib. <i>Liver International</i> , 2018 , 38, 1655-1663	7.9	13
82	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , 2018 , 38, 676-686	7.9	20
81	Randomized, prospective, comparative study on the effects and safety of sorafenib vs. hepatic arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma with portal vein tumor thrombosis. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 82, 469-478	3.5	54
80	Sarcopenia is associated with the risk of significant liver fibrosis in metabolically unhealthy subjects with chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 300-312	6.1	25
79	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. <i>Gut and Liver</i> , 2018 , 12, 324-330	4.8	6

78	Switching from tenofovir and nucleoside analogue therapy to tenofovir monotherapy in virologically suppressed chronic hepatitis B patients with antiviral resistance. <i>Journal of Medical Virology</i> , 2018 , 90, 497-502	19.7	5
77	Noncontrast magnetic resonance imaging versus ultrasonography for hepatocellular carcinoma surveillance (MIRACLE-HCC): study protocol for a prospective randomized trial. <i>BMC Cancer</i> , 2018 , 18, 915	4.8	21
76	Chronic Hepatitis B Infection Is Significantly Associated with Chronic Kidney Disease: a Population-based, Matched Case-control Study. <i>Journal of Korean Medical Science</i> , 2018 , 33, e264	4.7	8
75	Feasibility of intracardiac echocardiography imaging from the left superior pulmonary vein for left atrial appendage occlusion. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 1571-1579	2.5	8
74	Evolution and persistence of resistance-associated substitutions of hepatitis C virus after direct-acting antiviral treatment failures. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 1251-1259	3.4	13
73	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , 2017 , 11, 268-276	8.8	18
72	Prognostic Value of FDG Uptake of Portal Vein Tumor Thrombosis in Patients With Locally Advanced Hepatocellular Carcinoma. <i>Clinical Nuclear Medicine</i> , 2017 , 42, e35-e40	1.7	10
71	Transarterial Radioembolization Versus Concurrent Chemoradiation Therapy for Locally Advanced Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 396-406	4	12
70	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2017 , 112, 882-891	0.7	33
69	Effects of Entecavir and Tenofovir on Renal Function in Patients with Hepatitis B Virus-Related Compensated and Decompensated Cirrhosis. <i>Gut and Liver</i> , 2017 , 11, 828-834	4.8	16
68	Estimating the Cost-Effectiveness of One-Time Screening and Treatment for Hepatitis C in Korea. <i>PLoS ONE</i> , 2017 , 12, e0167770	3.7	23
67	Gamma-glutamyl transpeptidase-to-platelet ratio is an independent predictor of hepatitis B virus-related liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1221-1229	4	25
66	Tenofovir versus tenofovir plus entecavir for chronic hepatitis B with lamivudine resistance and entecavir resistance. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 141-147	3.4	22
65	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. <i>Journal of Medical Virology</i> , 2017 , 89, 85-90	19.7	5
64	Elevated serum YKL-40 levels in patients with Kawasaki disease. <i>Biomarkers</i> , 2017 , 22, 326-330	2.6	1
63	Serial trichoscopy vs. modified hair pull test for monitoring the disease activity and treatment response of localized alopecia areata. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e149-e150	4.6	5
62	Acute hepatitis A, B and C but not D is still prevalent in Mongolia: a time trend analysis. <i>Clinical and Molecular Hepatology</i> , 2017 , 23, 147-153	6.9	6
61	Current status of and strategies for hepatitis C control in South Korea. <i>Clinical and Molecular Hepatology</i> , 2017 , 23, 212-218	6.9	17

60	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 344-53 ^{3,4}	53.4	52
59	Risk prediction for patients with hepatocellular carcinoma undergoing chemoembolization: development of a prediction model. <i>Liver International</i> , 2016 , 36, 92-9	7.9	41
58	Effect of stress hyperglycemia and intensive rehabilitation therapy in non-diabetic hemorrhagic stroke: Korean Stroke Cohort for Functioning and Rehabilitation. <i>European Journal of Neurology</i> , 2016 , 23, 1658-1665	6	5
57	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , 2016 , 63, 776-86	11.2	175
56	Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. <i>Liver International</i> , 2016 , 36, 100-7	7.9	51
55	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1647-1656.e6	6.9	29
54	Chronic relapsing eosinophilic cellulitis associated, although independent in severity, with chronic lymphocytic leukemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 159-61 ^{4,6}	4.6	4
53	Clinical Benefit of Hepatic Arterial Infusion Concurrent Chemoradiotherapy in Locally Advanced Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2016 , 48, 190-7	5.2	13
52	Real-Life Experience of Sorafenib Treatment for Hepatocellular Carcinoma in Korea: From GIDEON Data. <i>Cancer Research and Treatment</i> , 2016 , 48, 1243-1252	5.2	17
51	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , 2016 , 57, 885-92	3	26
50	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1431-7	4.7	5
49	Clinical significance of serum YKL-40 in Behçet disease. <i>British Journal of Dermatology</i> , 2016 , 174, 1337-44		8
48	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 842-7	4	17
47	Transarterial chemoembolization versus transarterial radioembolization in hepatocellular carcinoma: optimization of selecting treatment modality. <i>Hepatology International</i> , 2016 , 10, 883-892	8.8	24
46	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , 2015 , 35, 455-62	7.9	17
45	Strategies to manage hepatitis C virus infection disease burden - volume 3. <i>Journal of Viral Hepatitis</i> , 2015 , 22 Suppl 4, 42-65	3.4	35
44	The present and future disease burden of hepatitis C virus infections with today's treatment paradigm - volume 3. <i>Journal of Viral Hepatitis</i> , 2015 , 22 Suppl 4, 21-41	3.4	54
43	Historical epidemiology of hepatitis C virus (HCV) in select countries - volume 3. <i>Journal of Viral Hepatitis</i> , 2015 , 22 Suppl 4, 4-20	3.4	63

42	Clonal evolution of multidrug resistant hepatitis B virus during entecavir rescue therapy. <i>Liver International</i> , 2015 , 35, 2370-83	7.9	2
41	Radioembolization With Yttrium-90 Resin Microspheres in Hepatocellular Carcinoma: A Multicenter Prospective Study. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2015 , 38, 495-501	2.7	31
40	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , 2015 , 62, 1757-66	11.2	73
39	Microstrip technique in follicular unit extraction. <i>Dermatologic Therapy</i> , 2015 , 28, 269-70	2.2	1
38	The Korean guideline for hepatocellular carcinoma surveillance. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 385	0.5	9
37	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 62, 1304-10	13.4	108
36	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015 , 61, 1851-9	11.2	100
35	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 1008-17	7.9	35
34	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1241-9	0.7	89
33	Surgical resection after down-staging of locally advanced hepatocellular carcinoma by localized concurrent chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3646-53	3.1	41
32	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , 2014 , 9, e99167 ³⁻⁷		18
31	Clinical outcomes and prognostic factors of patients with advanced hepatocellular carcinoma treated with sorafenib as first-line therapy: a Korean multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1463-9	4	23
30	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir add-on lamivudine after stopping lamivudine therapy. <i>Liver International</i> , 2014 , 34, 1543-9	7.9	10
29	Risk assessment of liver-related events using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 272-8	3	22
28	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014 , 34, 102-9	7.9	113
27	Combination treatment of localized concurrent chemoradiation therapy and transarterial chemoembolization in locally advanced hepatocellular carcinoma with intrahepatic metastasis. <i>Cancer Chemotherapy and Pharmacology</i> , 2013 , 71, 165-73	3.5	28
26	Prognostic value of α -fetoprotein and des- β -carboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. <i>BMC Cancer</i> , 2013 , 13, 5	4.8	48
25	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2013 , 33, 180-9	7.9	24

24	Survival of hepatocellular carcinoma patients may be improved in surveillance interval not more than 6 months compared with more than 6 months: a 15-year prospective study. <i>Journal of Clinical Gastroenterology</i> , 2013 , 47, 538-44	3	38
23	A comparison of inflammatory mediator expression between palmoplantar pustulosis and pompholyx. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 1559-65	4.6	7
22	A nationwide seroepidemiology of hepatitis C virus infection in South Korea. <i>Liver International</i> , 2013 , 33, 586-94	7.9	68
21	Number of target lesions for EASL and modified RECIST to predict survivals in hepatocellular carcinoma treated with chemoembolization. <i>Clinical Cancer Research</i> , 2013 , 19, 1503-11	12.9	36
20	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 29-35	6.9	12
19	Radiological response predicts survival following transarterial chemoembolisation in patients with unresectable hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 1343-50	6.1	70
18	Commentary: the impact of compact lipiodolisation following transarterial chemoembolisation for hepatocellular carcinoma [authors] reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 75-75	6.1	
17	Applicability of BCLC stage for prognostic stratification in comparison with other staging systems: single centre experience from long-term clinical outcomes of 1717 treatment-naïve patients with hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 1120-7	7.9	83
16	Clinical features and prognosis of hepatocellular carcinoma in Mongolia: a multicentre study. <i>Hepatology International</i> , 2012 , 6, 763-9	8.8	22
15	Controversies in surveillance and early diagnosis of hepatocellular carcinoma. <i>Oncology</i> , 2011 , 81 Suppl 1, 56-60	3.6	17
14	Early α -fetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Liver International</i> , 2011 , 31, 369-76	7.9	50
13	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , 2011 , 53, 885-94	11.2	285
12	18 F-fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. <i>Cancer</i> , 2011 , 117, 4779-87	6.4	45
11	Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1654-62, 1730	0.7	48
10	Current situation of hepatocellular carcinoma in Mongolia. <i>Oncology</i> , 2011 , 81 Suppl 1, 148-51	3.6	22
9	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , 2010 , 30, 546-53	7.9	167
8	Assessment of post-stroke extrapersonal neglect using a three-dimensional immersive virtual street crossing program. <i>Acta Neurologica Scandinavica</i> , 2010 , 121, 171-7	3.8	49
7	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1382-90	0.7	159

6	New automated hepatitis C virus (HCV) core antigen assay as an alternative to real-time PCR for HCV RNA quantification. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2253-6	9.7	79
5	How can we enhance the performance of liver stiffness measurement using FibroScan in diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 66-71	3	88
4	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1758-63	4	115
3	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 267-71	3	63
2	Prevalence and genotype distribution of hepatitis C virus among apparently healthy individuals in Mongolia: a population-based nationwide study. <i>Liver International</i> , 2008 , 28, 1389-95	7.9	29
1	Voltage-gated calcium channels play crucial roles in the glutamate-induced phase shifts of the rat suprachiasmatic circadian clock. <i>European Journal of Neuroscience</i> , 2005 , 21, 1215-22	3.5	58