

László Kalabay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6381272/publications.pdf>

Version: 2024-02-01

44
papers

842
citations

516710

16
h-index

526287

27
g-index

60
all docs

60
docs citations

60
times ranked

1247
citing authors

#	ARTICLE	IF	CITATIONS
1	The Missing Link: A Case of Severe Adverse Reaction to Histamine in Food and Beverages. <i>American Journal of Case Reports</i> , 2022, 23, e934212.	0.8	0
2	Serum fetuin-A level is independent of <i>Helicobacter pylori</i> postinfection status in systemic lupus erythematosus. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2022, , .	0.8	0
3	Evaluation of primary care services in Hungary: a comprehensive description of provision, professional competences, cooperation, financing, and infrastructure, based on the findings of the Hungarian-arm of the QUALICOPC study. <i>Primary Health Care Research and Development</i> , 2021, 22, e36.	1.2	0
4	To prevent being stressed-out: Allostatic overload and resilience of general practitioners in the era of COVID-19. A cross-sectional observational study. <i>European Journal of General Practice</i> , 2021, 27, 277-285.	2.0	4
5	Semmelweis Caring University Model Program Based on the Development of a Center of Preventive Services: Health for All Employees at a University Occupational Setting. <i>Frontiers in Public Health</i> , 2021, 9, 727668.	2.7	1
6	Care management of patients with high cardiovascular risk in Hungary an international and Hungarian longitudinal comparison of target level achievement. <i>BMC Family Practice</i> , 2020, 21, 83.	2.9	3
7	The Diagnosis and Therapy of <i>Helicobacter pylori</i> ; Infection in Hungary: Comparison of Strategies Applied by Family Physicians and Internists. <i>Digestive Diseases</i> , 2019, 37, 434-443.	1.9	4
8	Serum fetuin-A, tumor necrosis factor alpha and C-reactive protein concentrations in patients with hereditary angioedema with C1-inhibitor deficiency. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 67.	2.7	3
9	Licensing the first reduced, 6µg dose whole virion, aluminum adjuvanted seasonal influenza vaccine – A randomized-controlled multicenter trial. <i>Vaccine</i> , 2019, 37, 258-264.	3.8	3
10	Perceived cardiovascular risk and attitude towards lifestyle change. <i>Family Practice</i> , 2018, 35, 712-717.	1.9	6
11	Potential correlates of burnout among general practitioners and residents in Hungary: the significant role of gender, age, dependant care and experience. <i>BMC Family Practice</i> , 2018, 19, 193.	2.9	37
12	An appraisal: how notifiable infectious diseases are reported by Hungarian family physicians. <i>BMC Infectious Diseases</i> , 2018, 18, 45.	2.9	0
13	Dose sparing and the lack of a dose-response relationship with an influenza vaccine in adult and elderly patients – a randomized, double-blind clinical trial. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1912-1920.	2.4	11
14	Association of PPAR Alpha Intron 7 G/C, PPAR Gamma 2 Pro12Ala, and C161T Polymorphisms with Serum Fetuin-A Concentrations. <i>PPAR Research</i> , 2017, 2017, 1-8.	2.4	2
15	Human Fetuin-A Rs4918 Polymorphism and its Association with Obesity in Healthy Persons and in Patients with Myocardial Infarction in Two Hungarian Cohorts. <i>Medical Science Monitor</i> , 2016, 22, 2742-2750.	1.1	5
16	Association of Human Fetuin-A rs4917 Polymorphism with Obesity in 2 Cohorts. <i>Journal of Investigative Medicine</i> , 2015, 63, 548-553.	1.6	8
17	Identification of hypertensive patients with dominant affective temperaments might improve the psychopathological and cardiovascular risk stratification: a pilot, case-control study. <i>Annals of General Psychiatry</i> , 2015, 14, 33.	2.7	11
18	The association of affective temperaments with smoking initiation and maintenance in adult primary care patients. <i>Journal of Affective Disorders</i> , 2015, 172, 397-402.	4.1	14

#	ARTICLE	IF	CITATIONS
19	Affective Temperaments Contribute to Cardiac Complications in Hypertension Independently of Depression. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 187-189.	8.8	18
20	Genetic Influence on Capillary Oxygen Saturation: A Twin Study. <i>Lung</i> , 2014, 192, 429-434.	3.3	2
21	Personality and cardiovascular risk: Association between hypertension and affective temperamentsâ€”a cross-sectional observational study in primary care settings. <i>European Journal of General Practice</i> , 2014, 20, 247-252.	2.0	33
22	Case report of exercise and statin-fibrate combination therapy-caused myopathy in a patient with metabolic syndrome: contradictions between the two main therapeutic pathways. <i>BMC Research Notes</i> , 2013, 6, 52.	1.4	7
23	Primary care obesity management in Hungary: evaluation of the knowledge, practice and attitudes of family physicians. <i>BMC Family Practice</i> , 2013, 14, 156.	2.9	27
24	Affective temperament, history of suicide attempt and family history of suicide in general practice patients. <i>Journal of Affective Disorders</i> , 2013, 149, 350-354.	4.1	46
25	Serum Ghrelin Level and TNF-Î±/Ghrelin Ratio in Patients with Previous Myocardial Infarction. <i>Archives of Medical Research</i> , 2012, 43, 548-554.	3.3	10
26	Fetuin-A serum levels in patients with aortic aneurysms of Marfan syndrome and atherosclerosis. <i>European Journal of Clinical Investigation</i> , 2011, 41, 176-182.	3.4	8
27	Serum fetuin-A in metabolic and inflammatory pathways in patients with myocardial infarction. <i>European Journal of Clinical Investigation</i> , 2011, 41, 703-709.	3.4	38
28	Socio-demographic characteristics, health behaviour, co-morbidity and accidents in snorers: a population survey. <i>Sleep and Breathing</i> , 2011, 15, 809-818.	1.7	23
29	Psychometric Properties and Construct Validity of the Brief Wisconsin Inventory of Smoking Dependence Motives in an Internet-Based Sample of Treatment-Seeking Hungarian Smokers. <i>Nicotine and Tobacco Research</i> , 2011, 13, 273-281.	2.6	16
30	Preeclampsia is associated with decreased serum Î±2-HS glycoprotein (fetuin-A) concentration. <i>Hypertension Research</i> , 2009, 32, 665-669.	2.7	36
31	Family history of suicide: A clinical marker for major depression in primary care practice?. <i>Journal of Affective Disorders</i> , 2009, 117, 202-204.	4.1	10
32	Human serum fetuin A/Î±2HS-glycoprotein level is associated with long-term survival in patients with alcoholic liver cirrhosis, comparison with the Child-Pugh and MELD scores. <i>BMC Gastroenterology</i> , 2007, 7, 15.	2.0	35
33	Association of increased serum heat shock protein 70 and C-reactive protein concentrations and decreased serum Î±2-HS glycoprotein concentration with the syndrome of hemolysis, elevated liver enzymes, and low platelet count. <i>Journal of Reproductive Immunology</i> , 2007, 73, 172-179.	1.9	50
34	Diagnosis and successful management of calciphylaxis in a pancreasâ€”kidney transplant patient. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2295-2295.	0.7	1
35	Diagnosis and successful management of calciphylaxis in a pancreasâ€”kidney transplant patient. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1520-1521.	0.7	5
36	Paradoxical alteration of acute-phase protein levels in patients with chronic hepatitis C treated with IFN-Î±2b. <i>International Immunology</i> , 2004, 16, 51-54.	4.0	23

#	ARTICLE	IF	CITATIONS
37	Correlation of maternal serum fetuin/alpha2-HS-glycoprotein concentration with maternal insulin resistance and anthropometric parameters of neonates in normal pregnancy and gestational diabetes. <i>European Journal of Endocrinology</i> , 2002, 147, 243-248.	3.7	71
38	Human fetuin/alpha2-HS-glycoprotein level as a novel indicator of liver cell function and short-term mortality in patients with liver cirrhosis and liver cancer. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 389-394.	1.6	67
39	IL-6 AND LIPOPROTEIN (a) [LP(a)] CONCENTRATIONS ARE RELATED ONLY IN PATIENTS WITH HIGH APO(a) ISOFORMS IN MONOCLONAL GAMMOPATHY. <i>Cytokine</i> , 2002, 18, 340-343.	3.2	8
40	Alpha2-HS glycoprotein: a protein in search of a function. <i>Diabetes/Metabolism Research and Reviews</i> , 2002, 18, 311-314.	4.0	28
41	<i>Helicobacter pylori</i> Infection in Connective Tissue Disorders is Associated with High Levels of Antibodies to Mycobacterial hsp65 but not to Human hsp60. <i>Helicobacter</i> , 2002, 7, 250-256.	3.5	45
42	Decreased serum alpha2-HS-glycoprotein concentration in patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1997, 26, 1426-1427.	3.7	15
43	Electrophoretic and isoelectric focusing analysis of human recombinant alpha2-HS glycoprotein produced in insect cells: Analysis of the post-translational events. <i>Electrophoresis</i> , 1996, 17, 529-532.	2.4	10
44	Fibronectin on the surface of human lymphocytes. <i>Immunology Letters</i> , 1985, 9, 301-305.	2.5	4