

# Robert B West

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6381957/publications.pdf>

Version: 2024-02-01

135  
papers

20,314  
citations

26567

56  
h-index

17055

122  
g-index

143  
all docs

143  
docs citations

143  
times ranked

30495  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | International Multicenter Study of Clinical Outcomes of Sinonasal Melanoma Shows Survival Benefit for Patients Treated with Immune Checkpoint Inhibitors and Potential Improvements to the Current TNM Staging System. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2023, 84, 307-319. | 0.4  | 10        |
| 2  | Transition to invasive breast cancer is associated with progressive changes in the structure and composition of tumor stroma. <i>Cell</i> , 2022, 185, 299-310.e18.  | 13.5 | 161       |
| 3  | Clinical outcomes, Kadish-INSICA staging and therapeutic targeting of somatostatin receptor 2 in olfactory neuroblastoma. <i>European Journal of Cancer</i> , 2022, 162, 221-236.  | 1.3  | 22        |
| 4  | Abstract OT1-09-01: A randomized study comparing surgical excision versus <b>N</b> e <b>O</b> adjuvant <b>R</b> adiotherapy followed by delayed surgical excision of <b>D</b> uctal carcinoma <b>I</b> n <b>S</b> itu ( <b>NORDIS</b> ). <i>Cancer Research</i> , 2022, 82, OT1-09-01-OT1-09-01.       | 0.4  | 0         |
| 5  | Multicenter Analysis of Clinical Outcomes of Sinonasal Mucosal Melanoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2022, 83, .  | 0.4  | 0         |
| 6  | The microdissected gene expression landscape of nasopharyngeal cancer reveals vulnerabilities in FGF and noncanonical NF- $\kappa$ B signaling. <i>Science Advances</i> , 2022, 8, eabh2445.   | 4.7  | 10        |
| 7  | Mesenchymal tumor cells drive adaptive resistance of <i>Trp53<sup>+/+</sup></i> breast tumor cells to inactivated mutant <i>Kras</i> . <i>Molecular Oncology</i> , 2022, 16, 3128-3145.  | 2.1  | 1         |
| 8  | Somatostatin receptor 2 expression in nasopharyngeal cancer is induced by Epstein Barr virus infection: impact on prognosis, imaging and therapy. <i>Nature Communications</i> , 2021, 12, 117.  | 5.8  | 34        |
| 9  | Unmasking the immune microecology of ductal carcinoma in situ with deep learning. <i>Npj Breast Cancer</i> , 2021, 7, 19.  | 2.3  | 20        |
| 10 | Transcriptome and genome evolution during HER2-amplified breast neoplasia. <i>Breast Cancer Research</i> , 2021, 23, 73.   | 2.2  | 2         |
| 11 | Acinar cell clonal expansion in pancreas homeostasis and carcinogenesis. <i>Nature</i> , 2021, 597, 715-719.   | 13.7 | 29        |
| 12 | Self-Organizing Maps for Cellular In Silico Staining and Cell Substate Classification. <i>Frontiers in Immunology</i> , 2021, 12, 765923.  | 2.2  | 5         |
| 13 | Oncogene-mediated metabolic gene signature predicts breast cancer outcome. <i>Npj Breast Cancer</i> , 2021, 7, 141.  | 2.3  | 20        |
| 14 | Immune cell topography predicts response to PD-1 blockade in cutaneous T cell lymphoma. <i>Nature Communications</i> , 2021, 12, 6726.   | 5.8  | 101       |
| 15 | Gene Expression Profiling of Head and Neck Tumors Identifies FOXP1 and SOX10 Expression as Useful for Distinguishing Ameloblastoma From Basaloid Salivary Gland Tumors. <i>American Journal of Surgical Pathology</i> , 2020, 44, 665-672.   | 2.1  | 3         |
| 16 | Origins and clonal convergence of gastrointestinal IgE <sup>+</sup> B cells in human peanut allergy. <i>Science Immunology</i> , 2020, 5, .  | 5.6  | 88        |
| 17 | Integrating genomic features for non-invasive early lung cancer detection. <i>Nature</i> , 2020, 580, 245-251.   | 13.7 | 379       |
| 18 | HER2 Dual In Situ Hybridization: Correlations and Cautions. <i>Archives of Pathology and Laboratory Medicine</i> , 2020, 144, 1525-1534.   | 1.2  | 4         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Primary mammary angiosarcomas harbor frequent mutations in KDR and PIK3CA and show evidence of distinct pathogenesis. <i>Modern Pathology</i> , 2020, 33, 1518-1526.  | 2.9  | 16        |
| 20 | Clinical vs genomic risks in breast cancer in 2019: Breast pathologist's appellate review of the controversial results from TAILORx trial. <i>Breast Journal</i> , 2020, 26, 1447-1448.                         | 0.4  | 0         |
| 21 | The Human Tumor Atlas Network: Charting Tumor Transitions across Space and Time at Single-Cell Resolution. <i>Cell</i> , 2020, 181, 236-249.  | 13.5 | 334       |
| 22 | Blood transcriptome and clonal T-cell correlates of response and non-response to eltrombopag therapy in a cohort of patients with chronic immune thrombocytopenia. <i>Haematologica</i> , 2020, 105, e129-e132. | 1.7  | 11        |
| 23 | Abstract OT3-09-04: A randomized phase II study comparing surgical excision versus Neoadjuvant Radiotherapy followed by delayed surgical excision of Ductal carcinoma In Situ (NORDIS). , 2020, , .             |      | 1         |
| 24 | Abstract 6669: Cellular neighborhoods predict pembrolizumab response in cutaneous T cell lymphoma. , 2020, , .  |      | 0         |
| 25 | A multi-scale integrated analysis identifies KRT8 as a pan-cancer early biomarker. , 2020, , .  |      | 6         |
| 26 | Genomic landscape of ductal carcinoma in situ and association with progression. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 307-316.   | 1.1  | 17        |
| 27 | MYB-activated models for testing therapeutic agents in adenoid cystic carcinoma. <i>Oral Oncology</i> , 2019, 98, 147-155.  | 0.8  | 18        |
| 28 | MIBI-TOF: A multiplexed imaging platform relates cellular phenotypes and tissue structure. <i>Science Advances</i> , 2019, 5, eaax5851.   | 4.7  | 252       |
| 29 | Gene expression profiling of single cells from archival tissue with laser-capture microdissection and Smart-3SEQ. <i>Genome Research</i> , 2019, 29, 1816-1825.   | 2.4  | 102       |
| 30 | Cell cycle progression in confining microenvironments is regulated by a growth-responsive TRPV4-PI3K/Akt-p27 <sup>Kip1</sup> signaling axis. <i>Science Advances</i> , 2019, 5, eaaw6171.                       | 4.7  | 107       |
| 31 | Race and risk of subsequent aggressive breast cancer following ductal carcinoma in situ. <i>Cancer</i> , 2019, 125, 3225-3233.  | 2.0  | 18        |
| 32 | YAP-independent mechanotransduction drives breast cancer progression. <i>Nature Communications</i> , 2019, 10, 1848.  | 5.8  | 127       |
| 33 | Increased Galectin-1 Expression in Thymic Epithelial Tumors. <i>Clinical Lung Cancer</i> , 2019, 20, e356-e361.   | 1.1  | 1         |
| 34 | Clonal replacement and heterogeneity in breast tumors treated with neoadjuvant HER2-targeted therapy. <i>Nature Communications</i> , 2019, 10, 657.   | 5.8  | 43        |
| 35 | Most canine ameloblastomas harbor HRAS mutations, providing a novel large-animal model of RAS-driven cancer. <i>Oncogenesis</i> , 2019, 8, 11.  | 2.1  | 19        |
| 36 | The HTN3-MSANTD3 Fusion Gene Defines a Subset of Acinic Cell Carcinoma of the Salivary Gland. <i>American Journal of Surgical Pathology</i> , 2019, 43, 489-496.  | 2.1  | 52        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Spatial integration of radiology and pathology images to characterize breast cancer aggressiveness on pre-surgical MRI. , 2019, , .   |      | 1         |
| 38 | Framework for the co-registration of MRI and histology images in prostate cancer patients with radical prostatectomy. , 2019, , .   |      | 4         |
| 39 | Genomic analysis of benign prostatic hyperplasia implicates cellular relandscape in disease pathogenesis. JCI Insight, 2019, 4, .   | 2.3  | 26        |
| 40 | Higher Absolute Lymphocyte Counts Predict Lower Mortality from Early-Stage Triple-Negative Breast Cancer. Clinical Cancer Research, 2018, 24, 2851-2858.                                    | 3.2  | 65        |
| 41 | Matrix mechanical plasticity regulates cancer cell migration through confining microenvironments. Nature Communications, 2018, 9, 4144.   | 5.8  | 263       |
| 42 | A Structured Tumor-Immune Microenvironment in Triple Negative Breast Cancer Revealed by Multiplexed Ion Beam Imaging. Cell, 2018, 174, 1373-1387.e19.                                       | 13.5 | 729       |
| 43 | <i>GFPT2</i> -Expressing Cancer-Associated Fibroblasts Mediate Metabolic Reprogramming in Human Lung Adenocarcinoma. Cancer Research, 2018, 78, 3445-3457.                                  | 0.4  | 75        |
| 44 | Abstract 185: p300 and STAT3 drive YAP-independent mechanotransduction during breast cancer invasion. , 2018, , .   |      | 0         |
| 45 | Abstract 4749: VISTA immune checkpoint deregulation in human triple-negative breast cancer. , 2018, , .   |      | 0         |
| 46 | Abstract 3411: Biological subtypes of nasopharyngeal carcinoma by genomic profiling. , 2018, , .  |      | 0         |
| 47 | (S012) Circulating Tumor DNA Detects Residual Disease and Anticipates Tumor Progression Earlier Than CT Imaging. International Journal of Radiation Oncology Biology Physics, 2017, 98, E4. | 0.4  | 0         |
| 48 | Early Detection of Molecular Residual Disease in Localized Lung Cancer by Circulating Tumor DNA Profiling. Cancer Discovery, 2017, 7, 1394-1403.  | 7.7  | 701       |
| 49 | Genome-wide reconstruction of complex structural variants using read clouds. Nature Methods, 2017, 14, 915-920.   | 9.0  | 96        |
| 50 | “Non-classical” HER2 FISH results in breast cancer: a multi-institutional study. Modern Pathology, 2017, 30, 227-235.   | 2.9  | 79        |
| 51 | Role of <i>KEAP1</i> and <i>NRF2</i> and <i>TP53</i> Mutations in Lung Squamous Cell Carcinoma Development and Radiation Resistance. Cancer Discovery, 2017, 7, 86-101.                     | 7.7  | 239       |
| 52 | Local estrogen axis in the human bone microenvironment regulates estrogen receptor-positive breast cancer cells. Breast Cancer Research, 2017, 19, 121.                                     | 2.2  | 20        |
| 53 | Recurrent rearrangements of the Myb/SANT-like DNA-binding domain containing 3 gene ( <i>MSANTD3</i> ) in salivary gland acinic cell carcinoma. PLoS ONE, 2017, 12, e0171265.                | 1.1  | 39        |
| 54 | Loss of Expression of AZGP1 Is Associated With Worse Clinical Outcomes in a Multi-Institutional Radical Prostatectomy Cohort. Prostate, 2016, 76, 1409-1419.                                | 1.2  | 19        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | BRAF inhibitor therapy of primary ameloblastoma. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2016, 122, 518-519.   | 0.2  | 9         |
| 56 | BRAF inhibitor treatment of primary BRAF -mutant ameloblastoma with pathologic assessment of response. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2016, 122, e5-e7.                             | 0.2  | 64        |
| 57 | Integrated digital error suppression for improved detection of circulating tumor DNA. Nature Biotechnology, 2016, 34, 547-555.   | 9.4  | 837       |
| 58 | Ameloblastoma: a clinical review and trends in management. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1649-1661.   | 0.8  | 156       |
| 59 | Chromosomal copy number alterations for associations of ductal carcinoma in situ with invasive breast cancer. Breast Cancer Research, 2015, 17, 108.   | 2.2  | 19        |
| 60 | Fast and scalable inference of multi-sample cancer lineages. Genome Biology, 2015, 16, 91.   | 3.8  | 180       |
| 61 | Cell-lineage heterogeneity and driver mutation recurrence in pre-invasive breast neoplasia. Genome Medicine, 2015, 7, 28.  | 3.6  | 17        |
| 62 | Automated Analysis and Classification of Histological Tissue Features by Multi-Dimensional Microscopic Molecular Profiling. PLoS ONE, 2015, 10, e0128975.  | 1.1  | 22        |
| 63 | The prognostic landscape of genes and infiltrating immune cells across human cancers. Nature Medicine, 2015, 21, 938-945.  | 15.2 | 2,505     |
| 64 | Diffuse High Intensity PDâ€“L1 Staining in Thymic Epithelial Tumors. Journal of Thoracic Oncology, 2015, 10, 500-508.  | 0.5  | 129       |
| 65 | Novel Mutations in Neuroendocrine Carcinoma of the Breast. Applied Immunohistochemistry and Molecular Morphology, 2015, 23, 97-103.  | 0.6  | 48        |
| 66 | Clinically Relevant Molecular Subtypes in Leiomyosarcoma. Clinical Cancer Research, 2015, 21, 3501-3511.   | 3.2  | 129       |
| 67 | Read clouds uncover variation in complex regions of the human genome. Genome Research, 2015, 25, 1570-1580.  | 2.4  | 70        |
| 68 | Integrating Tumor and Stromal Gene Expression Signatures With Clinical Indices for Survival Stratification of Early-Stage Nonâ€“Small Cell Lung Cancer. Journal of the National Cancer Institute, 2015, 107, djv211. | 3.0  | 64        |
| 69 | Read Clouds Uncover Variation in Complex Regions of the Human Genome. Lecture Notes in Computer Science, 2015, , 30-31.  | 1.0  | 0         |
| 70 | Abstract PR09: The prognostic landscape of genes and infiltrating immune cells across human cancers. Cancer Research, 2015, 75, PR09-PR09.   | 0.4  | 3         |
| 71 | GLI1, CTNNB1 and NOTCH1 protein expression in a thymic epithelial malignancy tissue microarray. Anticancer Research, 2015, 35, 669-76.   | 0.5  | 5         |
| 72 | Molecular pathological analysis of sarcomas using paraffinâ€“embedded tissue: current limitations and future possibilities. Histopathology, 2014, 64, 163-170.   | 1.6  | 17        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Human papillomavirus 16 detected in nasopharyngeal carcinomas in white Americans but not in endemic Southern Chinese patients. <i>Head and Neck</i> , 2014, 36, 709-714.   | 0.9  | 48        |
| 74 | NF- $\kappa$ B protein expression associates with 18F-FDG PET tumor uptake in non-small cell lung cancer: A radiogenomics validation study to understand tumor metabolism. <i>Lung Cancer</i> , 2014, 83, 189-196. | 0.9  | 51        |
| 75 | Stromal signatures in endometrioid endometrial carcinomas. <i>Modern Pathology</i> , 2014, 27, 631-639.  | 2.9  | 23        |
| 76 | Neuregulin Autocrine Signaling Promotes Self-Renewal of Breast Tumor-Initiating Cells by Triggering HER2/HER3 Activation. <i>Cancer Research</i> , 2014, 74, 341-352.  | 0.4  | 30        |
| 77 | Fingerprints of Epstein-Barr virus in nasopharyngeal carcinoma. <i>Nature Genetics</i> , 2014, 46, 809-810.  | 9.4  | 5         |
| 78 | Discovery of recurrent structural variants in nasopharyngeal carcinoma. <i>Genome Research</i> , 2014, 24, 300-309.  | 2.4  | 32        |
| 79 | A shared transcriptional program in early breast neoplasias despite genetic and clinical distinctions. <i>Genome Biology</i> , 2014, 15, R71.  | 13.9 | 30        |
| 80 | Identification of recurrent SMO and BRAF mutations in ameloblastomas. <i>Nature Genetics</i> , 2014, 46, 722-725.  | 9.4  | 273       |
| 81 | Long noncoding RNA EWSAT1-mediated gene repression facilitates Ewing sarcoma oncogenesis. <i>Journal of Clinical Investigation</i> , 2014, 124, 5275-5290.   | 3.9  | 81        |
| 82 | Abstract 3436: Ameloblastoma driver mutations revealed by next-generation sequencing of formalin-fixed paraffin-embedded specimens. , 2014, , .  |      | 0         |
| 83 | MAST2 and NOTCH1 translocations in breast carcinoma and associated pre-invasive lesions. <i>Human Pathology</i> , 2013, 44, 2837-2844.   | 1.1  | 14        |
| 84 | Inference of Tumor Phylogenies with Improved Somatic Mutation Discovery. <i>Journal of Computational Biology</i> , 2013, 20, 933-944.  | 0.8  | 45        |
| 85 | Genome evolution during progression to breast cancer. <i>Genome Research</i> , 2013, 23, 1097-1108.  | 2.4  | 98        |
| 86 | Stromal Responses among Common Carcinomas Correlated with Clinicopathologic Features. <i>Clinical Cancer Research</i> , 2013, 19, 5127-5135.   | 3.2  | 16        |
| 87 | Next generation sequencing-based expression profiling identifies signatures from benign stromal proliferations that define stromal components of breast cancer. <i>Breast Cancer Research</i> , 2013, 15, R117.    | 2.2  | 14        |
| 88 | Desktop Transcriptome Sequencing From Archival Tissue to Identify Clinically Relevant Translocations. <i>American Journal of Surgical Pathology</i> , 2013, 37, 796-803.   | 2.1  | 17        |
| 89 | Sox10 and S100 in the Diagnosis of Soft-tissue Neoplasms. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2012, 20, 445-450.  | 0.6  | 250       |
| 90 | Biphasic Papillary and Lobular Breast Carcinoma With PIK3CA and IDH1 Mutations. <i>Diagnostic Molecular Pathology</i> , 2012, 21, 221-224.   | 2.1  | 13        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Phosphatidylinositol-3-kinase pathway mutations are common in breast columnar cell lesions. <i>Modern Pathology</i> , 2012, 25, 930-937.  | 2.9  | 39        |
| 92  | 14-3-3 fusion oncogenes in high-grade endometrial stromal sarcoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 929-934.                               | 3.3  | 239       |
| 93  | Pathologic Features and Immunophenotype of Estrogen Receptor-Positive Breast Cancers in BRCA1 Mutation Carriers. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1483-1488.                         | 2.1  | 11        |
| 94  | Transcriptional profiling of long non-coding RNAs and novel transcribed regions across a diverse panel of archived human cancers. <i>Genome Biology</i> , 2012, 13, R75.                                      | 13.9 | 221       |
| 95  | ROR2 is a novel prognostic biomarker and a potential therapeutic target in leiomyosarcoma and gastrointestinal stromal tumour. <i>Journal of Pathology</i> , 2012, 227, 223-233.                              | 2.1  | 77        |
| 96  | Detection of Long Non-Coding RNA in Archival Tissue: Correlation with Polycomb Protein Expression in Primary and Metastatic Breast Carcinoma. <i>PLoS ONE</i> , 2012, 7, e47998.                              | 1.1  | 125       |
| 97  | MYB Expression and Translocation in Adenoid Cystic Carcinomas and Other Salivary Gland Tumors With Clinicopathologic Correlation. <i>American Journal of Surgical Pathology</i> , 2011, 35, 92-99.            | 2.1  | 248       |
| 98  | Immunohistochemical Distinction of Primary Adrenal Cortical Lesions From Metastatic Clear Cell Renal Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2011, 35, 678-686.                       | 2.1  | 115       |
| 99  | Increased midkine expression correlates with desmoid tumour recurrence: a potential biomarker and therapeutic target. <i>Journal of Pathology</i> , 2011, 225, 574-582.                                       | 2.1  | 20        |
| 100 | Systematic Analysis of Breast Cancer Morphology Uncovers Stromal Features Associated with Survival. <i>Science Translational Medicine</i> , 2011, 3, 108ra113.  | 5.8  | 603       |
| 101 | Endogenous Versus Tumor-Specific Host Response to Breast Carcinoma: A Study of Stromal Response in Synchronous Breast Primaries and Biopsy Site Changes. <i>Clinical Cancer Research</i> , 2011, 17, 437-446. | 3.2  | 7         |
| 102 | Expression Profiling in Soft Tissue Sarcomas With Emphasis on Synovial Sarcoma, Gastrointestinal Stromal Tumor, and Leiomyosarcoma. <i>Advances in Anatomic Pathology</i> , 2010, 17, 366-373.                | 2.4  | 22        |
| 103 | DOG1 for the Diagnosis of Gastrointestinal Stromal Tumor (GIST): Comparison Between 2 Different Antibodies. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2010, 18, 333-337.                 | 0.6  | 69        |
| 104 | Genome-wide transcriptome analyses reveal p53 inactivation mediated loss of miR-34a expression in malignant peripheral nerve sheath tumours. <i>Journal of Pathology</i> , 2010, 220, 58-70.                  | 2.1  | 106       |
| 105 | Variations in stromal signatures in breast and colorectal cancer metastases. <i>Journal of Pathology</i> , 2010, 222, 158-165.  | 2.1  | 32        |
| 106 | Long non-coding RNA HOTAIR reprograms chromatin state to promote cancer metastasis. <i>Nature</i> , 2010, 464, 1071-1076.   | 13.7 | 4,648     |
| 107 | Translating Gene Expression Into Clinical Care: Sarcomas As a Paradigm. <i>Journal of Clinical Oncology</i> , 2010, 28, 1796-1805.  | 0.8  | 42        |
| 108 | 3-End Sequencing for Expression Quantification (3SEQ) from Archival Tumor Samples. <i>PLoS ONE</i> , 2010, 5, e8768.  | 1.1  | 123       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Breast Angiosarcoma: Case Series and Expression of Vascular Endothelial Growth Factor. Case Reports in Oncology, 2009, 2, 242-250.   | 0.3 | 6         |
| 110 | Ano1 is a selective marker of interstitial cells of Cajal in the human and mouse gastrointestinal tract. American Journal of Physiology - Renal Physiology, 2009, 296, G1370-G1381.  | 1.6 | 320       |
| 111 | The Macrophage Colony-Stimulating Factor 1 Response Signature in Breast Carcinoma. Clinical Cancer Research, 2009, 15, 778-787.  | 3.2 | 177       |
| 112 | A compact VEGF signature associated with distant metastases and poor outcomes. BMC Medicine, 2009, 7, 9.   | 2.3 | 162       |
| 113 | Expression of insulin-like growth factor 2 in mesenchymal neoplasms. Modern Pathology, 2009, 22, 914-921.  | 2.9 | 76        |
| 114 | External Beam Radiation Therapy Enhances Local Control in Pigmented Villonodular Synovitis. International Journal of Radiation Oncology Biology Physics, 2009, 75, 183-187.  | 0.4 | 57        |
| 115 | Coordinate Expression of Colony-Stimulating Factor-1 and Colony-Stimulating Factor-1-Related Proteins Is Associated with Poor Prognosis in Gynecological and Nongynecological Leiomyosarcoma. American Journal of Pathology, 2009, 174, 2347-2356. | 1.9 | 83        |
| 116 | Microtubule-associated Protein-2 is a Sensitive Marker of Primary and Metastatic Neuroblastoma. American Journal of Surgical Pathology, 2009, 33, 1695-1704.   | 2.1 | 19        |
| 117 | The fibromatosis signature defines a robust stromal response in breast carcinoma. Laboratory Investigation, 2008, 88, 591-601.   | 1.7 | 100       |
| 118 | Gene expression profiling identifies p63 as a diagnostic marker for giant cell tumor of the bone. Modern Pathology, 2008, 21, 531-539.   | 2.9 | 71        |
| 119 | Diagnostic Implications of Podoplanin Expression in Peripheral Nerve Sheath Neoplasms. American Journal of Clinical Pathology, 2008, 129, 886-893.   | 0.4 | 46        |
| 120 | Immunohistochemical and Biogenetic Features of Diffuse-Type Tenosynovial Giant Cell Tumors: The Potential Roles of Cyclin A, P53, and Deletion of 15q in Sarcomatous Transformation. Clinical Cancer Research, 2008, 14, 6023-6032.                | 3.2 | 20        |
| 121 | A Novel Monoclonal Antibody Against DOG1 is a Sensitive and Specific Marker for Gastrointestinal Stromal Tumors. American Journal of Surgical Pathology, 2008, 32, 210-218.  | 2.1 | 399       |
| 122 | Translocation and Expression of CSF1 in Pigmented Villonodular Synovitis, Tenosynovial Giant Cell Tumor, Rheumatoid Arthritis and Other Reactive Synovitides. American Journal of Surgical Pathology, 2007, 31, 970-976.                           | 2.1 | 199       |
| 123 | Experimental approaches to the study of cancer-stroma interactions: recent findings suggest a pivotal role for stroma in carcinogenesis. Laboratory Investigation, 2007, 87, 967-970.  | 1.7 | 28        |
| 124 | The Stanford Tissue Microarray Database. Nucleic Acids Research, 2007, 36, D871-D877.  | 6.5 | 80        |
| 125 | A landscape effect in tenosynovial giant-cell tumor from activation of CSF1 expression by a translocation in a minority of tumor cells. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 690-695.       | 3.3 | 474       |
| 126 | Nuclear beta-catenin in mesenchymal tumors. Modern Pathology, 2005, 18, 68-74.   | 2.9 | 268       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | TMA-Combiner, a simple software tool to permit analysis of replicate cores on tissue microarrays. <i>Modern Pathology</i> , 2005, 18, 1641-1648.  | 2.9 | 37        |
| 128 | The gene expression profile of extraskeletal myxoid chondrosarcoma. <i>Journal of Pathology</i> , 2005, 206, 433-444.   | 2.1 | 65        |
| 129 | Determination of Stromal Signatures in Breast Carcinoma. <i>PLoS Biology</i> , 2005, 3, e187.   | 2.6 | 180       |
| 130 | Gastrointestinal stromal tumors (GISTs) with KIT and PDGFRA mutations have distinct gene expression profiles. <i>Oncogene</i> , 2004, 23, 7780-7790.  | 2.6 | 137       |
| 131 | CD117 expression in mesothelioma. <i>Modern Pathology</i> , 2004, 17, 1021-1021.  | 2.9 | 5         |
| 132 | The Novel Marker, DOG1, Is Expressed Ubiquitously in Gastrointestinal Stromal Tumors Irrespective of KIT or PDGFRA Mutation Status. <i>American Journal of Pathology</i> , 2004, 165, 107-113.              | 1.9 | 593       |
| 133 | Apo D in Soft Tissue Tumors. <i>American Journal of Surgical Pathology</i> , 2004, 28, 1063-1069.   | 2.1 | 81        |
| 134 | Tissue Microarray Validation of Epidermal Growth Factor Receptor and SALL2 in Synovial Sarcoma with Comparison to Tumors of Similar Histology. <i>American Journal of Pathology</i> , 2003, 163, 1449-1456. | 1.9 | 133       |
| 135 | The Usefulness of Immunohistochemistry in the Diagnosis of Follicular Lymphoma in Bone Marrow Biopsy Specimens. <i>American Journal of Clinical Pathology</i> , 2002, 117, 636-643.                         | 0.4 | 32        |