Lloyd Miller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6382594/publications.pdf Version: 2024-02-01



| # | Article | lF | CITATIONS |
|----|---|------|-----------|
| 1 | The Role of the Transcription Factor CREB in Immune Function. Journal of Immunology, 2010, 185, 6413-6419. | 0.8 | 638 |
| 2 | IL-17 is essential for host defense against cutaneous Staphylococcus aureus infection in mice. Journal of Clinical Investigation, 2010, 120, 1762-1773. | 8.2 | 554 |
| 3 | Immunity against Staphylococcus aureus cutaneous infections. Nature Reviews Immunology, 2011, 11, 505-518. | 22.7 | 339 |
| 4 | MyD88 Mediates Neutrophil Recruitment Initiated by IL-1R but Not TLR2 Activation in Immunity against Staphylococcus aureus. Immunity, 2006, 24, 79-91. | 14.3 | 331 |
| 5 | A Critical Role for Hemolysins and Bacterial Lipoproteins in <i>Staphylococcus aureus</i> -Induced Activation of the Nlrp3 Inflammasome. Journal of Immunology, 2009, 183, 3942-3948. | 0.8 | 301 |
| 6 | Inflammasome-Mediated Production of IL-1β Is Required for Neutrophil Recruitment against <i>Staphylococcus aureus</i> In Vivo. Journal of Immunology, 2007, 179, 6933-6942. | 0.8 | 294 |
| 7 | Dynamics of Neutrophil Infiltration during Cutaneous Wound Healing and Infection Using Fluorescence Imaging. Journal of Investigative Dermatology, 2008, 128, 1812-1820. | 0.7 | 211 |
| 8 | Toll-Like Receptors in Skin. Advances in Dermatology, 2008, 24, 71-87. | 2.0 | 207 |
| 9 | Neutrophil-derived IL-1Î ² Is Sufficient for Abscess Formation in Immunity against Staphylococcus aureus in Mice. PLoS Pathogens, 2012, 8, e1003047. | 4.7 | 194 |
| 10 | IL-23 and IL-17A, but Not IL-12 and IL-22, Are Required for Optimal Skin Host Defense against <i>Candida albicans</i> . Journal of Immunology, 2010, 185, 5453-5462. | 0.8 | 193 |
| 11 | A Mouse Model of Post-Arthroplasty Staphylococcus aureus Joint Infection to Evaluate In Vivo the Efficacy of Antimicrobial Implant Coatings. PLoS ONE, 2010, 5, e12580. | 2.5 | 181 |
| 12 | Staphylococcus aureus Epicutaneous Exposure Drives Skin Inflammation via IL-36-Mediated T Cell Responses. Cell Host and Microbe, 2017, 22, 653-666.e5. | 11.0 | 170 |
| 13 | Leukotriene B4-Driven Neutrophil Recruitment to the Skin Is Essential for Allergic Skin Inflammation. Immunity, 2012, 37, 747-758. | 14.3 | 169 |
| 14 | dsRNA Released by Tissue Damage Activates TLR3 to Drive Skin Regeneration. Cell Stem Cell, 2015, 17, 139-151. | 11.1 | 147 |
| 15 | TGF-α Regulates TLR Expression and Function on Epidermal Keratinocytes. Journal of Immunology, 2005, 174, 6137-6143. | 0.8 | 146 |
| 16 | Neutrophil extracellular trap-associated RNA and LL37 enable self-amplifying inflammation in psoriasis. Nature Communications, 2020, 11, 105. | 12.8 | 146 |
| 17 | Development of a vaccine against <i>Staphylococcus aureus</i> invasive infections: Evidence based on human immunity, genetics and bacterial evasion mechanisms. FEMS Microbiology Reviews, 2020, 44, 123-153. | 8.6 | 138 |
| 18 | Toll-like receptors in the skin. Seminars in Immunopathology, 2007, 29, 15-26. | 6.1 | 131 |

| # | Article | IF | CITATIONS |
|----|--|---------------------|---------------------|
| 19 | The antimicrobial and osteoinductive properties of silver nanoparticle/poly (dl-lactic-co-glycolic) Tj ETQq1 1 0.784 | 314 rgBT 11.4gBT | /Overlock I(129 |
| 20 | Broadâ€Spectrum Antimicrobial and Biofilmâ€Disrupting Hydrogels: Stereocomplexâ€Driven Supramolecular Assemblies. Angewandte Chemie - International Edition, 2013, 52, 674-678. | 13.8 | 128 |
| 21 | Mouse model of chronic postâ€arthroplasty infection: Noninvasive in vivo bioluminescence imaging to monitor bacterial burden for longâ€ŧerm study. Journal of Orthopaedic Research, 2012, 30, 335-340. | 2.3 | 125 |
| 22 | Innate and adaptive immune responses against Staphylococcus aureus skin infections. Seminars in Immunopathology, 2012, 34, 261-280. | 6.1 | 124 |
| 23 | Host–pathogen interactions between the skin and Staphylococcus aureus. Current Opinion in Microbiology, 2012, 15, 28-35. | 5.1 | 122 |
| 24 | Coordinate regulation of neutrophil homeostasis by liver X receptors in mice. Journal of Clinical Investigation, 2012, 122, 337-347. | 8.2 | 120 |
| 25 | Immunological Mechanisms Underlying the Genetic Predisposition to Severe Staphylococcus aureus Infection in the Mouse Model. American Journal of Pathology, 2008, 173, 1657-1668. | 3.8 | 115 |
| 26 | Neutrophil extracellular traps, B cells, and type I interferons contribute to immune dysregulation in hidradenitis suppurativa. Science Translational Medicine, 2019, 11, . | 12.4 | 111 |
| 27 | Human NACHT, LRR, and PYD domain–containing protein 3 (NLRP3) inflammasome activity is regulated by and potentially targetable through Bruton tyrosine kinase. Journal of Allergy and Clinical Immunology, 2017, 140, 1054-1067.e10. | 2.9 | 105 |
| 28 | Neutrophil survival and c-kit+-progenitor proliferation in Staphylococcus aureus–infected skin wounds promote resolution. Blood, 2011, 117, 3343-3352. | 1.4 | 103 |
| 29 | Clonally expanded Î ³ Î′ T cells protect against Staphylococcus aureus skin reinfection. Journal of Clinical Investigation, 2018, 128, 1026-1042. | 8.2 | 98 |
| 30 | Polymeric nanofiber coating with tunable combinatorial antibiotic delivery prevents biofilm-associated infection in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E6919-E6928. | 7.1 | 85 |
| 31 | Human Keratinocyte Toll-like Receptors Promote Distinct Immune Responses. Journal of Investigative Dermatology, 2007, 127, 262-263. | 0.7 | 81 |
| 32 | Vancomycin-Rifampin Combination Therapy Has Enhanced Efficacy against an Experimental Staphylococcus aureus Prosthetic Joint Infection. Antimicrobial Agents and Chemotherapy, 2013, 57, 5080-5086. | 3.2 | 78 |
| 33 | Bacteria induce skin regeneration via IL-1β signaling. Cell Host and Microbe, 2021, 29, 777-791.e6. | 11.0 | 78 |
| 34 | The fungal ligand chitin directly binds <scp>TLR</scp> 2 and triggers inflammation dependent on oligomer size. EMBO Reports, 2018, 19, . | 4.5 | 75 |
| 35 | Clonal Vγ6 ⁺ VÎ′4 ⁺ T cells promote IL-17–mediated immunity against <i>Staphylococcus aureus</i> skin infection. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 10917-10926. | 7.1 | 75 |
| 36 | <i>In Vivo</i> Bioluminescence Imaging To Evaluate Systemic and Topical Antibiotics against Community-Acquired Methicillin-Resistant Staphylococcus aureus-Infected Skin Wounds in Mice. Antimicrobial Agents and Chemotherapy, 2013, 57, 855-863. | 3.2 | 73 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Monitoring Bacterial Burden, Inflammation and Bone Damage Longitudinally Using Optical and μCT Imaging in an Orthopaedic Implant Infection in Mice. PLoS ONE, 2012, 7, e47397. | 2.5 | 71 |
| 38 | Mouse model of hematogenous implant-related <i>Staphylococcus aureus</i> biofilm infection reveals therapeutic targets. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E5094-E5102. | 7.1 | 70 |
| 39 | Protective role of ILâ€1β against postâ€arthroplasty <i>Staphylococcus aureus</i> infection. Journal of Orthopaedic Research, 2011, 29, 1621-1626. | 2.3 | 65 |
| 40 | Noncoding dsRNA induces retinoic acid synthesis to stimulate hair follicle regeneration via TLR3. Nature Communications, 2019, 10, 2811. | 12.8 | 64 |
| 41 | Noninvasive In Vivo Imaging to Evaluate Immune Responses and Antimicrobial Therapy against Staphylococcus aureus and USA300 MRSA Skin Infections. Journal of Investigative Dermatology, 2011, 131, 907-915. | 0.7 | 63 |
| 42 | Protective immunity in recurrent <i>Staphylococcus aureus</i> infection reflects localized immune signatures and macrophage-conferred memory. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E11111-E11119. | 7.1 | 63 |
| 43 | Fibroblast growth factor 2 dimer with superagonist inÂvitro activity improves granulation tissue formation during wound healing. Biomaterials, 2016, 81, 157-168. | 11.4 | 59 |
| 44 | Nonredundant Roles of Interleukin-17A (IL-17A) and IL-22 in Murine Host Defense against Cutaneous and Hematogenous Infection Due to Methicillin-Resistant Staphylococcus aureus. Infection and Immunity, 2015, 83, 4427-4437. | 2.2 | 58 |
| 45 | Injury, dysbiosis, and filaggrin deficiency drive skin inflammation through keratinocyte IL-1α release. Journal of Allergy and Clinical Immunology, 2019, 143, 1426-1443.e6. | 2.9 | 56 |
| 46 | Staphylococcus aureus recognition by hematopoietic stem and progenitor cells via TLR2/MyD88/PGE2 stimulates granulopoiesis in wounds. Blood, 2013, 122, 1770-1778. | 1.4 | 53 |
| 47 | Interleukin-17A (IL-17A) and IL-17F Are Critical for Antimicrobial Peptide Production and Clearance of Staphylococcus aureus Nasal Colonization. Infection and Immunity, 2016, 84, 3575-3583. | 2.2 | 52 |
| 48 | Neutralizing Alpha-Toxin Accelerates Healing of Staphylococcus aureus-Infected Wounds in Nondiabetic and Diabetic Mice. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 3.2 | 51 |
| 49 | IL-22 derived from Î ³ δT cells restricts Staphylococcus aureus infection of mechanically injured skin. Journal of Allergy and Clinical Immunology, 2016, 138, 1098-1107.e3. | 2.9 | 48 |
| 50 | In Vivo Efficacy of a "Smart―Antimicrobial Implant Coating. Journal of Bone and Joint Surgery - Series A, 2016, 98, 1183-1189. | 3.0 | 42 |
| 51 | Daptomycin and Tigecycline Have Broader Effective Dose Ranges than Vancomycin as Prophylaxis against a Staphylococcus aureus Surgical Implant Infection in Mice. Antimicrobial Agents and Chemotherapy, 2012, 56, 2590-2597. | 3.2 | 41 |
| 52 | Oral-Only Linezolid-Rifampin Is Highly Effective Compared with Other Antibiotics for Periprosthetic Joint Infection. Journal of Bone and Joint Surgery - Series A, 2017, 99, 656-665. | 3.0 | 41 |
| 53 | Downstream Signals for MyD88-Mediated Phagocytosis of <i>Borrelia burgdorferi</i> Can Be Initiated by TRIF and Are Dependent on PI3K. Journal of Immunology, 2009, 183, 491-498. | 0.8 | 40 |
| 54 | Epicutaneous Staphylococcus aureus induces IL-36 to enhance IgE production and ensuing allergic disease. Journal of Clinical Investigation, 2021, 131, . | 8.2 | 39 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Innate Immune Memory Contributes to Host Defense against Recurrent Skin and Skin Structure Infections Caused by Methicillin-Resistant Staphylococcus aureus. Infection and Immunity, 2017, 85, . | 2.2 | 38 |
| 56 | Association between prurigo nodularis and malignancy in middle-aged adults. Journal of the American Academy of Dermatology, 2019, 81, 1198-1201. | 1.2 | 38 |
| 57 | S. aureus blocks efferocytosis of neutrophils by macrophages through the activity of its virulence factor alpha toxin. Scientific Reports, 2016, 6, 35466. | 3.3 | 33 |
| 58 | Immune and Inflammatory Reponses to Staphylococcus aureus Skin Infections. Current Dermatology Reports, 2018, 7, 338-349. | 2.1 | 32 |
| 59 | Disseminated sporotrichosis following iatrogenic immunosuppression for suspected pyoderma gangrenosum. Lancet Infectious Diseases, The, 2019, 19, e385-e391. | 9.1 | 32 |
| 60 | Which Way Do We Go? Complex Interactions in Atopic Dermatitis Pathogenesis. Journal of Investigative Dermatology, 2021, 141, 274-284. | 0.7 | 32 |
| 61 | Novel in vivo mouse model of implant related spine infection. Journal of Orthopaedic Research, 2017, 35, 193-199. | 2.3 | 30 |
| 62 | Syndecan-1 Regulates Psoriasiform Dermatitis by Controlling Homeostasis of IL-17–Producing γδT Cells. Journal of Immunology, 2018, 201, 1651-1661. | 0.8 | 30 |
| 63 | Molecularly specific detection of bacterial lipoteichoic acid for diagnosis of prosthetic joint infection of the bone. Bone Research, 2018, 6, 13. | 11.4 | 29 |
| 64 | Platelets Aggregate With Neutrophils and Promote Skin Pathology in Psoriasis. Frontiers in Immunology, 2019, 10, 1867. | 4.8 | 29 |
| 65 | Macrophage-derived LTB4 promotes abscess formation and clearance of Staphylococcus aureus skin infection in mice. PLoS Pathogens, 2018, 14, e1007244. | 4.7 | 28 |
| 66 | Suppression of Cytokine-Induced Neutrophil Accumulation in Rat Mesenteric Venules in vivo by General Anesthesia. International Journal of Microcirculation, Clinical and Experimental, 1996, 16, 147-154. | 0.5 | 27 |
| 67 | Tick extracellular vesicles enable arthropod feeding and promote distinct outcomes of bacterial infection. Nature Communications, 2021, 12, 3696. | 12.8 | 27 |
| 68 | Noninvasive optical and nuclear imaging of Staphylococcus-specific infection with a human monoclonal antibody-based probe. Virulence, 2018, 9, 262-272. | 4.4 | 27 |
| 69 | Development of a Staphylococcus aureus reporter strain with click beetle red luciferase for enhanced in vivo imaging of experimental bacteremiaÂand mixed infections. Scientific Reports, 2019, 9, 16663. | 3.3 | 25 |
| 70 | Mouse model of Gram-negative prosthetic joint infection reveals therapeutic targets. JCI Insight, 2018, 3, . | 5.0 | 25 |
| 71 | Cutting Edge: Nitrogen Bisphosphonate-Induced Inflammation Is Dependent upon Mast Cells and IL-1. Journal of Immunology, 2012, 188, 2977-2980. | 0.8 | 24 |
| 72 | A MyD88-dependent IFNγR-CCR2 signaling circuit is required for mobilization of monocytes and host defense against systemic bacterial challenge. Cell Research, 2011, 21, 1068-1079. | 12.0 | 20 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Combination Prophylactic Therapy with Rifampin Increases Efficacy against an Experimental Staphylococcus epidermidis Subcutaneous Implant-Related Infection. Antimicrobial Agents and Chemotherapy, 2014, 58, 2377-2386. | 3.2 | 20 |
| 74 | <scp>NMR</scp> structureâ€based optimization of <i>Staphylococcus aureus</i> sortase A pyridazinone inhibitors. Chemical Biology and Drug Design, 2017, 90, 327-344. | 3.2 | 20 |
| 75 | In Vivo Bioluminescence Imaging in a Rabbit Model of Orthopaedic Implant-Associated Infection to Monitor Efficacy of an Antibiotic-Releasing Coating. Journal of Bone and Joint Surgery - Series A, 2019, 101, e12. | 3.0 | 20 |
| 76 | Induction of Secreted Human Immunodeficiency Virus Type 1 (HIV-1) Resistance Factors in CD4-Positive T Lymphocytes by Attenuated HIV-1 Infection. Virology, 2002, 294, 1-12. | 2.4 | 19 |
| 77 | Preclinical Evaluation of Photoacoustic Imaging as a Novel Noninvasive Approach to Detect an Orthopaedic Implant Infection. Journal of the American Academy of Orthopaedic Surgeons, The, 2017, 25, S7-S12. | 2.5 | 19 |
| 78 | Pan-caspase inhibition as a potential host-directed immunotherapy against MRSA and other bacterial skin infections. Science Translational Medicine, 2021, 13, . | 12.4 | 19 |
| 79 | Multimodal imaging guides surgical management in a preclinical spinal implant infection model. JCI Insight, 2019, 4, . | 5.0 | 19 |
| 80 | Pathogenic and therapeutic role for NRF2 signaling in ultraviolet light–induced skin pigmentation. JCI Insight, 2020, 5, . | 5.0 | 19 |
| 81 | IL-6R/Signal Transducer and Activator of Transcription 3 Signaling in Keratinocytes rather than in T Cells Induces Psoriasis-Like Dermatitis in Mice. Journal of Investigative Dermatology, 2022, 142, 1126-1135.e4. | 0.7 | 19 |
| 82 | Theranostic biocomposite scaffold membrane. Biomaterials, 2019, 212, 17-27. | 11.4 | 18 |
| 83 | Comparative intravital imaging of human and rodent malaria sporozoites reveals the skin is not a speciesâ€specific barrier. EMBO Molecular Medicine, 2021, 13, e11796. | 6.9 | 18 |
| 84 | Research Techniques Made Simple: Mouse Bacterial Skin Infection Models for Immunity Research. Journal of Investigative Dermatology, 2020, 140, 1488-1497.e1. | 0.7 | 17 |
| 85 | Collaborative Interferon-γ and Interleukin-17 Signaling Protects the Oral Mucosa from Staphylococcus aureus. American Journal of Pathology, 2016, 186, 2337-2352. | 3.8 | 16 |
| 86 | Dynamic PET-facilitated modeling and high-dose rifampin regimens for <i>Staphylococcus aureus</i> orthopedic implant–associated infections. Science Translational Medicine, 2021, 13, eabl6851. | 12.4 | 16 |
| 87 | Basophil-derived IL-4 promotes cutaneous Staphylococcus aureus infection. JCI Insight, 2021, 6, . | 5.0 | 15 |
| 88 | Collagen deposition in chronic hidradenitis suppurativa: potential role for CD163 ⁺ macrophages. British Journal of Dermatology, 2018, 179, 792-794. | 1.5 | 14 |
| 89 | Combined In vivo Optical and µCT Imaging to Monitor Infection, Inflammation, and Bone Anatomy in an Orthopaedic Implant Infection in Mice. Journal of Visualized Experiments, 2014, , e51612. | 0.3 | 13 |
| 90 | Lucky Number Seven: RNase 7 Can Prevent Staphylococcus aureus Skin Colonization. Journal of Investigative Dermatology, 2010, 130, 2703-2706. | 0.7 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Preclinical Optical Imaging to Study Pathogenesis, Novel Therapeutics and Diagnostics Against Orthopaedic Infection. Journal of Orthopaedic Research, 2019, 37, 2269-2277. | 2.3 | 12 |
| 92 | Interleukinâ€1β and tumor necrosis factor are essential in controlling an experimental orthopedic implantâ€associated infection. Journal of Orthopaedic Research, 2020, 38, 1800-1809. | 2.3 | 12 |
| 93 | Efficacy of a Multimechanistic Monoclonal Antibody Combination against Staphylococcus aureus Surgical Site Infections in Mice. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 11 |
| 94 | Comparison of livestock-associated and community-associated Staphylococcus aureus pathogenicity in a mouse model of skin and soft tissue infection. Scientific Reports, 2019, 9, 6774. | 3.3 | 11 |
| 95 | Transmission of Antimicrobial-Resistant <i>Staphylococcus aureus</i> Clonal Complex 9 between Pigs and Humans, United States. Emerging Infectious Diseases, 2021, 27, 740-748. | 4.3 | 11 |
| 96 | 11C-Para-aminobenzoic acid PET imaging of S. aureus and MRSA infection in preclinical models and humans. JCI Insight, 2022, 7, . | 5.0 | 11 |
| 97 | Specimen Collection for Translational Studies in Hidradenitis Suppurativa. Scientific Reports, 2019, 9, 12207. | 3.3 | 10 |
| 98 | Rabbit model of <i>Staphylococcus aureus</i> implant-associated spinal infection. DMM Disease Models and Mechanisms, 2020, 13, . | 2.4 | 10 |
| 99 | α-Toxin Regulates Local Granulocyte Expansion from Hematopoietic Stem and Progenitor Cells in <i>Staphylococcus aureus–</i> Infected Wounds. Journal of Immunology, 2017, 199, 1772-1782. | 0.8 | 9 |
| 100 | A Mouse Model to Assess Innate Immune Response to Staphylococcus aureus Infection. Journal of Visualized Experiments, 2019, , . | 0.3 | 9 |
| 101 | Comparison of two fluorescent probes in preclinical non-invasive imaging and image-guided debridement surgery of Staphylococcal biofilm implant infections. Scientific Reports, 2021, 11, 1622. | 3.3 | 9 |
| 102 | Increased Expression of CD23 (Fcε Receptor II) by Peripheral Blood Monocytes of AIDS Patients. AIDS Research and Human Retroviruses, 2001, 17, 443-452. | 1.1 | 8 |
| 103 | Pushing the Envelope in Psoriasis: Late Cornified Envelope Proteins Possess Antimicrobial Activity. Journal of Investigative Dermatology, 2017, 137, 2257-2259. | 0.7 | 8 |
| 104 | CCR6+ γδT Cells Home to Skin Wounds and Restore Normal Wound Healing in CCR6-Deficient Mice. Journal of Investigative Dermatology, 2019, 139, 2061-2064.e2. | 0.7 | 8 |
| 105 | Neutrophil extracellular traps impair regeneration. Journal of Cellular and Molecular Medicine, 2021, 25, 10008-10019. | 3.6 | 8 |
| 106 | Adipocytes Armed against <i>Staphylococcus aureus</i> . New England Journal of Medicine, 2015, 372, 1368-1370. | 27.0 | 6 |
| 107 | Lessons learned from the development of a hidradenitis suppurativa xenograft mouse model. Clinical and Experimental Dermatology, 2020, 45, 202-206. | 1.3 | 6 |
| 108 | Preclinical Models and Methodologies for Monitoring Staphylococcus aureus Infections Using Noninvasive Optical Imaging. Methods in Molecular Biology, 2020, 2069, 197-228. | 0.9 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Neutrophils in hot pursuit of MRSA in the lymph nodes. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 2272-2274. | 7.1 | 5 |
| 110 | Association of particulate matter air pollution and itch: A digital epidemiology approach. Journal of the American Academy of Dermatology, 2019, 81, 1409-1410. | 1.2 | 5 |
| 111 | CCR2 contributes to host defense against <i>Staphylococcus aureus</i> orthopedic implantâ€associated infections in mice. Journal of Orthopaedic Research, 2022, 40, 409-419. | 2.3 | 5 |
| 112 | Predilection for developing a hematogenous orthopaedic implant-associated infection in older versus younger mice. Journal of Orthopaedic Surgery and Research, 2021, 16, 556. | 2.3 | 2 |
| 113 | Psoriasiform drug eruption secondary to sorafenib: case series and review of the literature. Cutis, 2019, 104, E11-E15. | 0.3 | 2 |
| 114 | Optical Imaging. , 2017, , 43-76. | | 0 |