

B Mark Smithers Mbbs, Fracs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6383416/b-mark-smithers-mbbs-fracs-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

259
papers

12,952
citations

52
h-index

109
g-index

282
ext. papers

15,374
ext. citations

5
avg, IF

5.94
L-index

#	Paper	IF	Citations
259	Outcomes after totally minimally invasive versus hybrid and open Ivor Lewis oesophagectomy: results from the International Esodata Study Group.. <i>British Journal of Surgery</i> , 2022 ,	5.3	2
258	Reply to: A practical guide on the use of imiquimod cream to treat lentigo maligna.. <i>Australasian Journal of Dermatology</i> , 2022 ,	1.3	
257	ctDNA as a biomarker of progression in oesophageal adenocarcinoma. <i>ESMO Open</i> , 2022 , 100452	6	1
256	Hospital characteristics associated with better Quality of surgery and survival following oesophagogastric cancer surgery in Queensland: a population-level study. <i>ANZ Journal of Surgery</i> , 2021 , 91, 323-328	1	1
255	Responsiveness and convergent validity of QLU-C10D and EQ-5D-3L in assessing short-term quality of life following esophagectomy. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 233	3	3
254	Radiomics Biomarkers Correlate with CD8 Expression and Predict Immune Signatures in Melanoma Patients. <i>Molecular Cancer Research</i> , 2021 , 19, 950-956	6.6	1
253	Pulmonary metastasectomy in the era of targeted therapy and immunotherapy. <i>Journal of Thoracic Disease</i> , 2021 , 13, 2618-2627	2.6	4
252	Comparative performance of predictors of death from thin (1-10 mm) melanoma. <i>British Journal of Dermatology</i> , 2021 , 185, 849-851	4	1
251	Patient age and risk of recurrence of primary melanoma at high risk of spread. <i>British Journal of Dermatology</i> , 2021 , 184, 566-568	4	0
250	Preoperative Ultrasound Assessment of Regional Lymph Nodes in Melanoma Patients Does not Provide Reliable Nodal Staging: Results From a Large Multicenter Trial. <i>Annals of Surgery</i> , 2021 , 273, 814-820	7.8	5
249	Complications and survival after hybrid and fully minimally invasive oesophagectomy. <i>BJS Open</i> , 2021 , 5,	3.9	2
248	Intra-abdominal desmoplastic small round cell tumour in a 56-year-old female: Case report of a very rare presentation of an unusual tumour. <i>International Journal of Surgery Case Reports</i> , 2021 , 79, 323-326	0.8	0
247	Contemporary management of locoregionally advanced melanoma in Australia and New Zealand and the role of adjuvant systemic therapy. <i>ANZ Journal of Surgery</i> , 2021 , 91 Suppl 2, 3-13	1	2
246	Procedure-specific outcomes following gastrectomy for cancer compared by hospital volume and service capability. <i>ANZ Journal of Surgery</i> , 2021 , 91, 2430-2435	1	1
245	Risk Prediction Model of 90-Day Mortality After Esophagectomy for Cancer. <i>JAMA Surgery</i> , 2021 , 156, 836-845	5.4	3
244	Highlights of the 2019 Annual Academic Surgery Conference. <i>ANZ Journal of Surgery</i> , 2020 , 90, 200-201	1	
243	Efficacy of immune checkpoint inhibitors for in-transit melanoma 2020 , 8,		9

242	Patterns of Omega-3 and Omega-6 Fatty Acid Dietary Intake and Melanoma Thickness at Diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1647-1653	4	3
241	Results of a randomized, double-blind phase II clinical trial of NY-ESO-1 vaccine with ISCOMATRIX adjuvant versus ISCOMATRIX alone in participants with high-risk resected melanoma 2020 , 8,		9
240	International Multicenter Experience of Isolated Limb Infusion for In-Transit Melanoma Metastases in Octogenarian and Nonagenarian Patients. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1420-1429	3.1	4
239	Regional nodal metastasis and 5-year survival in patients with thin melanoma in Queensland: a population-based study. <i>ANZ Journal of Surgery</i> , 2020 , 90, 503-507	1	1
238	Statins may reduce disease recurrence in patients with ulcerated primary melanoma. <i>British Journal of Dermatology</i> , 2020 , 183, 1049-1055	4	5
237	Quality of Surgery and Outcome in Localized Gastrointestinal Stromal Tumors Treated Within an International Intergroup Randomized Clinical Trial of Adjuvant Imatinib. <i>JAMA Surgery</i> , 2020 , 155, e200357	5.4	14
236	Prognostic implications of biopsy with tumor transection for patients with high-risk primary melanoma. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 1521-1524	4.5	2
235	Accuracy of mobile digital teledermoscopy for skin self-examinations in adults at high risk of skin cancer: an open-label, randomised controlled trial. <i>The Lancet Digital Health</i> , 2020 , 2, e129-e137	14.4	15
234	Long-term deaths from melanoma according to tumor thickness at diagnosis. <i>International Journal of Cancer</i> , 2020 , 147, 1391-1396	7.5	5
233	Preoperative cisplatin, fluorouracil, and docetaxel with or without radiotherapy after poor early response to cisplatin and fluorouracil for resectable oesophageal adenocarcinoma (AGITG DOCTOR): results from a multicentre, randomised controlled phase II trial. <i>Annals of Oncology</i> , 2020 , 31, 236-245	10.3	19
232	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020 , 52, 494-504	36.3	39
231	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants. <i>PLoS ONE</i> , 2020 , 15, e0238529	3.7	5
230	Esophageal Ulcers 2020 , 400-403		
229	Clinicopathological factors associated with death from thin (≤ 1.0 mm) melanoma. <i>British Journal of Dermatology</i> , 2020 , 182, 927-931	4	10
228	Impact of hospital resection volume and service capability on post-operative mortality following gastrectomy. <i>ANZ Journal of Surgery</i> , 2020 , 90, 86-91	1	2
227	Pancreaticoduodenectomy in a low-resection volume region: a population-level study examining the impact of hospital-volume on surgical quality and longer-term survival. <i>Hpb</i> , 2020 , 22, 1288-1294	3.8	5
226	The interplay of sun damage and genetic risk in Australian multiple and single primary melanoma cases and controls. <i>British Journal of Dermatology</i> , 2020 , 183, 357-366	4	7
225	Baseline neutrophil-lymphocyte ratio holds no prognostic value for esophageal and junctional adenocarcinoma in patients treated with neoadjuvant chemotherapy. <i>Ecological Management and Restoration</i> , 2020 , 33,	3	3

224	Intraoperative fluid restriction during enhanced recovery after surgery versus liberal fluids for esophagectomy: A single center retrospective pilot study. <i>Journal of Clinical Anesthesia</i> , 2020 , 67, 110030 ¹⁹	1.9	0
223	Pathogenic germline variants are associated with poor survival in stage III/IV melanoma patients. <i>Scientific Reports</i> , 2020 , 10, 17687	4.9	6
222	Factors predicting toxicity and response following isolated limb infusion for melanoma: An international multi-centre study. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 2140-2146	3.6	1
221	Anxiety and depression after diagnosis of high-risk primary cutaneous melanoma: a 4-year longitudinal study. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 712-719	5.1	5
220	Oncologic Outcomes After Isolated Limb Infusion for Advanced Melanoma: An International Comparison of the Procedure and Outcomes Between the United States and Australia. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5107-5118	3.1	6
219	Genes Determining Nevus Count and Dermoscopic Appearance in Australian Melanoma Cases and Controls. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 498-501.e17	4.3	6
218	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
217	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
216	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
215	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
214	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
213	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
212	Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants 2020 , 15, e0238529		
211	Assessment of hospital characteristics associated with improved mortality following complex upper gastrointestinal cancer surgery in Queensland. <i>ANZ Journal of Surgery</i> , 2019 , 89, 1404-1409	1	3
210	Response to Stahlie et al regarding "A systematic review and meta-analysis of locoregional treatments for in-transit melanoma". <i>Journal of Surgical Oncology</i> , 2019 , 120, 1058-1059	2.8	
209	Inguinal and Ilio-inguinal Lymphadenectomy in Management of Palpable Melanoma Lymph Node Metastasis: A Long-Term Prospective Evaluation of Morbidity and Quality of Life. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4663-4672	3.1	3
208	Phenotypic and genotypic analysis of amelanotic and hypomelanotic melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1076-1083	4.6	6
207	The Effects of Sharing Awareness Cues in Collaborative Mixed Reality. <i>Frontiers in Robotics and AI</i> , 2019 , 6, 5	2.8	39

206	Risk of Melanoma Recurrence After Diagnosis of a High-Risk Primary Tumor. <i>JAMA Dermatology</i> , 2019 , 155, 688-693	5.1	34
205	Long-Term Oncologic Outcomes After Isolated Limb Infusion for Locoregionally Metastatic Melanoma: An International Multicenter Analysis. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2486-2494	3.1	21
204	Conclusions from quality of life studies in patients with resected high-risk melanoma: one part of the full story. <i>Lancet Oncology, The</i> , 2019 , 20, 611-612	21.7	1
203	The Impact of Signet Ring Cell Differentiation on Outcome in Patients with Esophageal and Gastroesophageal Junction Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2375-2384	3.1	11
202	A systematic review and meta-analysis of locoregional treatments for in-transit melanoma. <i>Journal of Surgical Oncology</i> , 2019 , 119, 887-896	2.8	14
201	Survival of patients with early invasive melanoma down-staged under the new eighth edition of the American Joint Committee on Cancer staging system. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 272-274	4.5	11
200	Future is bright for academic surgery in Australasia: highlights of the 2018 Academic Meetings. <i>ANZ Journal of Surgery</i> , 2019 , 89, 798-799	1	
199	New treatment paradigms for clinically apparent metastatic melanoma in regional lymph nodes. <i>ANZ Journal of Surgery</i> , 2019 , 89, 1187-1189	1	
198	Phase 1b study of PV-10 and anti-PD-1 in advanced cutaneous melanoma.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 9559-9559	2.2	10
197	Benchmarking Complications Associated with Esophagectomy. <i>Annals of Surgery</i> , 2019 , 269, 291-298	7.8	257
196	Evaluation of the efficacy and toxicity of upper extremity isolated limb infusion chemotherapy for melanoma: An Australian multi-center study. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 832-837	3.6	4
195	Evaluation of the efficacy of 3D total-body photography with sequential digital dermoscopy in a high-risk melanoma cohort: protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032969	3	10
194	IRF4 rs12203592*T/T genotype is associated with nodular melanoma. <i>Melanoma Research</i> , 2019 , 29, 445-446	3.3	1
193	Predictors of staging accuracy, pathologic nodal involvement, and overall survival for cT2N0 carcinoma of the esophagus. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 1264-1272.e6	1.5	18
192	Sun protection behavior after diagnosis of high-risk primary melanoma and risk of a subsequent primary. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 139-148.e4	4.5	8
191	Patients with in-transit melanoma metastases have comparable survival outcomes following isolated limb infusion or intralesional PV-10-A propensity score matched, single center study. <i>Journal of Surgical Oncology</i> , 2019 , 119, 717-727	2.8	1
190	Guidelines for Perioperative Care in Esophagectomy: Enhanced Recovery After Surgery (ERAS) Society Recommendations. <i>World Journal of Surgery</i> , 2019 , 43, 299-330	3.3	193
189	In response to: Immigration is the most likely reason for the generational change in melanoma incidence in Queensland, Australia. <i>International Journal of Cancer</i> , 2018 , 143, 722-723	7.5	0

188	An investigation into the nutritional status of patients receiving an Enhanced Recovery After Surgery (ERAS) protocol versus standard care following Oesophagectomy. <i>Supportive Care in Cancer</i> , 2018 , 26, 2057-2062	3.9	12
187	Future-proofing academic surgery in Australia and New Zealand: the Annual RACS Joint Academic Meeting. <i>ANZ Journal of Surgery</i> , 2018 , 88, 130-131	1	
186	Neoadjuvant therapy reduces cardiopulmonary function in patients undergoing oesophagectomy. <i>International Journal of Surgery</i> , 2018 , 53, 86-92	7.5	11
185	Intralesional PV-10 for the treatment of in-transit melanoma metastases-Results of a prospective, non-randomized, single center study. <i>Journal of Surgical Oncology</i> , 2018 , 117, 579-587	2.8	23
184	Multicentre factorial randomized clinical trial of perioperative immunonutrition versus standard nutrition for patients undergoing surgical resection of oesophageal cancer. <i>British Journal of Surgery</i> , 2018 , 105, 1262-1272	5.3	26
183	Patterns of Failure Following Dose-escalated Chemoradiotherapy for Fluorodeoxyglucose Positron Emission Tomography Staged Squamous Cell Carcinoma of the Oesophagus. <i>Clinical Oncology</i> , 2018 , 30, 642-649	2.8	2
182	MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , 2018 , 19, 916-929	21.7	83
181	Clustering of prevention behaviours in patients with high-risk primary melanoma. <i>Psycho-Oncology</i> , 2018 , 27, 1442-1449	3.9	2
180	Generational shift in melanoma incidence and mortality in Queensland, Australia, 1995-2014. <i>International Journal of Cancer</i> , 2018 , 142, 1528-1535	7.5	68
179	Neoadjuvant chemotherapy or chemoradiotherapy for adenocarcinoma of the esophagus. <i>Journal of Surgical Oncology</i> , 2018 , 117, 1687-1696	2.8	15
178	Assessment of morbidity following regional nodal dissection in the axilla and groin for metastatic melanoma. <i>ANZ Journal of Surgery</i> , 2017 , 87, 44-48	1	15
177	Results of a phase II, open-label, non-comparative study of intralesional PV-10 followed by radiotherapy for the treatment of in-transit or metastatic melanoma. <i>Journal of Surgical Oncology</i> , 2017 , 115, 891-897	2.8	17
176	Outcome predictors in median arcuate ligament syndrome. <i>Journal of Vascular Surgery</i> , 2017 , 65, 1745-1752	3.52	24
175	GSTP1 does not modify MC1R effects on melanoma risk. <i>Experimental Dermatology</i> , 2017 , 26, 730-733	4	9
174	The Impact of Smoking on Sentinel Node Metastasis of Primary Cutaneous Melanoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2089-2094	3.1	18
173	Completion Dissection or Observation for Sentinel-Node Metastasis in Melanoma. <i>New England Journal of Medicine</i> , 2017 , 376, 2211-2222	59.2	739
172	TOPGEAR: A Randomized, Phase III Trial of Perioperative ECF Chemotherapy with or Without Preoperative Chemoradiation for Resectable Gastric Cancer: Interim Results from an International, Intergroup Trial of the AGITG, TROG, EORTC and CCTG. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2252-2258	3.1	114
171	Primary cutaneous melanoma of the scalp: Patterns of recurrence. <i>Journal of Surgical Oncology</i> , 2017 , 115, 449-454	2.8	8

170	Long-Term Survival after Complete Surgical Resection and Adjuvant Immunotherapy for Distant Melanoma Metastases. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3991-4000	3.1	68
169	Associations of Statins and Diabetes with Diagnosis of Ulcerated Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2599-2605	4.3	7
168	Use of support services in a sample of patients with high-risk primary melanomas in urban, regional and rural Queensland. <i>Australian and New Zealand Journal of Public Health</i> , 2017 , 41, 315-319	2.3	4
167	Safety and Efficacy of Isolated Limb Infusion Chemotherapy for Advanced Locoregional Melanoma in Elderly Patients: An Australian Multicenter Study. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3245-3251	3.1	15
166	Long-term Health-related Quality of Life Following Esophagectomy: A Nonrandomized Comparison of Thoroscopically Assisted and Open Surgery. <i>Annals of Surgery</i> , 2017 , 265, 1158-1165	7.8	27
165	Diphenylcyclopropenone for the treatment of cutaneous in-transit melanoma metastases - results of a prospective, non-randomized, single-centre study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 2030-2037	4.6	18
164	Variations in supportive care needs of patients after diagnosis of localised cutaneous melanoma: a 2-year follow-up study. <i>Supportive Care in Cancer</i> , 2017 , 25, 93-102	3.9	8
163	Protocol for the TIDAL Melanoma Study: topical imiquimod or diphenylcyclopropenone for the management of cutaneous in-transit melanoma metastases-a phase II, single centre, randomised, pilot study. <i>BMJ Open</i> , 2017 , 7, e016816	3	13
162	Worldwide Esophageal Cancer Collaboration: pathologic staging data. <i>Ecological Management and Restoration</i> , 2016 , 29, 724-733	3	49
161	Abstract Book: Society of Surgical Oncology 69(th) Annual Cancer Symposium. <i>Annals of Surgical Oncology</i> , 2016 , 23 Suppl 1, 1-195	3.1	19
160	Australian Multicenter Study of Isolated Limb Infusion for Melanoma. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1096-103	3.1	35
159	Identification of the CIMP-like subtype and aberrant methylation of members of the chromosomal segregation and spindle assembly pathways in esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2016 , 37, 356-65	4.6	30
158	A phase 2 study of intralesional PV-10 followed by radiotherapy for localized in transit or recurrent metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e21072-e21072	2.2	2
157	Intralesional rose bengal for treatment of melanoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS9600-TPS9600	2.2	2
156	Molecular markers to complement sentinel node status in predicting survival in patients with high-risk locally invasive melanoma. <i>International Journal of Cancer</i> , 2016 , 139, 664-72	7.5	6
155	A systematic review of non-surgical treatments for lentigo maligna. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 748-53	4.6	40
154	Recommendations for pathologic staging (pTNM) of cancer of the esophagus and esophagogastric junction for the 8th edition AJCC/UICC staging manuals. <i>Ecological Management and Restoration</i> , 2016 , 29, 897-905	3	93
153	Recommendations for neoadjuvant pathologic staging (ypTNM) of cancer of the esophagus and esophagogastric junction for the 8th edition AJCC/UICC staging manuals. <i>Ecological Management and Restoration</i> , 2016 , 29, 906-912	3	49

152	Recommendations for clinical staging (cTNM) of cancer of the esophagus and esophagogastric junction for the 8th edition AJCC/UICC staging manuals. <i>Ecological Management and Restoration</i> , 2016 , 29, 913-919	3	64
151	Worldwide Esophageal Cancer Collaboration: clinical staging data. <i>Ecological Management and Restoration</i> , 2016 , 29, 707-714	3	78
150	Worldwide Esophageal Cancer Collaboration: neoadjuvant pathologic staging data. <i>Ecological Management and Restoration</i> , 2016 , 29, 715-723	3	45
149	Phase 2 Study of Intralesional PV-10 in Refractory Metastatic Melanoma. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2135-42	3.1	107
148	Patterns of Recurrence in Patients with Stage IIIB/C Cutaneous Melanoma of the Head and Neck Following Surgery With and Without Adjuvant Radiation Therapy: Is Isolated Regional Recurrence Salvageable?. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4052-9	3.1	8
147	Adjuvant lymph-node field radiotherapy versus observation only in patients with melanoma at high risk of further lymph-node field relapse after lymphadenectomy (ANZMTG 01.02/TROG 02.01): 6-year follow-up of a phase 3, randomised controlled trial. <i>Lancet Oncology</i> , 2015 , 16, 1049-1060	21.7	125
146	Changeable naevi in people at high risk for melanoma. <i>Australasian Journal of Dermatology</i> , 2015 , 56, 14-8	1.3	7
145	TOPGEAR: a randomised phase III trial of perioperative ECF chemotherapy versus preoperative chemoradiation plus perioperative ECF chemotherapy for resectable gastric cancer (an international, intergroup trial of the AGITG/TROG/EORTC/NCIC CTG). <i>BMC Cancer</i> , 2015 , 15, 532	4.8	108
144	Building a sustainable clinical academic workforce to meet the future healthcare needs of Australia and New Zealand: report from the first summit meeting. <i>Internal Medicine Journal</i> , 2015 , 45, 965-71	1.6	13
143	Prospective study of patterns of surgical management in adults with primary cutaneous melanoma at high risk of spread, in Queensland, Australia. <i>Journal of Surgical Oncology</i> , 2015 , 112, 359-65	2.8	22
142	Supportive care needs, anxiety, depression and quality of life amongst newly diagnosed patients with localised invasive cutaneous melanoma in Queensland, Australia. <i>Psycho-Oncology</i> , 2015 , 24, 763-70	3.9	38
141	PWE-150 Treatment of oesophageal adenocarcinoma-what is the ideal? results from a survey of agus and anzgosa members. <i>Gut</i> , 2015 , 64, A278.2-A279	19.2	
140	Two cases of NSAID-induced gastropathy and enteropathy of the ileum. <i>ANZ Journal of Surgery</i> , 2015 , 85, 584-5	1	1
139	International Consensus on Standardization of Data Collection for Complications Associated With Esophagectomy: Esophagectomy Complications Consensus Group (ECCG). <i>Annals of Surgery</i> , 2015 , 262, 286-94	7.8	483
138	Australian clinical practice guidelines for the diagnosis and management of Barrett's esophagus and early esophageal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 804-20	4	76
137	Genome-wide analysis of esophageal adenocarcinoma yields specific copy number aberrations that correlate with prognosis. <i>Genes Chromosomes and Cancer</i> , 2014 , 53, 324-38	5	33
136	Inducible nitric oxide synthase is a major intermediate in signaling pathways for the survival of plasma cells. <i>Nature Immunology</i> , 2014 , 15, 275-82	19.1	42
135	Genomic catastrophes frequently arise in esophageal adenocarcinoma and drive tumorigenesis. <i>Nature Communications</i> , 2014 , 5, 5224	17.4	176

134	BRAF mutation status is an independent prognostic factor for resected stage IIIB and IIIC melanoma: implications for melanoma staging and adjuvant therapy. <i>European Journal of Cancer</i> , 2014 , 50, 2668-76	7.5	50
133	Nomograms to predict recurrence and survival in stage IIIB and IIIC melanoma after therapeutic lymphadenectomy. <i>European Journal of Cancer</i> , 2014 , 50, 1301-9	7.5	20
132	Total body fat and the risk of Barrett's oesophagus - a bioelectrical impedance study. <i>Cancer Epidemiology</i> , 2014 , 38, 266-72	2.8	13
131	Final trial report of sentinel-node biopsy versus nodal observation in melanoma. <i>New England Journal of Medicine</i> , 2014 , 370, 599-609	59.2	910
130	Controversies in the management of gastrointestinal stromal tumors. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2014 , 10, 216-27	1.9	4
129	Australian multi-center experience outside of the Sydney Melanoma Unit of isolated limb infusion chemotherapy for melanoma. <i>Journal of Surgical Oncology</i> , 2014 , 109, 780-5	2.8	21
128	Melanoma brain metastases: the impact of nodal disease. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 81-5	4.7	6
127	Treatment results of curative gastric resection from a specialist Australian unit: low volume with satisfactory outcomes. <i>Gastric Cancer</i> , 2014 , 17, 152-60	7.6	11
126	Efficacy of intralesional Rose Bengal in patients receiving injection of all existing melanoma in phase II study PV-10-MM-02.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9027-9027	2.2	8
125	Randomized, double-blind phase II trial of NY-ESO-1 ISCOMATRIX vaccine and ISCOMATRIX adjuvant alone in patients with resected stage IIc, III, or IV malignant melanoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 9050-9050	2.2	4
124	Neoadjuvant chemotherapy or chemoradiotherapy for locally advanced esophageal cancer. <i>Thoracic Surgery Clinics</i> , 2013 , 23, 509-23	3.1	8
123	Patients undergoing lymphadenectomy for stage III melanomas of known or unknown primary site do not differ in outcome. <i>International Journal of Cancer</i> , 2013 , 133, 3000-7	7.5	11
122	Surgery and the management of cutaneous melanoma. <i>British Journal of Surgery</i> , 2013 , 100, 313-5	5.3	2
121	Stage III melanoma in the axilla: patterns of regional recurrence after surgery with and without adjuvant radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 702-8	4	5
120	Impact of postoperative morbidity on long-term survival after oesophagectomy. <i>British Journal of Surgery</i> , 2013 , 100, 95-104	5.3	52
119	Esophagus Carcinoma Surveillance Counterpoint: Australia 2013 , 97-100		
118	Prevalence and determinants of frequent gastroesophageal reflux symptoms in the Australian community. <i>Ecological Management and Restoration</i> , 2012 , 25, 573-83	3	29
117	Adjuvant radiotherapy versus observation alone for patients at risk of lymph-node field relapse after therapeutic lymphadenectomy for melanoma: a randomised trial. <i>Lancet Oncology</i> , 2012 , 13, 589-97	21.7	188

116	Metastasectomy for distant metastatic melanoma: analysis of data from the first Multicenter Selective Lymphadenectomy Trial (MSLT-I). <i>Annals of Surgical Oncology</i> , 2012 , 19, 2547-55	3.1	120
115	A clinical risk prediction model for Barrett esophagus. <i>Cancer Prevention Research</i> , 2012 , 5, 1115-23	3.2	56
114	The influence of prediagnostic demographic and lifestyle factors on esophageal squamous cell carcinoma survival. <i>International Journal of Cancer</i> , 2012 , 131, E759-68	7.5	49
113	Predictors of survival among patients diagnosed with adenocarcinoma of the esophagus and gastroesophageal junction. <i>Cancer Causes and Control</i> , 2012 , 23, 555-64	2.8	24
112	Modeling the cost-effectiveness of strategies for treating esophageal adenocarcinoma and high-grade dysplasia. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 1451-61	3.3	6
111	Population-based 20-year survival among people diagnosed with thin melanomas in Queensland, Australia. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1462-7	2.2	134
110	An innovative approach for locally advanced stage III cutaneous melanoma: radiotherapy, followed by nodal dissection. <i>Melanoma Research</i> , 2012 , 22, 257-62	3.3	12
109	Survival after neoadjuvant chemotherapy or chemoradiotherapy for resectable oesophageal carcinoma: an updated meta-analysis. <i>Lancet Oncology</i> , 2011 , 12, 681-92	21.7	1181
108	Is concurrent radiation therapy required in patients receiving preoperative chemotherapy for adenocarcinoma of the oesophagus? A randomised phase II trial. <i>European Journal of Cancer</i> , 2011 , 47, 354-60	7.5	223
107	Dermoscopic naevus patterns in people at high versus moderate/low melanoma risk in Queensland. <i>Australasian Journal of Dermatology</i> , 2011 , 52, 248-53	1.3	9
106	Factors associated with postoperative pulmonary morbidity after esophagectomy for cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1460-8	3.1	115
105	Defining cure for esophageal cancer: analysis of actual 5-year survivors following esophagectomy. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1766-74	3.1	39
104	Minimally invasive esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 981-2	5.2	
103	A phase I, open-label, cohort study of two doses of coxsackievirus A21 given intratumorally in stage IV melanoma.. <i>Journal of Clinical Oncology</i> , 2011 , 29, 8573-8573	2.2	4
102	Whole genome expression array profiling highlights differences in mucosal defense genes in Barrett's esophagus and esophageal adenocarcinoma. <i>PLoS ONE</i> , 2011 , 6, e22513	3.7	29
101	Symptoms, investigations and management of patients with cancer of the oesophagus and gastro-oesophageal junction in Australia. <i>Medical Journal of Australia</i> , 2010 , 193, 572-7	4	18
100	High-risk human papillomavirus in esophageal squamous cell carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2080-7	4	70
99	No role for melanoma treatment in the association between melanoma and amyotrophic lateral sclerosis or Parkinson's disease. <i>Neuroepidemiology</i> , 2010 , 35, 303-4	5.4	5

98	Macular nerve fiber layer thickness. <i>Ophthalmology</i> , 2010 , 117, 1053-1053.e1	7.3	1
97	Minimally invasive esophagectomy: an overview. <i>Expert Review of Gastroenterology and Hepatology</i> , 2010 , 4, 91-9	4.2	9
96	Thoracoscopic-assisted esophagectomy for esophageal cancer: analysis of patterns and prognostic factors for recurrence. <i>Annals of Surgery</i> , 2010 , 252, 281-91	7.8	37
95	A novel treatment for metastatic melanoma with intralesional rose bengal and radiotherapy: a case series. <i>Melanoma Research</i> , 2010 , 20, 48-51	3.3	26
94	Risk stratification for early esophageal adenocarcinoma: analysis of lymphatic spread and prognostic factors. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2494-502	3.1	75
93	Eating habits and risk of esophageal cancers: a population-based case-control study. <i>Cancer Causes and Control</i> , 2010 , 21, 1475-84	2.8	22
92	A phase II trial of chemoradiation therapy with weekly oxaliplatin and protracted infusion of 5-fluorouracil for esophageal cancer. <i>Investigational New Drugs</i> , 2009 , 27, 275-9	4.3	13
91	Prognostic value of maximum standardized uptake values from preoperative positron emission tomography in resectable adenocarcinoma of the esophagus treated by surgery alone. <i>Ecological Management and Restoration</i> , 2009 , 22, 668-75	3	16
90	Adjuvant Radiotherapy Improves Regional (Lymph Node Field) Control in Melanoma Patients after Lymphadenectomy: Results of an Intergroup Randomized Trial (TROG 02.01/ANZMTG 01.02). <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, S2	4	6
89	Isolated limb infusion for malignant melanoma: predictors of response and outcome. <i>Annals of Surgical Oncology</i> , 2009 , 16, 3463-72	3.1	32
88	Successful management of an aorto-esophageal fistula caused by a fish bone--case report and review of literature. <i>Journal of Cardiothoracic Surgery</i> , 2009 , 4, 21	1.6	34
87	Positron emission tomography and pathological evidence of response to neoadjuvant therapy in adenocarcinoma of the esophagus. <i>Ecological Management and Restoration</i> , 2008 , 21, 151-8	3	58
86	Desmoplastic melanoma: the role of radiotherapy in improving local control. <i>ANZ Journal of Surgery</i> , 2008 , 78, 273-6	1	42
85	Salvage definitive chemo-radiotherapy for locally recurrent oesophageal carcinoma after primary surgery: retrospective review. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2008 , 52, 583-7	1.7	26
84	Similarity of aberrant DNA methylation in Barrett's esophagus and esophageal adenocarcinoma. <i>Molecular Cancer</i> , 2008 , 7, 75	42.1	45
83	Aspirin, nonsteroidal anti-inflammatory drugs, and the risks of cancers of the esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1169-78	4	71
82	Combined effects of obesity, acid reflux and smoking on the risk of adenocarcinomas of the oesophagus. <i>Gut</i> , 2008 , 57, 173-80	19.2	226
81	Genome-wide copy number analysis in esophageal adenocarcinoma using high-density single-nucleotide polymorphism arrays. <i>Cancer Research</i> , 2008 , 68, 4163-72	10.1	76

80	Re: Comparison of the Outcomes Between Open and Minimally Invasive Esophagectomy. <i>Annals of Surgery</i> , 2008 , 247, 397-398	7.8	
79	Cancers of the esophagus and carbonated beverage consumption: a population-based case-control study. <i>Cancer Causes and Control</i> , 2008 , 19, 577-84	2.8	17
78	Refining esophageal cancer staging after neoadjuvant therapy: importance of treatment response. <i>Annals of Surgical Oncology</i> , 2008 , 15, 2894-902	3.1	59
77	Leptin and the risk of Barrett's oesophagus. <i>Gut</i> , 2008 , 57, 448-54	19.2	111
76	Consideration of mesh-related complications. <i>Annals of the Royal College of Surgeons of England</i> , 2008 , 90, 175-6; author reply 176	1.4	1
75	Outcomes from salvage esophagectomy post definitive chemoradiotherapy compared with resection following preoperative neoadjuvant chemoradiotherapy. <i>Ecological Management and Restoration</i> , 2007 , 20, 471-7	3	39
74	Two cases of esophageal carcinoma following corrosive esophagitis successfully treated with chemoradiation therapy. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2007 , 3, 108-111	1.9	2
73	Randomized Clinical Trial of the Effects of Perioperative Use of Immune-Enhancing Enteral Formula on Metabolic Immunological Status in Patients undergoing Esophagectomy. <i>World Journal of Surgery</i> , 2007 , 31, 2158-2159	3.3	4
72	Comparison of the outcomes between open and minimally invasive esophagectomy. <i>Annals of Surgery</i> , 2007 , 245, 232-40	7.8	303
71	Survival benefits from neoadjuvant chemoradiotherapy or chemotherapy in oesophageal carcinoma: a meta-analysis. <i>Lancet Oncology, The</i> , 2007 , 8, 226-34	21.7	996
70	Cooperative Caching for Chip Multiprocessors. <i>Computer Architecture News</i> , 2006 , 34, 264-276		72
69	A prospective phase II study of adjuvant postoperative radiation therapy following nodal surgery in malignant melanoma-Trans Tasman Radiation Oncology Group (TROG) Study 96.06. <i>Radiotherapy and Oncology</i> , 2006 , 81, 136-42	5.3	81
68	Radiotherapy for metastatic melanoma presenting in pregnancy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2006 , 50, 598-603		2
67	Urban-rural differences in survival from cutaneous melanoma in Queensland. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 71-4	2.3	30
66	Trends for in situ and invasive melanoma in Queensland, Australia, 1982-2002. <i>Cancer Causes and Control</i> , 2006 , 17, 21-7	2.8	166
65	Minimally invasive esophagectomy: short- and long-term outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2006 , 20, 428-33	5.2	76
64	Surgery alone versus chemoradiotherapy followed by surgery for resectable cancer of the oesophagus: a randomised controlled phase III trial. <i>Lancet Oncology, The</i> , 2005 , 6, 659-68	21.7	744
63	Neoadjuvant chemoradiotherapy in resectable oesophageal cancer [Authors' Reply]. <i>Lancet Oncology, The</i> , 2005 , 6, 825-826	21.7	19

62	Neoadjuvant chemoradiotherapy in resectable oesophageal cancer. <i>Lancet Oncology, The</i> , 2005 , 6, 824-5; author reply 825-6	21.7	1
61	Acute and long-term effect of alpha-glucosidase inhibitor on dumping syndrome in a patient after a vagotomy and pyloric surgery. <i>ANZ Journal of Surgery</i> , 2005 , 75, 1124-6	1	
60	Novel approach to oesophageal resection. <i>ANZ Journal of Surgery</i> , 2005 , 75, 1029	1	
59	Symptomatic and functional outcome after laparoscopic reoperation for failed antireflux surgery. <i>British Journal of Surgery</i> , 2005 , 92, 996-1001	5.3	58
58	Feasibility of chemoradiation therapy with protracted infusion of 5-fluorouracil for esophageal cancer patients not suitable for cisplatin. <i>International Journal of Clinical Oncology</i> , 2005 , 10, 256-61	4.2	15
57	Interactions among smoking, obesity, and symptoms of acid reflux in Barrett's esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2481-6	4	100
56	Epidemiology of Gastric Cancer. <i>Cancer Reviews: Asia-Pacific</i> , 2004 , 02, 1-7		2
55	Chemoradiation therapy is effective for the palliative treatment of malignant dysphagia. <i>Ecological Management and Restoration</i> , 2004 , 17, 260-5	3	39
54	Use of oesophagogastroscopy to assess the response of oesophageal carcinoma to neoadjuvant therapy. <i>British Journal of Surgery</i> , 2004 , 91, 199-204	5.3	53
53	High rate of detection of primary aldosteronism, including surgically treatable forms, after non-selective screening of hypertensive patients. <i>Journal of Hypertension</i> , 2003 , 21, 2149-57	1.9	191
52	Relapse patterns after chemo-radiation for carcinoma of the oesophagus. <i>Clinical Oncology</i> , 2003 , 15, 98-108	2.8	38
51	Clinical response after intradermal immature dendritic cell vaccination in metastatic melanoma is associated with immune response to particulate antigen. <i>Cancer Immunology, Immunotherapy</i> , 2003 , 52, 41-52	7.4	61
50	Gastric cancer in Australia. <i>Gastric Cancer</i> , 2002 , 5, 118-121	7.6	3
49	Early reoperation for acute dysphagia following laparoscopic fundoplication. <i>British Journal of Surgery</i> , 2002 , 89, 783-6	5.3	11
48	Radiation therapy following nodal surgery for melanoma: an analysis of late toxicity. <i>ANZ Journal of Surgery</i> , 2002 , 72, 344-8	1	44
47	The triad of bilateral retinoblastoma, dysplastic naevus syndrome and multiple cutaneous malignant melanomas: a case report and review of the literature. <i>Melanoma Research</i> , 2002 , 12, 179-82	3.3	12
46	Second primary oesophageal cancer following radiation for breast cancer. <i>Radiotherapy and Oncology</i> , 2002 , 65, 159-63	5.3	10
45	Localization of small esophageal cancers for radiation planning using endoscopic contrast injection: report on a series of eight cases. <i>Ecological Management and Restoration</i> , 2001 , 14, 28-31	3	4

44	Microdialysis and response during regional chemotherapy by isolated limb infusion of melphalan for limb malignancies. <i>British Journal of Cancer</i> , 2001 , 85, 157-65	8.7	37
43	Thoracoscopic mobilization of the esophagus. A 6 year experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2001 , 15, 176-82	5.2	83
42	Saturable dose-response relationships for melphalan in melanoma treatment by isolated limb infusion in the nude rat. <i>Melanoma Research</i> , 2001 , 11, 611-8	3.3	25
41	Metastatic lesions in the joint associated with acute inflammatory arthritis after dendritic cell immunotherapy for metastatic melanoma. <i>Melanoma Research</i> , 2001 , 11, 167-73	3.3	2
40	Pharmacokinetics and pharmacodynamics of melphalan in isolated limb infusion for recurrent localized limb malignancy. <i>Melanoma Research</i> , 2001 , 11, 423-31	3.3	27
39	Chronic dysphagia following laparoscopic fundoplication. <i>British Journal of Surgery</i> , 2000 , 87, 1341-5	5.3	36
38	Can tissue drug concentrations be monitored by microdialysis during or after isolated limb perfusion for melanoma treatment?. <i>Melanoma Research</i> , 2000 , 10, 47-54	3.3	10
37	Can tissue drug concentrations be monitored by microdialysis during or after isolated limb perfusion for melanoma treatment?. <i>Melanoma Research</i> , 2000 , 10, 47-54	3.3	7
36	Thirty-four patients with carcinoma of the cervical esophagus treated with chemoradiation therapy. <i>JAMA Otolaryngology</i> , 2000 , 126, 205-8		73
35	Immature human monocyte-derived dendritic cells migrate rapidly to draining lymph nodes after intradermal injection for melanoma immunotherapy. <i>Melanoma Research</i> , 1999 , 9, 474-81	3.3	50
34	1999 , 9, 187-189		3
33	Laparoscopy in the management of diaphragmatic rupture due to blunt trauma. <i>ANZ Journal of Surgery</i> , 1998 , 68, 584-6	1	30
32	Isolated limb perfusion with melphalan for human melanoma xenografts in the hindlimb of nude rats: a surviving animal model. <i>Melanoma Research</i> , 1997 , 7, 19-26	3.3	53
31	Melphalan dosing regimens for management of recurrent melanoma by isolated limb perfusion: application of a physiological pharmacokinetic model based on melphalan distribution in the isolated perfused rat hindlimb. <i>Melanoma Research</i> , 1997 , 7, 252-64	3.3	8
30	A combined modality approach to the management of oesophageal cancer. <i>European Journal of Surgical Oncology</i> , 1997 , 23, 219-23	3.6	19
29	The effects of perfusion conditions on melphalan distribution in the isolated perfused rat hindlimb bearing a human melanoma xenograft. <i>British Journal of Cancer</i> , 1997 , 75, 1160-6	8.7	14
28	Relative dispersion of intravascular transit times during isolated human limb perfusions for recurrent melanoma. <i>British Journal of Clinical Pharmacology</i> , 1997 , 44, 347-51	3.8	5
27	Laparoscopic versus open appendectomy: prospective randomized trial. <i>World Journal of Surgery</i> , 1996 , 20, 17-20; discussion 21	3.3	196

26	Malignant sacrococcygeal germ cell tumour in an adult. <i>ANZ Journal of Surgery</i> , 1996 , 66, 185-9	1	2
25	Laparoscopic Nissen fundoplication--200 consecutive cases. <i>Gut</i> , 1996 , 38, 487-91	19.2	116
24	Laparoscopic Nissen fundoplication and postoperative dysphagia-can it be predicted?. <i>Annals of the Academy of Medicine, Singapore</i> , 1996 , 25, 646-9	2.8	4
23	Radiation therapy for nodal disease in malignant melanoma. <i>World Journal of Surgery</i> , 1995 , 19, 369-71	3.3	59
22	High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions. <i>Biomedical Applications</i> , 1995 , 673, 267-79		24
21	Psychological responses to malignant melanoma. An investigation of traumatic stress reactions to life-threatening illness. <i>General Hospital Psychiatry</i> , 1995 , 17, 126-34	5.6	52
20	Laparoscopic nephrectomy for benign renal disease. <i>British Journal of Urology</i> , 1994 , 73, 237-41		12
19	Laparoscopic approach to the left kidney avoiding colonic mobilization. <i>Journal of Urology</i> , 1994 , 152, 1967-9	2.5	11
18	Melphalan uptake, hyperthermic synergism and drug resistance in a human cell culture model for the isolated limb perfusion of melanoma. <i>Melanoma Research</i> , 1994 , 4, 365-70	3.3	37
17	Percutaneous fluoroscopic gastrostomy. <i>Medical Journal of Australia</i> , 1994 , 161, 308-310	4	2
16	Videothoroscopic primary repair of early distal oesophageal perforation. <i>ANZ Journal of Surgery</i> , 1993 , 63, 399-403	1	7
15	Plasma concentrations of bupivacaine after wound infiltration of an 0.5% solution after inguinal herniorrhaphy: a preliminary study. <i>European Journal of Clinical Pharmacology</i> , 1993 , 44, 555-7	2.8	20
14	Ultrastructure of human melanosis coli with reference to its pathogenesis. <i>Pathology</i> , 1993 , 25, 120-3	1.6	25
13	Primary adenocarcinoma in a colonic oesophageal segment. <i>Australian and New Zealand Journal of Surgery</i> , 1992 , 62, 158-60		9
12	Desmoplastic melanoma: patterns of recurrence. <i>World Journal of Surgery</i> , 1992 , 16, 186-90	3.3	96
11	Primary adenocarcinoma in a colonic oesophageal segment. <i>ANZ Journal of Surgery</i> , 1991 , 61, 953-5	1	2
10	DIAGNOSIS OF RUPTURED DIAPHRAGM FOLLOWING BLUNT TRAUMA: RESULTS FROM 85 CASES. <i>ANZ Journal of Surgery</i> , 1991 , 61, 737-741	1	26
9	Desmoplastic, neural transforming and neurotropic melanoma: a review of 45 cases. <i>ANZ Journal of Surgery</i> , 1990 , 60, 967-72	1	72

8	Construction and management of ileostomies and colostomies. <i>Digestive Diseases</i> , 1989 , 7, 265-80	3.2	2
7	Does intercostal blockade improve patient comfort after cholecystectomy?. <i>British Journal of Surgery</i> , 1987 , 74, 63	5.3	4
6	Availability of Organs for Transplantation: A Three Year Study. <i>Journal of Urology</i> , 1987 , 137, 811-811	2.5	
5	Cystadenocarcinoma of the pancreas presenting in pregnancy. <i>British Journal of Surgery</i> , 1986 , 73, 591	5.3	35
4	Availability of organs for transplantation: a three year study. <i>British Medical Journal</i> , 1986 , 293, 923		7
3	Emergency right hemicolectomy in colon carcinoma: a prospective study. <i>ANZ Journal of Surgery</i> , 1986 , 56, 749-52	1	25
2	Injuries in sport: A prospective casualty study. <i>Medical Journal of Australia</i> , 1985 , 142, 457-461	4	13
1	Actinomycosis of the gall bladder. <i>ANZ Journal of Surgery</i> , 1983 , 53, 587-8	1	6