Marie A BalÃ-kovÃ;

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/638375/publications.pdf

Version: 2024-02-01

42 papers 2,002 citations

331670 21 h-index 276875 41 g-index

44 all docs

44 docs citations

times ranked

44

2137 citing authors

#	Article	IF	CITATIONS
1	Naphyrone (naphthylpyrovalerone): Pharmacokinetics, behavioural effects and thermoregulation in Wistar rats. Addiction Biology, 2021, 26, e12906.	2.6	4
2	Cannabis-induced altered states of consciousness are associated with specific dynamic brain connectivity states. Journal of Psychopharmacology, 2019, 33, 811-821.	4.0	15
3	Psilocybin disrupts sensory and higher order cognitive processing but not pre-attentive cognitive processingâ€"study on P300 and mismatch negativity in healthy volunteers. Psychopharmacology, 2018, 235, 491-503.	3.1	26
4	Identification of three new phase II metabolites of a designer drug methylone formed in rats by N-demethylation followed by conjugation with dicarboxylic acids. Xenobiotica, 2018, 48, 618-625.	1.1	5
5	Behavioral and Pharmacokinetic Profile of Indole-Derived Synthetic Cannabinoids JWH-073 and JWH-210 as Compared to the Phytocannabinoid Δ9-THC in Rats. Frontiers in Neuroscience, 2018, 12, 703.	2.8	17
6	Mephedrone (4-Methylmethcathinone): Acute Behavioral Effects, Hyperthermic, and Pharmacokinetic Profile in Rats. Frontiers in Psychiatry, 2018, 8, 306.	2.6	22
7	Individual prolactin reactivity modulates response of nucleus accumbens to erotic stimuli during acute cannabis intoxication: an fMRI pilot study. Psychopharmacology, 2017, 234, 1933-1943.	3.1	10
8	Acute Cannabis Intoxication and the Brain's Response to Visual Erotica: An Fmri Study. Journal of Sexual Medicine, 2017, 14, e253.	0.6	0
9	Two Cases of Non-fatal Intoxication with a Novel Street Hallucinogen: 3-Methoxy-Phencyclidine. Journal of Analytical Toxicology, 2017, 41, 350-354.	2.8	26
10	Pharmacokinetic and behavioural profile of THC, CBD, and THC+CBD combination after pulmonary, oral, and subcutaneous administration in rats and confirmation of conversion in vivo of CBD to THC. European Neuropsychopharmacology, 2017, 27, 1223-1237.	0.7	169
11	Study on the metabolism of 5,6-methylenedioxy-2-aminoindane (MDAI) in rats: identification of urinary metabolites. Xenobiotica, 2017, 47, 505-514.	1.1	4
12	Pharmacokinetic, Ambulatory, and Hyperthermic Effects of 3,4-Methylenedioxy-N-Methylcathinone (Methylone) in Rats. Frontiers in Psychiatry, 2017, 8, 232.	2.6	74
13	Emerging toxicity of 5,6-methylenedioxy-2-aminoindane (MDAI): Pharmacokinetics, behaviour, thermoregulation and LD50 in rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 69, 49-59.	4.8	26
14	Metabolic profile of mephedrone: Identification of nor-mephedrone conjugates with dicarboxylic acids as a new type of xenobiotic phase II metabolites. Toxicology Letters, 2016, 240, 114-121.	0.8	21
15	Behavioral, neurochemical and pharmaco-EEG profiles of the psychedelic drug 4-bromo-2,5-dimethoxyphenethylamine (2C-B) in rats. Psychopharmacology, 2013, 225, 75-93.	3.1	45
16	Electroencephalographic Spectral and Coherence Analysis of Ketamine in Rats: Correlation with Behavioral Effects and Pharmacokinetics. Neuropsychobiology, 2011, 63, 202-218.	1.9	73
17	Behavioral, hyperthermic and pharmacokinetic profile of para-methoxymethamphetamine (PMMA) in rats. Pharmacology Biochemistry and Behavior, 2011, 98, 130-139.	2.9	24
18	Subanesthetic dose of ketamine decreases prefrontal theta cordance in healthy volunteers: implications for antidepressant effect. Psychological Medicine, 2010, 40, 1443-1451.	4.5	37

#	Article	IF	CITATIONS
19	Studies on distribution and metabolism of para-methoxymethamphetamine (PMMA) in rats after subcutaneous administration. Toxicology, 2009, 259, 61-68.	4.2	26
20	Studies on distribution of para-methoxymethamphetamine (PMMA) designer drug in rats using gas chromatography–mass spectrometry. Legal Medicine, 2009, 11, S429-S430.	1.3	2
21	Mescaline effects on rat behavior and its time profile in serum and brain tissue after a single subcutaneous dose. Psychopharmacology, 2008, 196, 51-62.	3.1	46
22	Disposition of 4-bromo-2,5-dimethoxyphenethylamine (2C-B) and its metabolite 4-bromo-2-hydroxy-5-methoxyphenethylamine in rats after subcutaneous administration. Toxicology Letters, 2008, 178, 29-36.	0.8	32
23	Distribution profile of 2,5-dimethoxy-4-bromoamphetamine (DOB) in rats after oral and subcutaneous doses. Forensic Science International, 2007, 170, 94-99.	2.2	10
24	State of the art in hair analysis for detection of drug and alcohol abuse. Clinica Chimica Acta, 2006, 370, 17-49.	1.1	863
25	Gamma-hydroxybutyric acid stability and formation in blood and urine. Forensic Science International, 2006, 161, 158-162.	2.2	69
26	Nonfatal and fatal DOB (2,5-dimethoxy-4-bromamphetamine) overdose. Forensic Science International, 2005, 153, 85-91.	2.2	67
27	Methamphetamine in hair and interpretation of forensic findings in a fatal case. Forensic Science International, 2005, 153, 93-97.	2.2	24
28	HAIR ANALYSIS FOR DRUGS OF ABUSE. PLAUSIBILITY OF INTERPRETATION. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2005, 149, 199-207.	0.6	44
29	STUDY ON METABOLITES OF 2,5-DIMETHOXY-4-BROMAMPHETAMINE (DOB) IN HUMAN URINE USING GAS CHROMATOGRAPHY-MASS SPECTROMETRY. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2005, 149, 465-468.	0.6	7
30	Hair analysis for drugs of abuse. Plausibility of interpretation. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2005, 149, 199-207.	0.6	2
31	Hair analysis for opiates: evaluation of washing and incubation procedures. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 789, 93-100.	2.3	33
32	Collective poisoning with hallucinogenous herbal tea. Forensic Science International, 2002, 128, 50-52.	2.2	47
33	Evaluation of urinary dihydrocodeine excretion in human by gas chromatography–mass spectrometry. Biomedical Applications, 2001, 752, 179-186.	1.7	18
34	Fatal opiates overdose. Toxicological identification of various metabolites in a blood sample by GC–MS after silylation. Forensic Science International, 1998, 94, 201-209.	2.2	12
35	High-performance liquid chromatographic confirmation of cocaine and benzoylecgonine in biological samples using photodiode-array detection after toxicological screening. Biomedical Applications, 1994, 656, 267-273.	1.7	15
36	Selective system of identification and determination of antidepressants and neuroleptics in serum or plasma by solid-phase extraction followed by high-performance liquid chromatography with photodiode-array detection in analytical toxicology. Biomedical Applications, 1992, 581, 75-81.	1.7	23

#	Article	IF	CITATIONS
37	Chlorinated Phenols as Metabolites of Lindane. Evaluation of the Degree of Conjugation in Rat Urine. Journal of Analytical Toxicology, 1989, 13, 27-30.	2.8	6
38	Gas chromatography of simple phenols in biological fluids. Biomedical Applications, 1989, 497, 159-167.	1.7	19
39	Rapid determination of ethylene glycol at toxic levels in serum and urine. Biomedical Applications, 1988, 434, 469-474.	1.7	19
40	Identification of polychlorinated phenols in urine by gas and thin-layer chromatography. Biomedical Applications, 1988, 431, 431-437.	1.7	7
41	Pharmacogenetic Study with Diazepam in Twins. Neuropsychobiology, 1987, 17, 4-8.	1.9	5
42	On the establishment of adsorption equilibrium in n-butylamine titrations of the surface acidity. Reaction Kinetics and Catalysis Letters, 1975, 2, 323-327.	0.6	5