

Sebastian Molin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6384298/publications.pdf>

Version: 2024-02-01

91
papers

1,870
citations

279798

23
h-index

330143

37
g-index

92
all docs

92
docs citations

92
times ranked

1298
citing authors

#	ARTICLE	IF	CITATIONS
1	Physicochemical properties of Mn _{1.45} Co _{1.45} Cu _{0.1} O ₄ spinel coating deposited on the Crofer 22 H ferritic steel and exposed to high-temperature oxidation under thermal cycling conditions. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 5649-5666.	3.6	9
2	Effectiveness of a dual surface modification of metallic interconnects for application in energy conversion devices. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 6295-6311.	7.1	13
3	Electrophoretic co-deposition of Mn _{1.5} Co _{1.5} O ₄ , Fe ₂ O ₃ and CuO: Unravelling the effect of simultaneous addition of Cu and Fe on the microstructural, thermo-mechanical and corrosion properties of in-situ modified spinel coatings for solid oxide cell interconnects. <i>Journal of the European Ceramic Society</i> , 2022, 42, 3271-3281.	5.7	14
4	Microporous N-Doped Carbon Obtained from Salt Melt Pyrolysis of Chitosan toward Supercapacitor and Oxygen Reduction Catalysts. <i>Nanomaterials</i> , 2022, 12, 1162.	4.1	4
5	Morphology changes in Fe-Cr porous alloys upon high-temperature oxidation quantified by X-ray tomographic microscopy. <i>Materials and Design</i> , 2022, 215, 110492.	7.0	7
6	Glass-ceramic joining of Fe ₂₂ Cr porous alloy to Crofer22APU: interfacial issues and mechanical properties. <i>Ceramics International</i> , 2022, 48, 28519-28527.	4.8	2
7	Influence of Gd deposition on the oxidation behavior and electrical properties of a layered system consisting of Crofer 22 APU and MnCo ₂ O ₄ spinel. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 6775-6791.	7.1	21
8	Recent advances on spinel-based protective coatings for solid oxide cell metallic interconnects produced by electrophoretic deposition. <i>Materials Letters</i> , 2021, 286, 129229.	2.6	17
9	Improvement of Oxygen Electrode Performance of Intermediate Temperature Solid Oxide Cells by Spray Pyrolysis Deposited Active Layers. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002227.	3.7	10
10	Mn-Co spinel coatings on Crofer 22 APU by electrophoretic deposition: Up scaling, performance in SOFC stack at 850 Å°C and compositional modifications. <i>Journal of the European Ceramic Society</i> , 2021, 41, 4496-4504.	5.7	31
11	Manganese- Cobalt Based Spinel Coatings Processed by Electrophoretic Deposition Method: The Influence of Sintering on Degradation Issues of Solid Oxide Cell Oxygen Electrodes at 750 Å°C. <i>Materials</i> , 2021, 14, 3836.	2.9	12
12	The effect of Fe on chemical stability and oxygen evolution performance of high surface area SrTi _{x-1} Fe _x O _{3-Î} mixed ionic-electronic conductors in alkaline media. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 28575-28590.	7.1	14
13	High temperature corrosion evaluation and lifetime prediction of porous Fe ₂₂ Cr stainless steel in air in temperature range 700-900 Å°C. <i>Corrosion Science</i> , 2021, 189, 109589.	6.6	24
14	Gigantic electro-chemo-mechanical properties of nanostructured praseodymium doped ceria. <i>Nanoscale</i> , 2021, 13, 7583-7589.	5.6	5
15	The Effect of Cobalt Incorporation into Nickel- Iron Oxide/(oxy)hydroxide Catalyst on Electrocatalytic Performance Toward Oxygen Evolution Reaction. <i>Energy Technology</i> , 2021, 9, 2100688.	3.8	10
16	Glass-ceramic sealants and steel interconnects: Accelerated interfacial stability and reactivity tests at high temperature. <i>Materials and Design</i> , 2021, 212, 110259.	7.0	3
17	The influence of thermal treatment on electrocatalytic properties of Mn-Co nanofilms on nickel foam toward oxygen evolution reaction activity. <i>Materials Letters</i> , 2020, 258, 126759.	2.6	2
18	Effect of interconnect coating procedure on solid oxide fuel cell performance. <i>Materials Letters</i> , 2020, 259, 126898.	2.6	24

#	ARTICLE	IF	CITATIONS
19	Preparation of Hydrogen Electrodes of Solid Oxide Cells by Infiltration: Effects of the Preparation Procedure on the Resulting Microstructure. <i>Materials</i> , 2020, 13, 131.	2.9	4
20	Solid oxide fuel and electrolysis cells. , 2020, , 387-547.		7
21	Electro-chemo-mechanical properties in nanostructured Ca-doped ceria (CDC) by field assisted sintering. <i>Scripta Materialia</i> , 2020, 187, 183-187.	5.2	11
22	Processing of Ce _{0.8} Gd _{0.2} O _{2-δ} barrier layers for solid oxide cells: The effect of preparation method and thickness on the interdiffusion and electrochemical performance. <i>Journal of the European Ceramic Society</i> , 2020, 40, 5626-5633.	5.7	13
23	Electrical conductivity of nanostructured acceptor-doped ceria fabricated by spark plasma sintering (SPS). <i>Materials Letters</i> , 2020, 279, 128513.	2.6	7
24	The Influence of the Electrodeposition Parameters on the Properties of Mn-Co-Based Nanofilms as Anode Materials for Alkaline Electrolysers. <i>Materials</i> , 2020, 13, 2662.	2.9	6
25	Effect of sintering temperature on electrochemical performance of porous SrTi _{1-x} Fe _x O _{3-δ} (x = 0.35, 0.5). <i>J Electrochem Soc</i> 167, 074304 (2020).	2.5	14
26	Study of oxygen electrode reactions on symmetrical porous SrTi _{0.30} Fe _{0.70} O _{3-δ} electrodes on Ce _{0.8} Gd _{0.2} O _{1.9} electrolyte at 800-500°C. <i>Electrochimica Acta</i> , 2020, 346, 136285.	5.2	8
27	Preparation and characterisation of iron substituted Mn _{1.7} Cu _{1.3-x} Fe _x O ₄ spinel oxides (x = 0, 0.1, 0.3). <i>J Electrochem Soc</i> 167, 074314 (2020).	5.7	13
28	Iron doped manganese cobaltite spinel coatings produced by electrophoretic co-deposition on interconnects for solid oxide cells: Microstructural and electrical characterization. <i>Journal of Power Sources</i> , 2020, 455, 227910.	7.8	21
29	Mn _x Co _{3-x} O ₄ spinel oxides as efficient oxygen evolution reaction catalysts in alkaline media. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 14867-14879.	7.1	35
30	Deposition and Electrical and Structural Properties of La _{0.6} Sr _{0.4} CoO ₃ Thin Films for Application in High-Temperature Electrochemical Cells. <i>Journal of Electronic Materials</i> , 2019, 48, 5428-5441.	2.2	8
31	Effective yttrium based coating for steel interconnects of solid oxide cells: Corrosion evaluation in steam-hydrogen atmosphere. <i>Journal of Power Sources</i> , 2019, 440, 226814.	7.8	11
32	Investigation of electrophoretic deposition as a method for coating complex shaped steel parts in solid oxide cell stacks. <i>Surface and Coatings Technology</i> , 2019, 380, 125093.	4.8	13
33	The Influence of Iron Doping on Performance of SrTi _{1-x} Fe _x O _{3-δ} Perovskite Oxygen Electrode for SOFC. <i>ECS Transactions</i> , 2019, 91, 1299-1307.	0.5	7
34	Evaluation of Praseodymium and Gadolinium Doped Ceria as a Possible Barrier Layer Material for Solid Oxide Cells. <i>ECS Transactions</i> , 2019, 91, 1165-1172.	0.5	4
35	In-situ Cu-doped MnCo-spinel coatings for solid oxide cell interconnects processed by electrophoretic deposition. <i>Ceramics International</i> , 2019, 45, 19148-19157.	4.8	41
36	Electrophoretic co-deposition of Fe ₂ O ₃ and Mn _{1.5} Co _{1.5} O ₄ : Processing and oxidation performance of Fe-doped Mn-Co coatings for solid oxide cell interconnects. <i>Journal of the European Ceramic Society</i> , 2019, 39, 3768-3777.	5.7	42

#	ARTICLE	IF	CITATIONS
37	High temperature oxidation behavior of SUS430 SOFC interconnects with Mn-Co spinel coating in air. <i>Journal of Alloys and Compounds</i> , 2019, 787, 1327-1335.	5.5	49
38	Electrochemical properties of porous Sr _{0.86} Ti _{0.65} Fe _{0.35} O ₃ oxygen electrodes in solid oxide cells: Impedance study of symmetrical electrodes. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 1827-1838.	7.1	21
39	High-temperature oxidation of the Crofer 22â€”H ferritic steel with Mn _{1.45} Co _{1.45} Fe _{0.10} O ₄ and Mn _{1.5} Co _{1.5} O ₄ spinel coatings under thermal cycling conditions and its properties. <i>Materials Chemistry and Physics</i> , 2019, 225, 227-238.	4.0	39
40	High-temperature kinetics study of 430L steel powder oxidized in air at 600â€”850 Â°C. <i>Corrosion Science</i> , 2019, 149, 100-107.	6.6	16
41	Influence of yttria surface modification on high temperature corrosion of porous Ni ₂₂ Cr alloy. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 361-369.	2.1	3
42	Effect of pre-oxidation on the oxidation resistance of Crofer 22 APU. <i>Corrosion Science</i> , 2018, 138, 189-199.	6.6	40
43	Co-deposition of CuO and Mn _{1.5} Co _{1.5} O ₄ powders on Crofer22APU by electrophoretic method: Structural, compositional modifications and corrosion properties. <i>Materials Letters</i> , 2018, 218, 329-333.	2.6	21
44	Evaluation of electrodeposited Mnâ€”Co protective coatings on Crofer 22 <scp>APU</scp> steel. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 349-360.	2.1	19
45	Sintering of MnCo ₂ O ₄ coatings prepared by electrophoretic deposition. <i>Materials Letters</i> , 2018, 213, 394-398.	2.6	43
46	Low temperature deposition of dense MnCo ₂ O ₄ protective coatings for steel interconnects of solid oxide cells. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4576-4579.	5.7	10
47	Spray pyrolysis of doped-ceria barrier layers for solid oxide fuel cells. <i>Surface and Coatings Technology</i> , 2017, 313, 168-176.	4.8	13
48	Status report on high temperature fuel cells in Poland â€” Recent advances and achievements. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 4366-4403.	7.1	55
49	Determination of the bonding strength in solid oxide fuel cellsâ€™ interfaces by Schwickerath crack initiation test. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3565-3578.	5.7	18
50	Improved performance of LaNi _{0.6} Fe _{0.4} O ₃ solid oxide fuel cell cathode by application of a thin interface cathode functional layer. <i>Materials Letters</i> , 2017, 189, 252-255.	2.6	14
51	Microstructural and electrical characterization of Mn-Co spinel protective coatings for solid oxide cell interconnects. <i>Journal of the European Ceramic Society</i> , 2017, 37, 4781-4791.	5.7	66
52	Modeling of Ni Diffusion Induced Austenite Formation in Ferritic Stainless Steel Interconnects. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1005-F1010.	2.9	15
53	Comparison of iron and copper doped manganese cobalt spinel oxides as protective coatings for solid oxide fuel cell interconnects. <i>Journal of Power Sources</i> , 2017, 372, 145-156.	7.8	85
54	Microstructure and Electrical Properties of Fe,Cu Substituted (Co,Mn) ₃ O ₄ Thin Films. <i>Crystals</i> , 2017, 7, 185.	2.2	21

#	ARTICLE	IF	CITATIONS
55	High Temperature Corrosion Evaluation of Porous Hastelloy X Alloy in Air and Humidified Hydrogen Atmospheres. Journal of the Electrochemical Society, 2016, 163, C296-C302.	2.9	4
56	Low temperature processed MnCo ₂ O ₄ and MnCo _{1.8} Fe _{0.2} O ₄ as effective protective coatings for solid oxide fuel cell interconnects at 750Å°C. Journal of Power Sources, 2016, 336, 408-418.	7.8	68
57	Assesment of (Mn,Co) ₃ O ₄ powders for possible coating material for SOFC/SOEC interconnects. IOP Conference Series: Materials Science and Engineering, 2016, 104, 012017.	0.6	11
58	THE ROLE OF THIN FUNCTIONAL LAYERS IN SOLID OXIDE FUEL CELLS. Electrochimica Acta, 2016, 204, 136-145.	5.2	25
59	Electrochemical synthesis of 3D nano-/micro-structured porous polypyrrole. Materials Letters, 2016, 183, 397-400.	2.6	15
60	Joining of ceramic Ba _{0.5} Sr _{0.5} Co _{0.8} Fe _{0.2} O ₃ membranes for oxygen production to high temperature alloys. Journal of Membrane Science, 2016, 506, 11-21.	8.2	23
61	Investigation of the bonding strength and bonding mechanisms of SOFCs interconnectorâ€“electrode interfaces. Materials Letters, 2016, 162, 250-253.	2.6	16
62	Electrophoretic deposition of Mn _{1.5} Co _{1.5} O ₄ on metallic interconnect and interaction with glass-ceramic sealant for solid oxide fuel cells application. Journal of Power Sources, 2015, 280, 379-386.	7.8	78
63	Influence of electropolymerization conditions on the morphological and electrical properties of PEDOT film. Electrochimica Acta, 2015, 176, 156-161.	5.2	46
64	Modeling of Ni Diffusion Induced Austenite Formation in Ferritic Stainless Steel Interconnects. ECS Transactions, 2015, 68, 1691-1700.	0.5	5
65	High temperature corrosion and corrosion protection of porous Ni ₂₂ Cr alloys. Surface and Coatings Technology, 2015, 261, 385-390.	4.8	15
66	Ceria Based Protective Coatings for Steel Interconnects Prepared by Spray Pyrolysis. Procedia Engineering, 2014, 98, 93-100.	1.2	18
67	Oxidation study of coated Crofer 22 APU steel in dry oxygen. Journal of Power Sources, 2014, 251, 488-495.	7.8	37
68	Diffusion of Nickel into Ferritic Steel Interconnects of Solid Oxide Fuel/Electrolysis Stacks. ECS Transactions, 2013, 57, 2245-2252.	0.5	13
69	Investigation of functional layers of solid oxide fuel cell anodes for synthetic biogas reforming. Solid State Ionics, 2013, 251, 70-77.	2.7	15
70	High Temperature Oxidation of Ferritic Steels for Solid Oxide Electrolysis Stacks. ECS Transactions, 2013, 50, 11-20.	0.5	15
71	Application of wet powder spraying for anode supported solid oxide fuel cell with a perovskite SrTi _{0.98} Nb _{0.02} O _{3-δ} anode. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 2736-2741.	1.8	3
72	Solid oxide fuel cells with Ni-infiltrated perovskite anode. Solid State Ionics, 2012, 221, 11-14.	2.7	27

#	ARTICLE	IF	CITATIONS
73	Optimization of microstructure and properties of acceptor-doped barium cerate. Solid State Ionics, 2012, 225, 245-249.	2.7	16
74	The comparison of SrTi _{0.98} Nb _{0.02} O ₃ -CeO ₂ and SrTi _{0.98} Nb _{0.02} O ₃ -YSZ composites for use in SOFC anodes. Journal of Electroceramics, 2012, 28, 132-138.	2.0	15
75	Structural and electrical properties of Sr(Ti, Fe)O ₃ -Y ₂ O ₃ materials for SOFC cathodes. Journal of Electroceramics, 2012, 28, 80-87.	2.0	56
76	Stainless Steel/Yttria Stabilized Zirconia Composite Supported Solid Oxide Fuel Cell. Journal of Fuel Cell Science and Technology, 2011, 8, .	0.8	10
77	Coatings for improvement of high temperature corrosion resistance of porous alloys. Journal of the European Ceramic Society, 2011, 31, 2707-2710.	5.7	13
78	Metal Supported Solid Oxide Fuel Cells - Selected Aspects. IOP Conference Series: Materials Science and Engineering, 2011, 18, 132004.	0.6	1
79	FABRICATION AND CHARACTERIZATION OF ANODE SUPPORTED SOLID OXIDE FUEL CELLS. Functional Materials Letters, 2011, 04, 161-164.	1.2	1
80	Synthesis of acceptor-doped Ba _{1-x} Ce _x ZrO ₃ perovskites. Crystal Research and Technology, 2010, 45, 1251-1257.		9
81	High temperature oxidation of porous alloys for solid oxide fuel cell applications. Solid State Ionics, 2010, 181, 1214-1220.	2.7	40
82	Structure and electrical properties of ceramic proton conductors obtained with molten-salt and solid-state synthesis methods. Journal of Non-Crystalline Solids, 2010, 356, 1976-1979.	3.1	11
83	Protective coatings for stainless steel for SOFC applications. Journal of Solid State Electrochemistry, 2009, 13, 1695-1700.	2.5	25
84	Interaction of yttria stabilized zirconia electrolyte with Fe ₂ O ₃ and Cr ₂ O ₃ . Journal of Power Sources, 2009, 194, 20-24.	7.8	16
85	Conductivity improvement of Ce _{0.8} Gd _{0.2} O _{1.9} solid electrolyte. Journal of Rare Earths, 2009, 27, 655-660.	4.8	11
86	Evaluation of 316L porous stainless steel for SOFC support. Journal of the European Ceramic Society, 2009, 29, 757-762.	5.7	33
87	Applications of spin coating of polymer precursor and slurry suspensions for Solid Oxide Fuel Cell fabrication. Journal of Power Sources, 2009, 194, 10-15.	7.8	28
88	Electrical properties of Y _{0.08} Sr _{0.92} Ti _{0.92} Nb _{0.08} O ₃ -Y ₂ O ₃ after reduction in different reducing conditions. Journal of Alloys and Compounds, 2009, 473, 496-499.	5.5	15
89	Evaluation of porous 430L stainless steel for SOFC operation at intermediate temperatures. Journal of Power Sources, 2008, 181, 31-37.	7.8	94
90	Chemical Interaction between Perovskite La _{0.6} Sr _{0.4} FeO ₃ and Super-Ionic Zr _{0.84} Y _{0.16} O _x . Acta Physica Polonica A, 2008, 114, 135-141.	0.5	2

#	ARTICLE	IF	CITATIONS
91	Perovskites in Solid Oxide Fuel Cells. Solid State Phenomena, 0, 183, 65-70.	0.3	12