

JÃ°lius GelÃ³inskÃ½

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6384361/publications.pdf>

Version: 2024-02-01

16
papers

88
citations

1477746

6
h-index

1473754

9
g-index

16
all docs

16
docs citations

16
times ranked

136
citing authors

#	ARTICLE	IF	CITATIONS
1	High leptin status indicates an increased risk of mortality and heart failure in stable coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2137-2146.	1.1	1
2	The role of advanced glycation end products in vascular aging: which parameter is the most suitable as a biomarker?. <i>Journal of Human Hypertension</i> , 2021, 35, 240-249.	1.0	14
3	The Prognostic Importance of Impaired Fasting Glycemia in Chronic Coronary Heart Disease Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021, 129, 29-35.	0.6	3
4	The coincidence of low vitamin K status and high expression of growth differentiation factor 15 may indicate increased mortality risk in stable coronary heart disease patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 540-551.	1.1	6
5	Reference values of retinal microcirculation parameters derived from a population random sample. <i>Microvascular Research</i> , 2021, 134, 104117.	1.1	5
6	Serum biomarkers, skin autofluorescence and other methods. Which parameter better illustrates the relationship between advanced glycation end products and arterial stiffness in the general population?. <i>Hypertension Research</i> , 2021, 44, 518-527.	1.5	14
7	Low vitamin K status, high sclerostin and mortality risk of stable coronary heart disease patients. <i>Biomarkers in Medicine</i> , 2021, 15, 1465-1477.	0.6	1
8	The prognostic importance of subclinical heart failure in stable coronary heart disease patients. <i>Acta Cardiologica</i> , 2020, 75, 329-336.	0.3	4
9	Mood disorders impaired quality of life but not the mortality or morbidity risk in stable coronary heart disease patients. <i>Acta Cardiologica</i> , 2020, 75, 667-675.	0.3	8
10	Soluble receptor for advanced glycation end-products independently influences individual age-dependent increase of arterial stiffness. <i>Hypertension Research</i> , 2020, 43, 111-120.	1.5	9
11	Is There Really an Association of High Circulating Adiponectin Concentration and Mortality or Morbidity Risk in Stable Coronary Artery Disease?. <i>Hormone and Metabolic Research</i> , 2020, 52, 861-868.	0.7	2
12	To what extent can the chosen blood pressure measurement technique affect the outcomes of an observational survey?. <i>Journal of Comparative Effectiveness Research</i> , 2019, 8, 841-852.	0.6	0
13	The changes in achievement of target LDL-cholesterol levels between 2006 and 2017 in Czech patients with chronic coronary heart disease. <i>Cor Et Vasa</i> , 2019, 61, 20-27.	0.1	1
14	Current status of secondary prevention in Czech coronary patients in the EUROASPIRE V Study. <i>Cor Et Vasa</i> , 2019, 61, e277-e283.	0.1	0
15	In the aftermath of SPRINT: further comparison of unattended automated office blood pressure measurement and 24-hour blood pressure monitoring. <i>Blood Pressure</i> , 2018, 27, 256-261.	0.7	10
16	Prospective study of metabolic syndrome as a mortality marker in chronic coronary heart disease patients. <i>European Journal of Internal Medicine</i> , 2018, 47, 55-61.	1.0	10