
Mateusz G Adamski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6386416/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Increased plasma fibrinogen predicts one-year mortality in patients with acute ischemic stroke. Journal of the Neurological Sciences, 2006, 246, 13-19.	0.3	64
2	A Method for Quantitative Analysis of Standard and High-Throughput qPCR Expression Data Based on Input Sample Quantity. PLoS ONE, 2014, 9, e103917.	1.1	43
3	Nitric oxide deficiency and endothelial–mesenchymal transition of pulmonary endothelium in the progression of 4T1 metastatic breast cancer in mice. Breast Cancer Research, 2018, 20, 86.	2.2	38
4	Genetics of stroke. Acta Pharmacologica Sinica, 2010, 31, 1055-1064.	2.8	32
5	The Deletion of Endothelial Sodium Channel α (αENaC) Impairs Endothelium-Dependent Vasodilation and Endothelial Barrier Integrity in Endotoxemia in Vivo. Frontiers in Pharmacology, 2018, 9, 178.	1.6	29
6	Expression profile based gene clusters for ischemic stroke detection. Genomics, 2014, 104, 163-169.	1.3	28
7	Vascular Cognitive Impairment Linked to Brain Endothelium Inflammation in Early Stages of Heart Failure in Mice. Journal of the American Heart Association, 2018, 7, .	1.6	27
8	FTIR, Raman and AFM characterization of the clinically valid biochemical parameters of the thrombi in acute ischemic stroke. Scientific Reports, 2019, 9, 15475.	1.6	27
9	Recent and near-future advances in nucleic acid-based diagnosis of stroke. Expert Review of Molecular Diagnostics, 2015, 15, 665-679.	1.5	21
10	A-G-4G haplotype of <i>PAI-1</i> gene polymorphisms â^'844 G/A, <i>HindIII</i> G/C, and â^'675 4G/5G is associated with increased risk of ischemic stroke caused by small vessel disease. Acta Neurologica Scandinavica, 2009, 120, 94-100.	1.0	18
11	Next-Generation qPCR for the High-Throughput Measurement of Gene Expression in Multiple Leukocyte Subsets. Journal of Biomolecular Screening, 2013, 18, 1008-1017.	2.6	12
12	Pre-Existing Hypertension Dominates Î ³ ÎT Cell Reduction in Human Ischemic Stroke. PLoS ONE, 2014, 9, e97755.	1.1	12
13	The AGTR1 gene A1166C polymorphism as a risk factor and outcome predictor of primary intracerebral and aneurysmal subarachnoid hemorrhages. Neurologia I Neurochirurgia Polska, 2014, 48, 242-247.	0.6	9
14	Current and future bioanalytical approaches for stroke assessment. Bioanalysis, 2015, 7, 1017-1035.	0.6	9
15	A1/A2 polymorphism of GpIIIa gene and a risk of aneurysmal subarachnoid haemorrhage. Biochemical and Biophysical Research Communications, 2009, 383, 228-230.	1.0	8
16	Interleukin 6-174G>C polymorphism and risk of aneurysmal subarachnoid hemorrhage: case-control study and meta-analysis. Acta Neurologica Scandinavica, 2012, 125, 111-115.	1.0	7
17	The β-fibrinogen –455G/A gene polymorphism and the risk of ischaemic stroke in a Polish population. Neurologia I Neurochirurgia Polska, 2013, 47, 152-156.	0.6	7
18	Splenic Measurements in Ischemic Stroke: Assessment of Baseline Size. International Journal of Stroke, 2013, 8, E57-E57.	2.9	4

#	Article	IF	CITATIONS
19	Letter to the Editor. Journal of Neurosurgery, 2010, 113, 400-401.	0.9	2
20	Genetics of Stroke. , 2013, , 1-20.		1
21	The 2012 American Heart Association/American Stroke Association International Stroke Conference. Future Neurology, 2012, 7, 243-246.	0.9	0