Xinru Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6386429/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Application and enantioselective residue determination of chiral pesticide penconazole in grape, tea, aquatic vegetables and soil by ultra performance liquid chromatography-tandem mass spectrometry. Ecotoxicology and Environmental Safety, 2019, 172, 530-537.	6.0	59
2	Transfer of pesticide residue during tea brewing: Understanding the effects of pesticide's physico-chemical parameters on its transfer behavior. Food Research International, 2019, 121, 776-784.	6.2	52
3	The degradation and metabolism of chlorfluazuron and flonicamid in tea: A risk assessment from tea garden to cup. Science of the Total Environment, 2021, 754, 142070.	8.0	32
4	Gender-Related Differences in Stereoselective Degradation of Flutriafol in Rabbits. Journal of Agricultural and Food Chemistry, 2011, 59, 10071-10077.	5.2	25
5	Residue reduction and risk evaluation of chlorfenapyr residue in tea planting, tea processing, and tea brewing. Science of the Total Environment, 2020, 738, 139613.	8.0	25
6	Application and enantiomeric residue determination of diniconazole in tea and grape and apple by supercritical fluid chromatography coupled with quadrupole-time-of-flight mass spectrometry. Journal of Chromatography A, 2018, 1581-1582, 144-155.	3.7	19
7	Monitoring tryptophan metabolism after exposure to hexaconazole and the enantioselective metabolism of hexaconazole in rat hepatocytes in vitro. Journal of Hazardous Materials, 2015, 295, 9-16.	12.4	17
8	Stereoselective degradation of metalaxyl and its enantiomers in rat and rabbit hepatic microsomes <i>in vitro</i> . Xenobiotica, 2012, 42, 580-586.	1.1	16
9	NMR- and LC–MS/MS-based urine metabolomic investigation of the subacute effects of hexabromocyclododecane in mice. Environmental Science and Pollution Research, 2016, 23, 8500-8507.	5.3	16
10	Evaluating the enantioselective degradation and novel metabolites following a single oral dose of metalaxyl in mice. Pesticide Biochemistry and Physiology, 2014, 116, 32-39.	3.6	15
11	Enantiomeric Separation of Chiral Pesticides by Permethylated βâ€Cyclodextrin Stationary Phase in Reversed PhaseLiquid Chromatography. Chirality, 2016, 28, 409-414.	2.6	14
12	Study of the Enantioselective Interaction of Diclofop and Human Serum Albumin by Spectroscopic and Molecular Modeling Approaches In Vitro. Chirality, 2013, 25, 719-725.	2.6	13
13	Stereoselective Degradation of Chiral Fungicide Myclobutanil in Rat Liver Microsomes. Chirality, 2014, 26, 51-55.	2.6	13
14	A combined non-targeted and targeted metabolomics approach to study the stereoselective metabolism of benalaxyl enantiomers in mouse hepatic microsomes. Environmental Pollution, 2016, 212, 358-365.	7.5	13
15	Enantioselective metabolism and enantiomerization of benalaxyl in mice. Chemosphere, 2017, 169, 308-315.	8.2	13
16	Stereoselective Toxicity and Metabolism of Lactofen in Primary Hepatocytes From Rat. Chirality, 2013, 25, 743-750.	2.6	12
17	Enantioselective Metabolism and Interference on Tryptophan Metabolism of Myclobutanil in Rat Hepatocytes. Chirality, 2015, 27, 643-649.	2.6	12
18	Rapid Metabolite Discovery, Identification, and Accurate Comparison of the Stereoselective Metabolism of Metalaxyl in Rat Hepatic Microsomes. Journal of Agricultural and Food Chemistry, 2015, 63, 754-760.	5.2	12

XINRU WANG

#	Article	IF	CITATIONS
19	The fate of technical-grade chlordane in mice fed a high-fat diet and its roles as a candidate obesogen. Environmental Pollution, 2017, 222, 532-542.	7.5	12
20	Enantioselective metabolism and cytotoxicity of the chiral herbicide ethofumesate in rat and chicken hepatocytes. Pesticide Biochemistry and Physiology, 2012, 103, 62-67.	3.6	11
21	Residue dissipation, transfer and safety evaluation of picoxystrobin during tea growing and brewing. Journal of the Science of Food and Agriculture, 2021, 101, 194-204.	3.5	11
22	Dissipation behavior and risk assessment of tolfenpyrad from tea bushes to consuming. Science of the Total Environment, 2022, 806, 150771.	8.0	11
23	Genderâ€Related In Vitro Metabolism of Hexaconazole and Its Enantiomers in Rats. Chirality, 2013, 25, 852-857.	2.6	10
24	Enantioselective metabolism and toxic effects of metalaxyl on primary hepatocytes from rat. Environmental Science and Pollution Research, 2016, 23, 18649-18656.	5.3	9
25	Subacute oral toxicity assessment of benalaxyl in mice based on metabolomics methods. Chemosphere, 2018, 191, 373-380.	8.2	9
26	Residue degradation and metabolism of spinetoram in tea: A growing, processing and brewing risk assessment. Food Control, 2021, 125, 107955.	5.5	9
27	Stereoselective metabolism and toxicity of the herbicide fluroxypyr methylheptyl ester in rat hepatocytes. Chirality, 2011, 23, 860-866.	2.6	8
28	Enantioselective residue analysis of oxathiapiprolin and its metabolite in tea and other crops by ultraâ€high performance liquid chromatography–tandem mass spectrometry. Journal of Separation Science, 2020, 43, 3856-3867.	2.5	7
29	Evaluating the enantioselective distribution, degradation and excretion of epoxiconazole in mice following a single oral gavage. Xenobiotica, 2015, 45, 1009-1015.	1.1	6
30	Stereoselective Degradation of alphaâ€Cypermethrin and Its Enantiomers in Rat Liver Microsomes. Chirality, 2016, 28, 58-64.	2.6	6
31	Residue degradation, transfer and risk assessment of pyriproxyfen and its metabolites from tea garden to cup by ultra performance liquid chromatography tandem mass spectrometry. Journal of the Science of Food and Agriculture, 2022, , .	3.5	6