Julie Ho

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6387677/julie-ho-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59 2,464 22 49 g-index

60 3,011 4.3 4.61 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
59	Waitlisted and Transplant Patient Perspectives on Expanding Access to Deceased-Donor Kidney Transplant: A Qualitative Study. <i>Canadian Journal of Kidney Health and Disease</i> , 2022 , 9, 205435812211	062	
58	The negative impact of T cell-mediated rejection on renal allograft survival in the modern era. <i>American Journal of Transplantation</i> , 2021 ,	8.7	2
57	Age and sex determine conversion from immediate-release to extended-release tacrolimus in a multi-center cohort of Canadian pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2021 , 25, e13959	1.8	
56	Lifelong, universal Pneumocystis jirovecii pneumonia prophylaxis: Patient uptake and adherence after kidney transplant. <i>Transplant Infectious Disease</i> , 2021 , 23, e13509	2.7	O
55	Early surveillance biopsy utilization and management of pediatric renal allograft acute T cell-mediated rejection in Canadian centers: Observations from the PROBE multicenter cohort study. <i>Pediatric Transplantation</i> , 2021 , 25, e13870	1.8	1
54	Validity and utility of urinary CXCL10/Cr immune monitoring in pediatric kidney transplant recipients. <i>American Journal of Transplantation</i> , 2021 , 21, 1545-1555	8.7	8
53	Phospholipase A2 group XV activity during cardiopulmonary bypass surgery. <i>Clinical Biochemistry</i> , 2021 , 88, 49-55	3.5	
52	A noninferiority design for a delayed calcineurin inhibitor substitution trial in kidney transplantation. <i>American Journal of Transplantation</i> , 2021 , 21, 1503-1512	8.7	О
51	Expanding the Deceased Donor Pool in Manitoba Using Hepatitis C-Viremic Donors: Program Report. <i>Canadian Journal of Kidney Health and Disease</i> , 2021 , 8, 20543581211033496	2.3	О
50	Training Programs for Fundamental and Clinician-Scientists: Balanced Outcomes for Graduates by Gender. <i>Canadian Journal of Kidney Health and Disease</i> , 2021 , 8, 20543581211033405	2.3	О
49	Evidence for the alloimmune basis and prognostic significance of Borderline T cell-mediated rejection. <i>American Journal of Transplantation</i> , 2020 , 20, 2499-2508	8.7	20
48	Activity-based protein profiling guided identification of urine proteinase 3 activity in subclinical rejection after renal transplantation. <i>Clinical Proteomics</i> , 2020 , 17, 23	5	1
47	Technical Considerations and Confounders for Urine CXCL10 Chemokine Measurement. <i>Transplantation Direct</i> , 2020 , 6, e519	2.3	6
46	Early Antibody-Mediated Kidney Transplant Rejection Associated With Anti-Vimentin Antibodies: A Case Report. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 138-143	7.4	8
45	Multicentre randomised controlled trial protocol of urine CXCL10 monitoring strategy in kidney transplant recipients. <i>BMJ Open</i> , 2019 , 9, e024908	3	7
44	Activity-based Protein Profiling Approaches for Transplantation. <i>Transplantation</i> , 2019 , 103, 1790-179	8 1.8	3
43	Hyperacute Antibody-mediated Rejection Associated With Red Blood Cell Antibodies. <i>Transplantation Direct</i> , 2019 , 5, e477	2.3	2

(2016-2019)

42	Early intraoperative iron-binding proteins are associated with acute kidney injury after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 287-297.e2	1.5	15
41	HLA-DR/DQ molecular mismatch: A prognostic biomarker for primary alloimmunity. <i>American Journal of Transplantation</i> , 2019 , 19, 1708-1719	8.7	64
40	Carpe diem-Time to transition from empiric to precision medicine in kidney transplantation. <i>American Journal of Transplantation</i> , 2018 , 18, 1615-1625	8.7	17
39	Urinary Hepcidin-25 Is Elevated in Patients That Avoid Acute Kidney Injury Following Cardiac Surgery. <i>Canadian Journal of Kidney Health and Disease</i> , 2018 , 5, 2054358117744224	2.3	13
38	Evolution of renal function and urinary biomarker indicators of inflammation on serial kidney biopsies in pediatric kidney transplant recipients with and without rejection. <i>Pediatric Transplantation</i> , 2018 , 22, e13202	1.8	10
37	Urinary CXCL10 Chemokine Is Associated With Alloimmune and Virus Compartment-Specific Renal Allograft Inflammation. <i>Transplantation</i> , 2018 , 102, 521-529	1.8	19
36	Pre-transplant ATR antibodies correlate with early allograft rejection. <i>Transplant Immunology</i> , 2018 , 46, 29-35	1.7	30
35	Activity-Based Protein Profiling of Intraoperative Serine Hydrolase Activities during Cardiac Surgery. <i>Journal of Proteome Research</i> , 2018 , 17, 3547-3556	5.6	6
34	The prognostic value of urinary chemokines at 6[months after pediatric kidney transplantation. <i>Pediatric Transplantation</i> , 2018 , 22, e13205	1.8	9
33	Disseminated Mycobacterium bovis infection post-kidney transplant following remote intravesical BCG therapy for bladder cancer. <i>Transplant Infectious Disease</i> , 2018 , 20, e12931	2.7	12
32	New developments in transplant proteomics. <i>Current Opinion in Nephrology and Hypertension</i> , 2017 , 26, 229-234	3.5	5
31	Atypical pneumonia due to human bocavirus in an immunocompromised patient. <i>Cmaj</i> , 2017 , 189, E697	-5699	2
30	Improving the Prediction of Cardiac Surgery-Associated Acute Kidney Injury. <i>Kidney International Reports</i> , 2017 , 2, 172-179	4.1	7
29	Class II Eplet Mismatch Modulates Tacrolimus Trough Levels Required to Prevent Donor-Specific Antibody Development. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3353-3362	12.7	125
28	Evaluation of C1q Status and Titer of De Novo Donor-Specific Antibodies as Predictors of Allograft Survival. <i>American Journal of Transplantation</i> , 2017 , 17, 703-711	8.7	51
27	Atypical cells in a voided urine cytology specimen in a renal transplant recipient. <i>Diagnostic Cytopathology</i> , 2017 , 45, 69-72	1.4	2
26	Six-Month Urinary CCL2 and CXCL10 Levels Predict Long-term Renal Allograft Outcome. Transplantation, 2016 , 100, 1988-96	1.8	19
25	Detecting Renal Allograft Inflammation Using Quantitative Urine Metabolomics and CXCL10. <i>Transplantation Direct</i> , 2016 , 2, e78	2.3	16

24	Elevated Urinary Matrix Metalloproteinase-7 Detects Underlying Renal Allograft Inflammation and Injury. <i>Transplantation</i> , 2016 , 100, 648-54	1.8	17
23	A proteomic evaluation of urinary changes associated with cardiopulmonary bypass. <i>Clinical Proteomics</i> , 2016 , 13, 17	5	6
22	Urinary, Plasma, and Serum Biomarkers Witility for Predicting Acute Kidney Injury Associated With Cardiac Surgery in Adults: A Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 993-1005	7.4	144
21	Developing renal allograft surveillance strategies - urinary biomarkers of cellular rejection. <i>Canadian Journal of Kidney Health and Disease</i> , 2015 , 2, 28	2.3	23
20	Urinary biomarkers of renal transplant outcome. Current Opinion in Organ Transplantation, 2015, 20, 4	76 2 8¶	14
19	Elevated urinary CXCL10-to-creatinine ratio is associated with subclinical and clinical rejection in pediatric renal transplantation. <i>Transplantation</i> , 2015 , 99, 797-804	1.8	45
18	Rates and determinants of progression to graft failure in kidney allograft recipients with de novo donor-specific antibody. <i>American Journal of Transplantation</i> , 2015 , 15, 2921-30	8.7	223
17	Prediction of Long-term Renal Allograft Outcome By Early Urinary CXCL10 Chemokine Levels. <i>Transplantation Direct</i> , 2015 , 1, e31	2.3	10
16	Early reversible acute kidney injury is associated with improved survival in septic shock. <i>Journal of Critical Care</i> , 2014 , 29, 711-7	4	49
15	Proteomics in acute kidney injurycurrent status and future promise. <i>Pediatric Nephrology</i> , 2014 , 29, 163-71	3.2	11
14	Elevated urinary CCL2: Cr at 6 months is associated with renal allograft interstitial fibrosis and inflammation at 24 months. <i>Transplantation</i> , 2014 , 98, 39-46	1.8	28
13	Proteomic characterization of serine hydrolase activity and composition in normal urine. <i>Clinical Proteomics</i> , 2013 , 10, 17	5	22
12	Class II HLA epitope matching-A strategy to minimize de novo donor-specific antibody development and improve outcomes. <i>American Journal of Transplantation</i> , 2013 , 13, 3114-22	8.7	221
11	Increased urinary CCL2: Cr ratio at 6 months is associated with late renal allograft loss. <i>Transplantation</i> , 2013 , 95, 595-602	1.8	27
10	Serum creatinine measurement immediately after cardiac surgery and prediction of acute kidney injury. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 196-201	7.4	57
9	Detection of clinical and subclinical tubulo-interstitial inflammation by the urinary CXCL10 chemokine in a real-life setting. <i>American Journal of Transplantation</i> , 2012 , 12, 1811-23	8.7	52
8	Evolution and clinical pathologic correlations of de novo donor-specific HLA antibody post kidney transplant. <i>American Journal of Transplantation</i> , 2012 , 12, 1157-67	8.7	672
7	Immune monitoring of kidney allografts. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 629-40	7.4	32

LIST OF PUBLICATIONS

6	Validation of urinary CXCL10 as a marker of borderline, subclinical, and clinical tubulitis. <i>Transplantation</i> , 2011 , 92, 878-82	1.8	57
5	Urinary hepcidin-25 and risk of acute kidney injury following cardiopulmonary bypass. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2340-6	6.9	50
4	Early urinary CCL2 is associated with the later development of interstitial fibrosis and tubular atrophy in renal allografts. <i>Transplantation</i> , 2010 , 90, 394-400	1.8	46
3	Mass spectrometry-based proteomic analysis of urine in acute kidney injury following cardiopulmonary bypass: a nested case-control study. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 584-95	7.4	155
2	Antigenic heterogeneity of IgA anti-GBM disease: new renal targets of IgA autoantibodies. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 761-5	7.4	22
1	Spinal cord compression from a brown tumour despite maximal medical therapy with cinacalcet and sevelamer. <i>CKJ: Clinical Kidney Journal</i> , 2008 , 1, 151-3	4.5	1