

# Jun Wasaki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6388507/publications.pdf>

Version: 2024-02-01

61  
papers

2,631  
citations

172457

29  
h-index

197818

49  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2862  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ethylene works as a possible regulator for the rootlet elongation and transcription of genes for phosphorus acquisition in cluster roots of <i>Lupinus albus</i> L.. Soil Science and Plant Nutrition, 2022, 68, 383-392.	1.9	2
2	Formation of dauciform roots by Japanese native Cyperaceae and their contribution to phosphorus dynamics in soils. Plant and Soil, 2021, 461, 107-118.	3.7	7
3	Recent insights into the metabolic adaptations of phosphorus-deprived plants. Journal of Experimental Botany, 2021, 72, 199-223.	4.8	69
4	Complementarity of two distinct phosphorus acquisition strategies in maize-white lupine intercropping system under limited phosphorus availability. Journal of Crop Improvement, 2021, 35, 234-249.	1.7	2
5	Leaf manganese concentrations as a tool to assess belowground plant functioning in phosphorus-impooverished environments. Plant and Soil, 2021, 461, 43-61.	3.7	52
6	Multiple analysis of root exudates and microbiome in rice ( <i>Oryza sativa</i> ) under low P conditions. Archives of Microbiology, 2021, 203, 5599-5611.	2.2	7
7	AtALMT3 is Involved in Malate Efflux Induced by Phosphorus Deficiency in <i>Arabidopsis thaliana</i> Root Hairs. Plant and Cell Physiology, 2019, 60, 107-115.	3.1	28
8	Effects of White Lupin and Groundnut on Fractionated Rhizosphere Soil P of Different P-Limited Soil Types in Japan. Agronomy, 2019, 9, 68.	3.0	9
9	Organ-specific allocation pattern of acquired phosphorus and dry matter in two rice genotypes with contrasting tolerance to phosphorus deficiency. Soil Science and Plant Nutrition, 2018, 64, 282-290.	1.9	18
10	Molecular mechanisms underpinning phosphorus use efficiency in rice. Plant, Cell and Environment, 2018, 41, 1483-1496.	5.7	74
11	Ancient rice cultivar extensively replaces phospholipids with non-phosphorus glycolipid under phosphorus deficiency. Physiologia Plantarum, 2018, 163, 297-305.	5.2	31
12	Identification of genomic regions associated with low phosphorus tolerance in <i>japonica</i> rice ( <i>Oryza sativa</i> L.) by QTL-Seq. Soil Science and Plant Nutrition, 2018, 64, 278-281.	1.9	9
13	P and N deficiency change the relative abundance and function of rhizosphere microorganisms during cluster root development of white lupin ( <i>Lupinus albus</i> L.). Soil Science and Plant Nutrition, 2018, 64, 686-696.	1.9	22
14	Organic acid excretion from roots: a plant mechanism for enhancing phosphorus acquisition, enhancing aluminum tolerance, and recruiting beneficial rhizobacteria. Soil Science and Plant Nutrition, 2018, 64, 697-704.	1.9	66
15	Preface to special section "Frontline in the rhizosphere research involved in phosphorus: for efficient use of unavailable P in soils (Rhizo-P)™. Soil Science and Plant Nutrition, 2018, 64, 277-277.	1.9	0
16	Landrace of japonica rice, Akamai exhibits enhanced root growth and efficient leaf phosphorus remobilization in response to limited phosphorus availability. Plant and Soil, 2017, 414, 327-338.	3.7	16
17	PHOSPHORUS-MOBILIZATION STRATEGY BASED ON CARBOXYLATE EXUDATION IN LUPINS (LUPINUS,) Tj ETQq1 1 0.784314 rgBT /Over PLANTS UNDER PHOSPHORUS-LIMITED CONDITIONS. Experimental Agriculture, 2017, 53, 308-319.	0.9	14
18	Transgenic approaches for improving phosphorus use efficiency in plants. , 2017, , 323-338.		3

#	ARTICLE	IF	CITATIONS
19	Effects of different phosphorus-efficient legumes and soil texture on fractionated rhizosphere soil phosphorus of strongly weathered soils. <i>Biology and Fertility of Soils</i> , 2016, 52, 367-376.	4.3	18
20	Interspecific facilitation of P acquisition in intercropping of maize with white lupin in two contrasting soils as influenced by different rates and forms of P supply. <i>Plant and Soil</i> , 2015, 390, 223-236.	3.7	67
21	Identification and distribution of cellobiose 2-epimerase genes by a PCR-based metagenomic approach. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 4287-4295.	3.6	10
22	The mannobiose-forming exo-mannanase involved in a new mannan catabolic pathway in <i>Bacteroides fragilis</i> . <i>Archives of Microbiology</i> , 2014, 196, 17-23.	2.2	34
23	Structure of Novel Enzyme in Mannan Biodegradation Process 4-O-Î <sup>2</sup> -d-Mannosyl-d-Glucose Phosphorylase MGP. <i>Journal of Molecular Biology</i> , 2013, 425, 4468-4478.	4.2	34
24	Phytate Degradation by Fungi and Bacteria that Inhabit Sawdust and Coffee Residue Composts. <i>Microbes and Environments</i> , 2013, 28, 71-80.	1.6	15
25	Effect of exogenous phosphatase and phytase activities on organic phosphate mobilization in soils with different phosphate adsorption capacities. <i>Soil Science and Plant Nutrition</i> , 2012, 58, 41-51.	1.9	17
26	Isolation and Characterization of Cellulose-decomposing Bacteria Inhabiting Sawdust and Coffee Residue Composts. <i>Microbes and Environments</i> , 2012, 27, 226-233.	1.6	62
27	Molecular Approaches to the Study of Biological Phosphorus Cycling. <i>Soil Biology</i> , 2011, , 93-111.	0.8	3
28	New microbial mannan catabolic pathway that involves a novel mannosylglucose phosphorylase. <i>Biochemical and Biophysical Research Communications</i> , 2011, 408, 701-706.	2.1	85
29	Compost amendment enhances population and composition of phosphate solubilizing bacteria and improves phosphorus availability in granitic regosols. <i>Soil Science and Plant Nutrition</i> , 2011, 57, 529-540.	1.9	11
30	Evaluation of Cellulolytic and Hemicellulolytic Abilities of Fungi Isolated from Coffee Residue and Sawdust Composts. <i>Microbes and Environments</i> , 2011, 26, 220-227.	1.6	21
31	Influence of arsenic stress on synthesis and localization of low-molecular-weight thiols in <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2010, 158, 3663-3669.	7.5	28
32	Recent Progress in Plant Nutrition Research: Cross-Talk Between Nutrients, Plant Physiology and Soil Microorganisms. <i>Plant and Cell Physiology</i> , 2010, 51, 1255-1264.	3.1	74
33	Identification of the Cellobiose 2-Epimerase Gene in the Genome of <i>Bacteroides fragilis</i> NCTC 9343. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 400-406.	1.3	54
34	Element interconnections in <i>Lotus japonicus</i> : A systematic study of the effects of element additions on different natural variants. <i>Soil Science and Plant Nutrition</i> , 2009, 55, 91-101.	1.9	36
35	Overexpression of the <i>LASAP2</i> gene for secretory acid phosphatase in white lupin improves the phosphorus uptake and growth of tobacco plants. <i>Soil Science and Plant Nutrition</i> , 2009, 55, 107-113.	1.9	54
36	Cloning and sequencing of the gene for cellobiose 2-epimerase from a ruminal strain of <i>Eubacterium cellulosolvens</i> . <i>FEMS Microbiology Letters</i> , 2008, 287, 34-40.	1.8	50

#	ARTICLE	IF	CITATIONS
37	Localization of acid phosphatase activities in the roots of white lupin plants grown under phosphorus-deficient conditions. <i>Soil Science and Plant Nutrition</i> , 2008, 54, 95-102.	1.9	33
38	Analysis of bacterial communities on alkaline phosphatase genes in soil supplied with organic matter. <i>Soil Science and Plant Nutrition</i> , 2008, 54, 62-71.	1.9	190
39	Biotransformation of (+)-catechin into taxifolin by a two-step oxidation: Primary stage of (+)-catechin metabolism by a novel (+)-catechin-degrading bacteria, <i>Burkholderia</i> sp. KTC-1, isolated from tropical peat. <i>Biochemical and Biophysical Research Communications</i> , 2008, 366, 414-419.	2.1	12
40	Effects of Epilactose on Calcium Absorption and Serum Lipid Metabolism in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 10340-10345.	5.2	40
41	Metabolic alterations proposed by proteome in rice roots grown under low P and high Al concentration under low pH. <i>Plant Science</i> , 2007, 172, 1157-1165.	3.6	81
42	Cloning and sequencing of the cellobiose 2-epimerase gene from an obligatory anaerobe, <i>Ruminococcus albus</i> . <i>Biochemical and Biophysical Research Communications</i> , 2007, 360, 640-645.	2.1	47
43	Transcriptomic analysis indicates putative metabolic changes caused by manipulation of phosphorus availability in rice leaves. <i>Journal of Experimental Botany</i> , 2006, 57, 2049-2059.	4.8	120
44	Plant growth promotion abilities and microscale bacterial dynamics in the rhizosphere of Lupin analysed by phytate utilization ability. <i>Environmental Microbiology</i> , 2005, 7, 396-404.	3.8	119
45	The Function of a Maize-Derived Phosphoenolpyruvate Carboxylase (PEPC) in Phosphorus-Deficient Transgenic Rice. <i>Soil Science and Plant Nutrition</i> , 2005, 51, 497-506.	1.9	19
46	Root Exudation, Phosphorus Acquisition, and Microbial Diversity in the Rhizosphere of White Lupine as Affected by Phosphorus Supply and Atmospheric Carbon Dioxide Concentration. <i>Journal of Environmental Quality</i> , 2005, 34, 2157-2166.	2.0	72
47	Endogenous hormones and expression of senescence-related genes in different senescent types of maize. <i>Journal of Experimental Botany</i> , 2005, 56, 1117-1128.	4.8	140
48	Low Phosphorus Tolerance Mechanisms: Phosphorus Recycling and Photosynthate Partitioning in the Tropical Forage Grass, <i>Brachiaria</i> Hybrid Cultivar Mulato Compared with Rice. <i>Plant and Cell Physiology</i> , 2004, 45, 460-469.	3.1	127
49	Production of Lupin Acid Phosphatase in Transgenic Rice for Use as a Phytate-hydrolyzing Enzyme in Animal Feed. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 1611-1616.	1.3	3
50	Possibility of rhizosphere regulation using acid phosphatase and organic acid for recycling phosphorus in sewage sludge. <i>Soil Science and Plant Nutrition</i> , 2004, 50, 77-83.	1.9	5
51	Secreted acid phosphatase is expressed in cluster roots of lupin in response to phosphorus deficiency. <i>Plant and Soil</i> , 2003, 248, 129-136.	3.7	142
52	Expression of the OsPI1 gene, cloned from rice roots using cDNA microarray, rapidly responds to phosphorus status. <i>New Phytologist</i> , 2003, 158, 239-248.	7.3	85
53	Secreted acid phosphatase is expressed in cluster roots of lupin in response to phosphorus deficiency. , 2003, , 129-136.		99
54	Breeding Wheat for Zinc Efficiency Improvement in Semi-arid Climate-A Review. <i>Tropics</i> , 2003, 12, 295-312.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Cloning and characterization of four phosphate transporter cDNAs in tobacco. Plant Science, 2002, 163, 837-846.	3.6	58
56	Characteristics of phosphoenolpyruvate phosphatase purified from Allium cepa. Plant Science, 2001, 161, 861-869.	3.6	22
57	Structure of a cDNA for an acid phosphatase from phosphate-deficient lupin (Lupinus albusL.) Roots. Soil Science and Plant Nutrition, 1999, 45, 439-449.	1.9	47
58	Secreting portion of acid phosphatase in roots of Lupin (Lupinus albusL.) and a key signal for the secretion from the roots. Soil Science and Plant Nutrition, 1999, 45, 937-945.	1.9	24
59	Properties of secretory acid phosphatase from lupin roots under phosphorus-deficient conditions. , 1997, , 295-300.		12
60	Properties of secretory acid phosphatase from lupin roots under phosphorus-deficient conditions. Soil Science and Plant Nutrition, 1997, 43, 981-986.	1.9	30
61	Possible solubilization of various mineral elements in the rhizosphere of Lupinus albus L.. Soil Science and Plant Nutrition, 0, , 1-8.	1.9	0