

# Yongjun Xie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6388778/publications.pdf>

Version: 2024-02-01

68  
papers

320  
citations

1039406

9  
h-index

996533

15  
g-index

68  
all docs

68  
docs citations

68  
times ranked

202  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modeling of Bandpass GPR Problem by HIE Procedure With Enhanced Absorption. IEEE Geoscience and Remote Sensing Letters, 2022, 19, 1-5.	1.4	4
2	Bandpass Crank-Nicolson form with approximation and absorption for nonreciprocal ferrite material. Journal of Electromagnetic Waves and Applications, 2022, 36, 706-721.	1.0	0
3	Narrow-bandpass Crank-Nicolson algorithm with enhanced absorbing performance for metamaterials. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2022, 35, e2966.	1.2	0
4	Bandpass signal formulation with hybrid implicit-explicit procedure in open regions for unmagnetized plasma. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, .	0.8	1
5	Analysis of two-dimensional multipactor model for ferrite circulator junction. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, e23002.	0.8	2
6	Bandpass Simulation of Anisotropic Magnetized Ferrite Material With Alternating Direction Implicit Scheme in Open Region. IEEE Transactions on Magnetics, 2022, 58, 1-8.	1.2	1
7	Iterated Crank-Nicolson Procedure With Enhanced Absorption for Nonuniform Domains. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2022, 7, 61-68.	1.4	5
8	Narrow-band anisotropic magnetized ferrite material simulation by approximate Crank-Nicolson procedure with improved nearly absorbing condition. Journal of Electromagnetic Waves and Applications, 2022, 36, 1813-1837.	1.0	0
9	A Novel Circulator Construction With High Multipactor Threshold and High Isolation for Aerospace Applications. IEEE Transactions on Plasma Science, 2022, 50, 715-720.	0.6	4
10	Bandpass leapfrog hybrid implicit-explicit procedure with promoted absorption for obtaining fine geometry in a single direction. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, .	0.8	3
11	Narrow-Bandpass One-Step Leapfrog Hybrid Implicit-Explicit Algorithm with Convolutional Boundary Condition for Its Applications in Sensors. Sensors, 2022, 22, 4445.	2.1	0
12	Generalized Radar Range Equation Applied to the Whole Field Region. Sensors, 2022, 22, 4608.	2.1	7
13	Lift-Off Effect in Microwave Surface Resistance Measurement Using Ring Dielectric Resonator. IEEE Transactions on Instrumentation and Measurement, 2022, 71, 1-2.	2.4	1
14	Performance Enhanced Crank-Nicolson Boundary Conditions for EM Problems. IEEE Transactions on Antennas and Propagation, 2021, 69, 1513-1527.	3.1	16
15	Computationally Efficient Locally One-Dimensional Algorithm for Open Region Ground Penetrating Radar Problem With Improved Absorption. IEEE Access, 2021, 9, 88759-88766.	2.6	2
16	Approximate Crank-Nicolson Algorithm with Higher-Order PML Implementation for Plasma Simulation in Open Region Problems. International Journal of Antennas and Propagation, 2021, 2021, 1-12.	0.7	2
17	Three-dimensional aperture principle for end-fire radiation antenna array. AIP Advances, 2021, 11, .	0.6	4
18	Evaluation of Passive Intermodulation From Multiple Connectors With Generalized Network Method. IEEE Microwave and Wireless Components Letters, 2021, 31, 312-315.	2.0	7

#	ARTICLE	IF	CITATIONS
19	<scp>Analysis</scp> of <scp>two-dimensional</scp> multipactor model for ferrite circulator junction. International Journal of RF and Microwave Computer-Aided Engineering, 2021, 31, e22701.	0.8	1
20	Characteristics of half-space electromagnetic scattering with multiple radiators. AIP Advances, 2021, 11, 045020.	0.6	2
21	A One-Step Leapfrog ADI Procedure with Improved Absorption for Fine Geometric Details. Electronics (Switzerland), 2021, 10, 1135.	1.8	1
22	Complex Envelope Hybrid Implicit-Explicit Procedure With Enhanced Absorption for Bandpass Nonreciprocal Application. IEEE Microwave and Wireless Components Letters, 2021, 31, 533-536.	2.0	5
23	Near-Field Gain Expression for Aperture Antenna and Its Application. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 1225-1229.	2.4	3
24	Novel Miniaturized All-Metal UWB Magneto-Electric Monopole (MEM) Antenna for Multistandard Applications. IEEE Transactions on Antennas and Propagation, 2021, 69, 4195-4200.	3.1	3
25	Determination of Anisotropy Ratio $\langle i \rangle^2 / \langle i \rangle^4$ for Symmetric Three-Port Circulator Using Transmission Line Equivalent Model. IEEE Transactions on Magnetics, 2021, 57, 1-6.	1.2	2
26	Efficient Enhanced Hybrid Implicit-Explicit Procedure to Gyrotropic Plasma in Open Regions With Fine Geometry Details Along Single Direction. IEEE Access, 2021, 9, 77079-77089.	2.6	4
27	Implicit Approximate Crank-Nicolson Theory for Anisotropic Ferrite Structure Simulation with Enhanced Absorption. Advanced Theory and Simulations, 2021, 4, 2000309.	1.3	4
28	Bandpass HIE-PML Algorithm with Improved Absorption and Efficiency for Lorentz Medium. , 2021, , .		2
29	Multi-radiators Scattering Characteristic Solver via ARCS Theory and GPU Acceleration. , 2021, , .		0
30	Unconditionally stable higher order perfectly matched layer applied to terminate anisotropic magnetized plasma. International Journal of RF and Microwave Computer-Aided Engineering, 2020, 30, e22011.	0.8	2
31	Computationally Efficient Implicit ADI Theory and Its Open Region Problems for Anisotropic Gyrotropic Plasma Simulations. Advanced Theory and Simulations, 2020, 3, 2000166.	1.3	2
32	Higher order perfectly matched layer for the implicit CNDG-FDTD algorithm. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2020, 33, e2750.	1.2	3
33	Performance-Enhanced Complex Envelope ADI-PML for Bandpass EM Simulation. IEEE Microwave and Wireless Components Letters, 2020, 30, 729-732.	2.0	9
34	Simulations of the Multipactor Effect in Ferrite Circulator Junction With Wedge-Shaped Cross Section Geometry. IEEE Transactions on Electron Devices, 2020, 67, 5144-5150.	1.6	7
35	Complex Envelope Approximate CN-PML Algorithm With Improved Absorption. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 1521-1525.	2.4	9
36	A Low-Profile End-Fire Conformal Surface Wave Antenna with Capacitive Feed Structure. Sensors, 2020, 20, 7054.	2.1	1

#	ARTICLE	IF	CITATIONS
37	UWB Low-Profile Boat-Radiator Antenna (BRA) with Dual C-Shape Co-Radiative Ground for Multi-Standard Communication Networks. <i>Sensors</i> , 2020, 20, 7051.	2.1	0
38	Computationally efficient complex envelope approximate Crank-Nicolson scheme and its open region problem for anisotropic gyrotropic plasma. <i>Physics of Plasmas</i> , 2020, 27, 103302.	0.7	4
39	ARCS: Active Radar Cross Section for Multi-Radiator Problems in Complex EM Environments. <i>Sensors</i> , 2020, 20, 3371.	2.1	7
40	Different implementations of material independent multi-order nearly perfectly matched layers for EM simulations. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 3485-3498.	0.9	7
41	Higher-Order Approximate CN-PML Theory for Magnetized Ferrite Simulations. <i>Advanced Theory and Simulations</i> , 2020, 3, 1900221.	1.3	8
42	Passive intermodulation of printed dipole antennas: Modeling, evaluation, and experiment. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020, 30, e22243.	0.8	1
43	Simulation design of an X-band high isolation circulator. , 2020, , .		2
44	Bilinear Z-transform perfectly matched layer for rotational symmetric microwave structures with magnetised ferrite. <i>IET Microwaves, Antennas and Propagation</i> , 2020, 14, 247-252.	0.7	3
45	A Novel Data Segmentation-Based Approach for Validating the Narrowband Radar Data by the Feature Selective Validation Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2019, 61, 140-148.	1.4	0
46	A Quantitative Analysis of Electromagnetic Simulation Model Credibility. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 34-38.	2.4	0
47	Three-Dimensional Higher Order PML Based on Alternating Direction Implicit Algorithm. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 2592-2596.	2.4	21
48	Prediction of Passive Intermodulation on Mesh Reflector Antenna Using Collaborative Simulation: Multiscale Equivalent Method and Nonlinear Model. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 1516-1521.	3.1	11
49	A Novel Circularly Polarized Yagi Antenna. , 2018, , .		5
50	The Closed-Form Solution of Frequency Shift for an HF RFID Coil Antenna in Metallic Environments. <i>IEEE Internet of Things Journal</i> , 2018, 5, 3927-3941.	5.5	8
51	Exploring OTA testing for massive MIMO base stations in small region. , 2017, , .		2
52	Influence of plasma on antenna and design of tunable matching network. , 2017, , .		0
53	An extraction method of MIM barrier voltage for PIM prediction on mesh reflector. , 2016, , .		0
54	Impedance of cylindrical dipole during hypersonic flight. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
55	A miniaturized wide-band planar monopole antenna. , 2016, , .		0
56	Electromagneticâ€circuit coâ€simulation of very fast transient overvoltage in gasâ€insulated switches. IEEJ Transactions on Electrical and Electronic Engineering, 2016, 11, S11.	0.8	0
57	A radar simulation system based on the path files. , 2016, , .		0
58	Multiâ€scale featureâ€based fuzzyâ€support vector machine classification using radar range profiles. IET Radar, Sonar and Navigation, 2016, 10, 370-378.	0.9	15
59	Scaleâ€space theoryâ€based multiâ€scale features for aircraft classification using HRRP. Electronics Letters, 2016, 52, 475-477.	0.5	27
60	Single Patch Antenna With Monopulse Patterns. IEEE Microwave and Wireless Components Letters, 2016, 26, 762-764.	2.0	21
61	Evaluation of Passive Intermodulation Using Full-Wave Frequency-Domain Method With Nonlinear Circuit Model. IEEE Transactions on Vehicular Technology, 2016, 65, 5754-5757.	3.9	10
62	The Analysis of the Electromagnetic Performance of Planar Mesh Reflector Based on the Electrical Contact Model of Metallic Junction. , 2015, , .		0
63	A novel dynamic RCS simulation and analysis method considering attitude perturbation. Journal of Electromagnetic Waves and Applications, 2015, 29, 1841-1858.	1.0	7
64	Simulation of Electromagnetic Performance on Mesh Reflector Antennas: Three-Dimensional Mesh Structures With Lumped Boundary Conditions. IEEE Transactions on Antennas and Propagation, 2015, 63, 4599-4603.	3.1	4
65	Radar target classification using support vector machine and subspace methods. IET Radar, Sonar and Navigation, 2015, 9, 632-640.	0.9	16
66	Error Analysis in Calculating RCS Using GRECO Method. , 2013, , .		1
67	Quantization expression method of electromagnetic environment outside airplane. , 2010, , .		0
68	High-Frequency Method for Scattering From Electrically Large Conductive Targets in Half-Space. IEEE Antennas and Wireless Propagation Letters, 2007, 6, 259-262.	2.4	21