

# Piotr Nowicki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6388800/publications.pdf>

Version: 2024-02-01

70  
papers

2,289  
citations

172207

29  
h-index

223531

46  
g-index

70  
all docs

70  
docs citations

70  
times ranked

2199  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adsorption, viscosity and thermal behaviour of nanosized proteins with different internal stability immobilised on the surface of mesoporous activated biocarbon obtained from the horsetail herb precursor. <i>Applied Nanoscience (Switzerland)</i> , 2022, 12, 1323-1336.	1.6	5
2	Removal of methylene blue from aqueous solutions via adsorption on activated biocarbon obtained from post-extraction residue. <i>Physicochemical Problems of Mineral Processing</i> , 2022, , .	0.2	0
3	Biochars and activated carbons as adsorbents of inorganic and organic compounds from multicomponent systems – A review. <i>Advances in Colloid and Interface Science</i> , 2022, 305, 102687.	7.0	47
4	Removal of Organic Dyes from Aqueous Solutions by Activated Carbons Prepared from Residue of Supercritical Extraction of Marigold. <i>Materials</i> , 2022, 15, 3655.	1.3	9
5	Removal of NO <sub>2</sub> from gas stream by activated bio-carbons from physical activation of residue of supercritical extraction of hops. <i>Chemical Engineering Research and Design</i> , 2021, 166, 67-73.	2.7	16
6	Activated Bio-Carbons Prepared from the Residue of Supercritical Extraction of Raw Plants and Their Application for Removal of Nitrogen Dioxide and Hydrogen Sulfide from the Gas Phase. <i>Materials</i> , 2021, 14, 3192.	1.3	10
7	Influence of surfactants with different ionic character on the structure of poly(acrylic acid) adsorption layer on the activated biocarbons surface – electrokinetic and stability studies. <i>Journal of Molecular Liquids</i> , 2021, 332, 115872.	2.3	8
8	Simultaneous removal of toxic Pb(II) ions, poly(acrylic acid) and Triton X-100 from their mixed solution using engineered biochars obtained from horsetail herb precursor – Impact of post-activation treatment. <i>Separation and Purification Technology</i> , 2021, 276, 119297.	3.9	21
9	N-doped sawdust-based activated biocarbons prepared by microwave-assisted heat treatment as potential electrode materials for supercapacitors. <i>Journal of Wood Chemistry and Technology</i> , 2021, 41, 307-320.	0.9	6
10	Removal of Heavy Metal Ions from One- and Two-Component Solutions via Adsorption on N-Doped Activated Carbon. <i>Materials</i> , 2021, 14, 7045.	1.3	16
11	Peat-based activated carbons as adsorbents for simultaneous separation of organic molecules from mixed solution of poly(acrylic acid) polymer and sodium dodecyl sulfate surfactant. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 585, 124179.	2.3	21
12	Characterization and application of spherical carbonaceous materials prepared with the use of microwave radiation. <i>Diamond and Related Materials</i> , 2020, 108, 107927.	1.8	4
13	Hay-based activated biochars obtained using two different heating methods as effective low-cost sorbents: Solid surface characteristics, adsorptive properties and aggregation in the mixed Cu(II)/PAM system. <i>Chemosphere</i> , 2020, 250, 126312.	4.2	19
14	Influence of protein internal stability on its removal mechanism from aqueous solutions using eco-friendly horsetail herb-based engineered biochar. <i>Chemical Engineering Journal</i> , 2020, 388, 124156.	6.6	14
15	Composite sulfur cathode for Li-S batteries comprising hierarchical carbon obtained from waste PET bottles. <i>Synthetic Metals</i> , 2020, 261, 116305.	2.1	19
16	Simultaneous removal of lead(II) ions and poly(acrylic acid) macromolecules from liquid phase using of biocarbons obtained from corncob and peanut shell precursors. <i>Journal of Molecular Liquids</i> , 2019, 296, 111806.	2.3	25
17	The effect of demineralization on the physicochemical and sorption properties of activated bio-carbons. <i>Adsorption</i> , 2019, 25, 337-343.	1.4	15
18	Application of microwave heating in the preparation of functionalized activated carbons. <i>Adsorption</i> , 2019, 25, 327-336.	1.4	6

#	ARTICLE	IF	CITATIONS
19	Comparison of physicochemical, sorption and electrochemical properties of nitrogen-doped activated carbons obtained with the use of microwave and conventional heating. <i>Adsorption</i> , 2019, 25, 405-417.	1.4	7
20	Thermal degradation of peat-based activated carbons covered with mixed adsorption layers of PAA polymer and SDS surfactant. <i>Thermochimica Acta</i> , 2019, 676, 71-83.	1.2	22
21	Production of new activated bio-carbons by chemical activation of residue left after supercritical extraction of hops. <i>Environmental Research</i> , 2018, 161, 456-463.	3.7	26
22	Coniferous Wood Sawdust-based Activated Carbons as Adsorbents Obtained with the Use of Microwave Radiation. <i>Journal of Wood Chemistry and Technology</i> , 2018, 38, 286-299.	0.9	6
23	Adsorption of poly(acrylic acid) on the surface of microporous activated carbon obtained from cherry stones. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 514, 137-145.	2.3	34
24	Nanostructure of Poly(Acrylic Acid) Adsorption Layer on the Surface of Activated Carbon Obtained from Residue After Supercritical Extraction of Hops. <i>Nanoscale Research Letters</i> , 2017, 12, 2.	3.1	37
25	The influence of activation procedure on the physicochemical and sorption properties of activated carbons prepared from pistachio nutshells for removal of NO <sub>2</sub> / H <sub>2</sub> S gases and dyes. <i>Journal of Cleaner Production</i> , 2017, 152, 211-222.	4.6	54
26	Thermal and physicochemical properties of phosphorus-containing activated carbons obtained from biomass. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017, 80, 1006-1013.	2.7	32
27	Characterization and application of bio-activated carbons prepared by direct activation of hay with the use of microwave radiation. <i>Powder Technology</i> , 2017, 319, 302-312.	2.1	24
28	Processing Organic Waste Towards High Performance Carbon Electrodes for Electrochemical Capacitors. <i>International Journal of Electrochemical Science</i> , 2017, 12, 128-143.	0.5	11
29	Removal of NO <sub>2</sub> by carbonaceous adsorbents obtained from residue after supercritical extraction of marigold. <i>Adsorption</i> , 2016, 22, 465-471.	1.4	11
30	Thermal analysis of activated carbon obtained from residue after supercritical extraction of hops. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 125, 1199-1204.	2.0	57
31	Biomass-derived hierarchical carbon as sulfur cathode stabilizing agent for lithium-sulfur batteries. <i>Solid State Ionics</i> , 2016, 297, 59-63.	1.3	39
32	Preparation and physicochemical characterisation of functionalised multi-walled carbon nanotubes. <i>Adsorption</i> , 2016, 22, 481-488.	1.4	0
33	Effect of heat treatment on the physicochemical properties of nitrogen-enriched activated carbons. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 125, 1017-1024.	2.0	17
34	The effect of mineral matter on the physicochemical and sorption properties of brown coal-based activated carbons. <i>Adsorption</i> , 2016, 22, 561-569.	1.4	21
35	Toxic gases removal onto activated carbons obtained from hay with the use of microwave radiation. <i>Chemical Engineering Research and Design</i> , 2016, 109, 346-353.	2.7	10
36	Physicochemical and adsorption properties of carbonaceous sorbents prepared by activation of tropical fruit skins with potassium carbonate. <i>Materials and Design</i> , 2016, 90, 579-585.	3.3	69

#	ARTICLE	IF	CITATIONS
37	Production of activated carbons from biodegradable waste materials as an alternative way of their utilisation. <i>Adsorption</i> , 2016, 22, 489-502.	1.4	31
38	Removal of NO <sub>2</sub> by adsorbents made of a residue from supercritical extraction of camomile Usuwanie NO <sub>2</sub> za pomocÄ... adsorbentów otrzymanych z pozostałości po ekstrakcji nadkrytycznej rumianku. <i>Przemysł Chemiczny</i> , 2016, 1, 178-182.	0.0	2
39	Adsorption of organic dyes onto activated carbons obtained from agricultural and industrial waste materials Adsorpcja barwników organicznych na węglach aktywnych otrzymanych z porolniczych i poprodukcyjnych materiałów odpadowych. <i>Przemysł Chemiczny</i> , 2016, 1, 48-53.	0.0	1
40	Textural, surface, thermal and sorption properties of the functionalized activated carbons and carbon nanotubes. <i>Polish Journal of Chemical Technology</i> , 2015, 17, 120-127.	0.3	8
41	Sorption Properties of Carbonaceous Adsorbents Obtained by Pyrolysis and Activation of Pistachio Nut Shells. <i>Adsorption Science and Technology</i> , 2015, 33, 581-586.	1.5	17
42	The use of microwave radiation for obtaining activated carbons enriched in nitrogen. <i>Powder Technology</i> , 2015, 273, 71-75.	2.1	27
43	The use of microwave radiation for obtaining activated carbons from sawdust and their potential application in removal of NO <sub>2</sub> and H <sub>2</sub> S. <i>Chemical Engineering Journal</i> , 2015, 269, 352-358.	6.6	73
44	Comparison of physicochemical and sorption properties of activated carbons prepared by physical and chemical activation of cherry stones. <i>Powder Technology</i> , 2015, 269, 312-319.	2.1	124
45	Nitrogen-enriched activated carbons prepared by the activation of coniferous tree sawdust and their application in the removal of Nitrogen dioxide. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 2233-2244.	1.8	25
46	Comparison of the effects of different chemical activation methods on properties of carbonaceous adsorbents obtained from cherry stones. <i>Chemical Engineering Research and Design</i> , 2014, 92, 1187-1191.	2.7	49
47	Hydrogen sulphide removal on carbonaceous adsorbents prepared from coffee industry waste materials. <i>Chemical Engineering Journal</i> , 2014, 248, 208-215.	6.6	68
48	Sorption properties of activated carbons obtained from corn cobs by chemical and physical activation. <i>Adsorption</i> , 2013, 19, 273-281.	1.4	71
49	NO <sub>2</sub> removal on adsorbents prepared from coffee industry waste materials. <i>Adsorption</i> , 2013, 19, 521-528.	1.4	33
50	The effect of chemical activation method on properties of activated carbons obtained from pine cones. <i>Open Chemistry</i> , 2013, 11, 78-85.	1.0	15
51	Thermal analysis of activated carbons modified with silver metavanadate. <i>Thermochimica Acta</i> , 2012, 541, 42-48.	1.2	11
52	The influence of silver on the physicochemical and catalytic properties of activated carbons. <i>Chemical Engineering Journal</i> , 2012, 189-190, 422-430.	6.6	14
53	NO <sub>2</sub> removal on adsorbents obtained by pyrolysis and physical activation of corrugated cardboard. <i>Chemical Engineering Journal</i> , 2012, 195-196, 7-14.	6.6	45
54	Effect of ammoxidation of activated carbons obtained from sub-bituminous coal on their NO <sub>2</sub> sorption capacity under dry conditions. <i>Chemical Engineering Journal</i> , 2011, 166, 1039-1043.	6.6	48

#	ARTICLE	IF	CITATIONS
55	Active carbons prepared by chemical activation of plum stones and their application in removal of NO <sub>2</sub> . <i>Journal of Hazardous Materials</i> , 2010, 181, 1088-1094.	6.5	92
56	Nitrogen-enriched bituminous coal-based active carbons as materials for supercapacitors. <i>Fuel</i> , 2010, 89, 3457-3467.	3.4	60
57	Carbonaceous adsorbents prepared by physical activation of pine sawdust and their application for removal of NO <sub>2</sub> in dry and wet conditions. <i>Bioresource Technology</i> , 2010, 101, 5802-5807.	4.8	48
58	Sorption properties of active carbons obtained from walnut shells by chemical and physical activation. <i>Catalysis Today</i> , 2010, 150, 107-114.	2.2	96
59	Effect of activation method on the physicochemical properties and NO <sub>2</sub> removal abilities of sorbents obtained from plum stones ( <i>Prunus domestica</i> ). <i>Chemical Engineering Journal</i> , 2010, 162, 723-729.	6.6	28
60	X-ray Photoelectron Spectroscopy Study of Nitrogen-Enriched Active Carbons Obtained by Ammoxidation and Chemical Activation of Brown and Bituminous Coals. <i>Energy &amp; Fuels</i> , 2010, 24, 1197-1206.	2.5	73
61	The Effect of Ammoxidation Process on NO <sub>2</sub> Sorption Abilities of Active Carbons. <i>Acta Physica Polonica A</i> , 2010, 118, 493-499.	0.2	4
62	The influence of oxidation with nitric acid on the preparation and properties of active carbon enriched in nitrogen. <i>Applied Surface Science</i> , 2009, 255, 3586-3593.	3.1	17
63	Influence of the Precursor Metamorphism Degree on Preparation of Nitrogen-enriched Activated Carbons by Ammoxidation and Chemical Activation of Coals. <i>Energy &amp; Fuels</i> , 2009, 23, 2205-2212.	2.5	42
64	Capacitance behaviour of brown coal based active carbon modified through chemical reaction with urea. <i>Electrochimica Acta</i> , 2008, 53, 5469-5475.	2.6	130
65	Siberian anthracite as a precursor material for microporous activated carbons. <i>Fuel</i> , 2008, 87, 2037-2040.	3.4	33
66	Comparison of Physicochemical Properties of Nitrogen-enriched Activated Carbons Prepared by Physical and Chemical Activation of Brown Coal. <i>Energy &amp; Fuels</i> , 2008, 22, 4133-4138.	2.5	41
67	Microporous activated carbons from ammoxidised anthracite and their capacitance behaviours. <i>Fuel</i> , 2007, 86, 1086-1092.	3.4	52
68	Preparation of modified active carbon from brown coal by ammoxidation. <i>Fuel Processing Technology</i> , 2007, 88, 409-415.	3.7	58
69	Preparation of Nitrogen-Enriched Activated Carbons from Brown Coal. <i>Energy &amp; Fuels</i> , 2006, 20, 1275-1280.	2.5	115
70	The effect of flame coal oxidation on the solid and soluble products of its extraction. <i>Open Chemistry</i> , 2005, 3, 852-865.	1.0	0