

# Kojiro Nagai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6390294/publications.pdf>

Version: 2024-02-01

36  
papers

564  
citations

759233

12  
h-index

642732

23  
g-index

38  
all docs

38  
docs citations

38  
times ranked

821  
citing authors

#	ARTICLE	IF	CITATIONS
1	Supportive Effects of Online Hemodiafiltration Therapy on the Nutritional State and Lipid Profile in Very Elderly Dialysis Patients. <i>Blood Purification</i> , 2022, 51, 690-697.	1.8	1
2	Dual disruption of eNOS and ApoE gene accelerates kidney fibrosis and senescence after injury. <i>Biochemical and Biophysical Research Communications</i> , 2021, 556, 142-148.	2.1	8
3	Case of septic pulmonary embolism derived from mitral valve endocarditis in a patient with end-stage kidney disease at the initiation period of hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 738-740.	0.9	0
4	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 526-540.	1.6	33
5	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 893-909.	1.6	6
6	Association between Oral Health Status and Diabetic Nephropathy-Related Indices in Japanese Middle-Aged Men. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-5.	2.3	1
7	Clinical characteristics associated with 1-year tolvaptan efficacy in autosomal dominant polycystic kidney disease with a wide range of kidney functions. <i>Journal of Medical Investigation</i> , 2020, 67, 315-320.	0.5	0
8	Circulating Apolipoprotein L1 is associated with insulin resistance-induced abnormal lipid metabolism. <i>Scientific Reports</i> , 2019, 9, 14869.	3.3	10
9	Influence of albumin leakage on glycated albumin in patients with type 2 diabetes undergoing hemodialysis. <i>Journal of Artificial Organs</i> , 2019, 22, 264-267.	0.9	1
10	Systemic Sarcoidosis Presenting with Renal Involvement Caused by Various Sarcoidosis-associated Pathophysiological Conditions. <i>Internal Medicine</i> , 2019, 58, 679-684.	0.7	4
11	Urinary IgG4 and Smad1 Are Specific Biomarkers for Renal Structural and Functional Changes in Early Stages of Diabetic Nephropathy. <i>Diabetes</i> , 2018, 67, 986-993.	0.6	15
12	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.	1.6	21
13	Author's Reply to <sc>Oka and Colleagues. <i>Therapeutic Apheresis and Dialysis</i> , 2018, 22, 96-97.	0.9	0
14	Prognostic factors for mortality in middle-aged and older hemodialysis patients: a 5-year observational study. <i>Journal of Artificial Organs</i> , 2018, 21, 94-101.	0.9	5
15	IgA Nephropathy after Nivolumab Therapy for Postoperative Recurrence of Lung Squamous Cell Carcinoma. <i>Internal Medicine</i> , 2018, 57, 1259-1263.	0.7	53
16	Lambda Light Chain Non-crystalline Proximal Tubulopathy with IgD Lambda Myeloma. <i>Internal Medicine</i> , 2018, 57, 3597-3602.	0.7	5
17	An adjustment in BMP4 function represents a treatment for diabetic nephropathy and podocyte injury. <i>Scientific Reports</i> , 2018, 8, 13011.	3.3	13
18	Urinary type IV collagen excretion is involved in the decline in estimated glomerular filtration rate in the Japanese general population without diabetes: A 5-year observational study. <i>PLoS ONE</i> , 2018, 13, e0195523.	2.5	7

#	ARTICLE	IF	CITATIONS
19	Henoch-Schönlein purpura nephritis occurring postpartum in a patient with anti-PL-7 anti-synthetase syndrome. <i>Modern Rheumatology</i> , 2017, 27, 910-913.	1.8	6
20	Implications of Albumin Leakage for Survival in Maintenance Hemodialysis Patients: A 7-year Observational Study. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 378-386.	0.9	13
21	Evidence for Targeting Low-Molecular-Weight Proteins in Hemodialysis and Hemodiafiltration. <i>Contributions To Nephrology</i> , 2017, 189, 189-196.	1.1	5
22	Mesangial Cell Mammalian Target of Rapamycin Complex 1 Activation Results in Mesangial Expansion. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2879-2885.	6.1	13
23	Influential factors on serum albumin concentration in hospitalized chronic kidney disease patients. <i>Journal of Medical Investigation</i> , 2017, 64, 146-152.	0.5	1
24	Impact of Lanthanum Carbonate on Prognosis of Chronic Hemodialysis Patients: A Retrospective Cohort Study (Kawashima Study). <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 142-148.	0.9	7
25	The effect of albumin leakage in hemodialysis patients on redox status of serum albumin. <i>Journal of Artificial Organs</i> , 2016, 19, 310-314.	0.9	11
26	Reduction or Discontinuation of Antibiotic Prophylaxis in Vascular Access Surgery, Tendon Sheath Incision and PD Catheter Placement. <i>Journal of Vascular Access</i> , 2015, 16, S66-S69.	0.9	4
27	Evaluation of Sterilization using the MEH200A® (Cotton Pack) in Vascular Access Puncture. <i>Journal of Vascular Access</i> , 2015, 16, S70-S73.	0.9	0
28	Factors Associated with Pain during Vascular Access Intervention Therapy. <i>Journal of Vascular Access</i> , 2015, 16, S43-S45.	0.9	6
29	Simple Surgical Method for a Native Arteriovenous Fistula of Chronic Hemodialysis Patients and the Patency Rate. <i>Journal of Vascular Access</i> , 2015, 16, S13-S17.	0.9	8
30	Vascular Access for Long-Term Hemodialysis/Hemodiafiltration Patients. <i>Journal of Vascular Access</i> , 2015, 16, S18-S21.	0.9	3
31	Re-evaluation of Pre-pump Arterial Pressure to Avoid Inadequate Dialysis and Hemolysis: Importance of Pre-pump Arterial Pressure Monitoring in Hemodialysis Patients. <i>Artificial Organs</i> , 2015, 39, 627-634.	1.9	12
32	Bone Morphogenetic Protein 4 and Smad1 Mediate Extracellular Matrix Production in the Development of Diabetic Nephropathy. <i>Diabetes</i> , 2015, 64, 2978-2990.	0.6	38
33	A Novel Interaction between FLICE-Associated Huge Protein (FLASH) and E2A Regulates Cell Proliferation and Cellular Senescence via Tumor Necrosis Factor (TNF)-Alpha-p21/WAF1/CIP1 Axis. <i>PLoS ONE</i> , 2015, 10, e0133205.	2.5	9
34	Dual Involvement of Growth Arrest-Specific Gene 6 in the Early Phase of Human IgA Nephropathy. <i>PLoS ONE</i> , 2013, 8, e66759.	2.5	17
35	Gas6 induces Akt/mTOR-mediated mesangial hypertrophy in diabetic nephropathy. <i>Kidney International</i> , 2005, 68, 552-561.	5.2	138
36	Growth Arrest-specific Gene 6 Is Involved in Glomerular Hypertrophy in the Early Stage of Diabetic Nephropathy. <i>Journal of Biological Chemistry</i> , 2003, 278, 18229-18234.	3.4	90