

Feng-Lei Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6390394/publications.pdf>

Version: 2024-02-01

54
papers

1,670
citations

279798

23
h-index

302126

39
g-index

56
all docs

56
docs citations

56
times ranked

1867
citing authors

#	ARTICLE	IF	CITATIONS
1	Mass production of nanofibre assemblies by electrostatic spinning. <i>Polymer International</i> , 2009, 58, 331-342.	3.1	155
2	Manufacturing technologies of polymeric nanofibres and nanofibre yarns. <i>Polymer International</i> , 2008, 57, 837-845.	3.1	140
3	The CONNECT project: Combining macro- and micro-structure. <i>NeuroImage</i> , 2013, 80, 273-282.	4.2	121
4	A Highly Stretchable and Sensitive Strain Sensor Based on Dopamine Modified Electrospun SEBS Fibers and MWCNTs with Carboxylation. <i>Advanced Electronic Materials</i> , 2021, 7, 2100233.	5.1	97
5	Electrospinning for healthcare: recent advancements. <i>Journal of Materials Chemistry B</i> , 2021, 9, 939-951.	5.8	81
6	Electrohydrodynamic printing of a dielectric elastomer actuator and its application in tunable lenses. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 147, 106461.	7.6	71
7	Jet deposition in near-field electrospinning of patterned polycaprolactone and sugar-polycaprolactone core-shell fibres. <i>Polymer</i> , 2011, 52, 3603-3610.	3.8	68
8	Needle and needleless electrospinning for nanofibers. <i>Journal of Applied Polymer Science</i> , 2010, 115, 2591-2598.	2.6	58
9	Biomimetic phantom for the validation of diffusion magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 299-305.	3.0	57
10	Three-jet electrospinning using a flat spinneret. <i>Journal of Materials Science</i> , 2009, 44, 5501-5508.	3.7	53
11	Flexible and conductive meta-aramid fiber paper with high thermal and chemical stability for electromagnetic interference shielding. <i>Applied Surface Science</i> , 2020, 533, 147431.	6.1	53
12	Fabrication of ultra-high working range strain sensor using carboxyl CNTs coated electrospun TPU assisted with dopamine. <i>Applied Surface Science</i> , 2021, 566, 150705.	6.1	49
13	Nano-coated hybrid yarns using electrospinning. <i>Surface and Coatings Technology</i> , 2010, 204, 3459-3463.	4.8	48
14	Polymeric nanofibers via flat spinneret electrospinning. <i>Polymer Engineering and Science</i> , 2009, 49, 2475-2481.	3.1	46
15	Fabrication of high-performance wearable strain sensors by using CNTs-coated electrospun polyurethane nanofibers. <i>Journal of Materials Science</i> , 2020, 55, 12592-12606.	3.7	39
16	Biodegradable Polyurethane Fiber-Based Strain Sensor with a Broad Sensing Range and High Sensitivity for Human Motion Monitoring. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8788-8798.	6.7	35
17	Coaxially Electrospun Axon-Mimicking Fibers for Diffusion Magnetic Resonance Imaging. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 6311-6316.	8.0	34
18	Electrospun Sodium Alginate/Polyethylene Oxide Fibers and Nanocoated Yarns. <i>International Journal of Polymer Science</i> , 2015, 2015, 1-12.	2.7	33

#	ARTICLE	IF	CITATIONS
19	Lightweight and highly conductive silver nanoparticles functionalized meta-aramid nonwoven fabric for enhanced electromagnetic interference shielding. <i>Journal of Materials Science</i> , 2021, 56, 6499-6513.	3.7	33
20	Preparation and characterization of polycaprolactone microspheres by electrospinning. <i>Aerosol Science and Technology</i> , 2016, 50, 1201-1215.	3.1	29
21	Hollow Polycaprolactone Microspheres with/without a Single Surface Hole by Co-Electrospinning. <i>Langmuir</i> , 2017, 33, 13262-13271.	3.5	28
22	A flexible dual-mode pressure sensor with ultra-high sensitivity based on BTO@MWCNTs core-shell nanofibers. <i>Composites Science and Technology</i> , 2022, 224, 109478.	7.8	27
23	Production and cross-sectional characterization of aligned co-electrospun hollow microfibrillar bulk assemblies. <i>Materials Characterization</i> , 2015, 109, 25-35.	4.4	24
24	Biomimetic phantom for cardiac diffusion MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 594-600.	3.4	24
25	Poly(lactide) single-polymer composites with a wide melt-processing window based on core-sheath PLA fibers. <i>Materials and Design</i> , 2018, 139, 36-44.	7.0	21
26	Flexible and Highly Conductive AgNWs/PEDOT:PSS Functionalized Aramid Nonwoven Fabric for High-Performance Electromagnetic Interference Shielding and Joule Heating. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100365.	3.6	18
27	Nanocoating on filaments by electrospinning. <i>Surface and Coatings Technology</i> , 2009, 204, 621-628.	4.8	17
28	Theranostics for MRI-guided therapy: Recent developments. <i>View</i> , 2022, 3, 20200134.	5.3	17
29	Controllable Aligned Nanofiber Hybrid Yarns with Enhanced Bioproperties for Tissue Engineering. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1900089.	3.6	15
30	Axon mimicking hydrophilic hollow polycaprolactone microfibrillar for diffusion magnetic resonance imaging. <i>Materials and Design</i> , 2018, 137, 394-403.	7.0	14
31	Printable dielectric elastomers of high electromechanical properties based on SEBS ink incorporated with polyphenols modified dielectric particles. <i>European Polymer Journal</i> , 2021, 159, 110730.	5.4	14
32	Fabrication of electrically conductive poly(styrene-b-ethylene-ran-butylene-b-styrene)/multi-walled carbon nanotubes composite fiber and its application in ultra-stretchable strain sensor. <i>European Polymer Journal</i> , 2022, 169, 111121.	5.4	13
33	A biomimetic tumor tissue phantom for validating diffusion-weighted MRI measurements. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 147-158.	3.0	12
34	Co-electrospinning of tumour cell mimicking hollow polymeric microspheres for diffusion magnetic resonance imaging. <i>Materials Science and Engineering C</i> , 2019, 101, 217-227.	7.3	11
35	Highly Conductive Silver Nanoparticle-Functionalized Aramid Fiber Paper for Electrical Heaters with Rapid Response and Chemical Stability. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 18898-18906.	3.7	10
36	Polydopamine-coated nanocomposite theranostic implants for localized chemotherapy and MRI imaging. <i>International Journal of Pharmaceutics</i> , 2022, 615, 121493.	5.2	10

#	ARTICLE	IF	CITATIONS
37	Diffusion tensor MRI phantom exhibits anomalous diffusion. , 2014, 2014, 746-9.		9
38	Stability and reproducibility of co-electrospun brain-mimicking phantoms for quality assurance of diffusion MRI sequences. NeuroImage, 2018, 181, 395-402.	4.2	9
39	Developing and scaling up fast-dissolving electrospun formulations based on poly(vinylpyrrolidone) and ketoprofen. Journal of Drug Delivery Science and Technology, 2021, 61, 102138.	3.0	9
40	Electrospun PHB/Chitosan Composite Fibrous Membrane and Its Degradation Behaviours in Different pH Conditions. Journal of Functional Biomaterials, 2022, 13, 58.	4.4	8
41	A flexible strain sensor based on conductive <scp>TPU</scp>/<scp>CNTs&Gr</scp> composites. Journal of Applied Polymer Science, 2022, 139, .	2.6	7
42	Comparative analysis of signal models for microscopic fractional anisotropy estimation using q-space trajectory encoding. NeuroImage, 2021, 242, 118445.	4.2	6
43	Ground Truth for Diffusion MRI in Cancer: A Model-Based Investigation of a Novel Tissue-Mimetic Material. Lecture Notes in Computer Science, 2015, 24, 179-190.	1.3	6
44	Melamine&Crosslinked Polyimide Aerogels from Supercritical Ethanol Drying with Improved In&Use Shape Stability Against Shrinking. Macromolecular Materials and Engineering, 2022, 307, 2100645.	3.6	6
45	Thermo-responsive nano-in-micro particles for MRI-guided chemotherapy. Materials Science and Engineering C, 2022, , 112716.	7.3	6
46	Carbon Nanotube Coated Fibrous Tubes for Highly Stretchable Strain Sensors Having High Linearity. Nanomaterials, 2022, 12, 2458.	4.1	6
47	Validating pore size estimates in a complex microfiber environment on a human MRI system. Magnetic Resonance in Medicine, 2021, 86, 1514-1530.	3.0	5
48	A facile method of preparing highly porous polylactide microfibers. Journal of Applied Polymer Science, 2018, 135, 45860.	2.6	4
49	Coaxial electrospun biomimetic copolymer fibres for application in diffusion magnetic resonance imaging. Bioinspiration and Biomimetics, 2021, 16, 046016.	2.9	4
50	The 3D printing of dielectric elastomer films assisted by electrostatic force. Smart Materials and Structures, 2021, 30, 025001.	3.5	4
51	Poly (m-phenylene isophthalamide)/graphene composite aerogels with enhanced compressive shape stability for thermal insulation. Journal of Sol-Gel Science and Technology, 2020, 96, 370-381.	2.4	3
52	Co-electrospun Brain Mimetic Hollow Microfibres Fibres for Diffusion Magnetic Resonance Imaging. Nanoscience and Technology, 2015, , 289-304.	1.5	2
53	Biomimetic phantom for cardiac diffusion MRI. Journal of Magnetic Resonance Imaging, 2016, 43, spcone-spcone.	3.4	1
54	Innovations and advances in electrospraying technology. , 2021, , 207-228.		0