

# Peter Broderick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6390450/publications.pdf>

Version: 2024-02-01

106  
papers

13,124  
citations

38742

50  
h-index

24982

109  
g-index

112  
all docs

112  
docs citations

112  
times ranked

16136  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association scan of tag SNPs identifies a susceptibility locus for lung cancer at 15q25.1. Nature Genetics, 2008, 40, 616-622.	21.4	1,189
2	Germline mutations affecting the proofreading domains of POLE and POLD1 predispose to colorectal adenomas and carcinomas. Nature Genetics, 2013, 45, 136-144.	21.4	851
3	A genome-wide association scan of tag SNPs identifies a susceptibility variant for colorectal cancer at 8q24.21. Nature Genetics, 2007, 39, 984-988.	21.4	754
4	Genome-wide association scan identifies a colorectal cancer susceptibility locus on 11q23 and replicates risk loci at 8q24 and 18q21. Nature Genetics, 2008, 40, 631-637.	21.4	542
5	A genome-wide association study identifies colorectal cancer susceptibility loci on chromosomes 10p14 and 8q23.3. Nature Genetics, 2008, 40, 623-630.	21.4	514
6	Common 5p15.33 and 6p21.33 variants influence lung cancer risk. Nature Genetics, 2008, 40, 1407-1409.	21.4	510
7	Meta-analysis of genome-wide association data identifies four new susceptibility loci for colorectal cancer. Nature Genetics, 2008, 40, 1426-1435.	21.4	498
8	A genome-wide association study shows that common alleles of SMAD7 influence colorectal cancer risk. Nature Genetics, 2007, 39, 1315-1317.	21.4	463
9	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. Nature Genetics, 2014, 46, 736-741.	21.4	360
10	Meta-analysis of three genome-wide association studies identifies susceptibility loci for colorectal cancer at 1q41, 3q26.2, 12q13.13 and 20q13.33. Nature Genetics, 2010, 42, 973-977.	21.4	335
11	Multiple Independent Loci at Chromosome 15q25.1 Affect Smoking Quantity: a Meta-Analysis and Comparison with Lung Cancer and COPD. PLoS Genetics, 2010, 6, e1001053.	3.5	332
12	A genome-wide association study identifies six susceptibility loci for chronic lymphocytic leukemia. Nature Genetics, 2008, 40, 1204-1210.	21.4	329
13	<em>DICER1</em>; Mutations in Familial Multinodular Goiter With and Without Ovarian Sertoli-Leydig Cell Tumors. JAMA - Journal of the American Medical Association, 2011, 305, 68.	7.4	284
14	Common genetic variants at the CRAC1 (HMPS) locus on chromosome 15q13.3 influence colorectal cancer risk. Nature Genetics, 2008, 40, 26-28.	21.4	277
15	Genome-wide association study of glioma subtypes identifies specific differences in genetic susceptibility to glioblastoma and non-glioblastoma tumors. Nature Genetics, 2017, 49, 789-794.	21.4	259
16	Novel Breast Cancer Susceptibility Locus at 9q31.2: Results of a Genome-Wide Association Study. Journal of the National Cancer Institute, 2011, 103, 425-435.	6.3	225
17	Common variants at 2q37.3, 8q24.21, 15q21.3 and 16q24.1 influence chronic lymphocytic leukemia risk. Nature Genetics, 2010, 42, 132-136.	21.4	223
18	Common variation near CDKN1A, POLD3 and SHROOM2 influences colorectal cancer risk. Nature Genetics, 2012, 44, 770-776.	21.4	210

#	ARTICLE	IF	CITATIONS
19	Deciphering the Impact of Common Genetic Variation on Lung Cancer Risk: A Genome-Wide Association Study. <i>Cancer Research</i> , 2009, 69, 6633-6641.	0.9	206
20	Multiple Common Susceptibility Variants near BMP Pathway Loci GREM1, BMP4, and BMP2 Explain Part of the Missing Heritability of Colorectal Cancer. <i>PLoS Genetics</i> , 2011, 7, e1002105.	3.5	188
21	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010, 42, 1126-1130.	21.4	177
22	Association analyses identify 31 new risk loci for colorectal cancer susceptibility. <i>Nature Communications</i> , 2019, 10, 2154.	12.8	172
23	Whole-exome sequencing reveals the mutational spectrum of testicular germ cell tumours. <i>Nature Communications</i> , 2015, 6, 5973.	12.8	161
24	Genome-wide association study identifies multiple susceptibility loci for multiple myeloma. <i>Nature Communications</i> , 2016, 7, 12050.	12.8	146
25	Common variation at 3q26.2, 6p21.33, 17p11.2 and 22q13.1 influences multiple myeloma risk. <i>Nature Genetics</i> , 2013, 45, 1221-1225.	21.4	143
26	Common variation at 3p22.1 and 7p15.3 influences multiple myeloma risk. <i>Nature Genetics</i> , 2012, 44, 58-61.	21.4	137
27	Identification of susceptibility loci for colorectal cancer in a genome-wide meta-analysis. <i>Human Molecular Genetics</i> , 2014, 23, 4729-4737.	2.9	128
28	Rare disruptive mutations and their contribution to the heritable risk of colorectal cancer. <i>Nature Communications</i> , 2016, 7, 11883.	12.8	122
29	Identification of 19 new risk loci and potential regulatory mechanisms influencing susceptibility to testicular germ cell tumor. <i>Nature Genetics</i> , 2017, 49, 1133-1140.	21.4	120
30	Cumulative impact of common genetic variants and other risk factors on colorectal cancer risk in 42â€¹103 individuals. <i>Gut</i> , 2013, 62, 871-881.	12.1	117
31	Genome-wide association study identifies multiple susceptibility loci for glioma. <i>Nature Communications</i> , 2015, 6, 8559.	12.8	112
32	A large-scale meta-analysis to refine colorectal cancer risk estimates associated with MUTYH variants. <i>British Journal of Cancer</i> , 2010, 103, 1875-1884.	6.4	107
33	Genome-Wide Association Study on Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1674-E1681.	3.6	101
34	Role of 5p15.33 (TERT-CLPTM1L), 6p21.33 and 15q25.1 (CHRNA5-CHRNA3) variation and lung cancer risk in never-smokers. <i>Carcinogenesis</i> , 2010, 31, 234-238.	2.8	97
35	The CCND1 c.870G&gt;A polymorphism is a risk factor for t(11;14)(q13;q32) multiple myeloma. <i>Nature Genetics</i> , 2013, 45, 522-525.	21.4	91
36	Germ line mutations in shelterin complex genes are associated with familial chronic lymphocytic leukemia. <i>Blood</i> , 2016, 128, 2319-2326.	1.4	90

#	ARTICLE	IF	CITATIONS
37	Identification of multiple risk loci and regulatory mechanisms influencing susceptibility to multiple myeloma. <i>Nature Communications</i> , 2018, 9, 3707.	12.8	86
38	The colorectal cancer risk at 18q21 is caused by a novel variant altering <i>SMAD7</i> expression. <i>Genome Research</i> , 2009, 19, 987-993.	5.5	85
39	Genetic Diagnosis of High-Penetrance Susceptibility for Colorectal Cancer (CRC) Is Achievable for a High Proportion of Familial CRC by Exome Sequencing. <i>Journal of Clinical Oncology</i> , 2015, 33, 426-432.	1.6	80
40	Validation of Recently Proposed Colorectal Cancer Susceptibility Gene Variants in an Analysis of Families and Patients—a Systematic Review. <i>Gastroenterology</i> , 2017, 152, 75-77.e4.	1.3	80
41	Exome sequencing reveals germline NPAT mutation as a candidate risk factor for Hodgkin lymphoma. <i>Blood</i> , 2011, 118, 493-498.	1.4	78
42	Common variation at 6p21.31 ( <i>BAK1</i> ) influences the risk of chronic lymphocytic leukemia. <i>Blood</i> , 2012, 120, 843-846.	1.4	76
43	Allelic Variation at the 8q23.3 Colorectal Cancer Risk Locus Functions as a Cis-Acting Regulator of <i>EIF3H</i> . <i>PLoS Genetics</i> , 2010, 6, e1001126.	3.5	74
44	Evaluation of <i>NTHL1</i> , <i>NEIL1</i> , <i>NEIL2</i> , <i>MPG</i> , <i>TDG</i> , <i>UNG</i> and <i>SMUG1</i> genes in familial colorectal cancer predisposition. <i>BMC Cancer</i> , 2006, 6, 243.	2.6	69
45	National study of colorectal cancer genetics. <i>British Journal of Cancer</i> , 2007, 97, 1305-1309.	6.4	63
46	Variation at 3p24.1 and 6q23.3 influences the risk of Hodgkin's lymphoma. <i>Nature Communications</i> , 2013, 4, 2549.	12.8	62
47	Refinement of the basis and impact of common 11q23.1 variation to the risk of developing colorectal cancer. <i>Human Molecular Genetics</i> , 2008, 17, 3720-3727.	2.9	61
48	Genome-wide association study identifies susceptibility loci for B-cell childhood acute lymphoblastic leukemia. <i>Nature Communications</i> , 2018, 9, 1340.	12.8	58
49	Identification of four novel associations for B-cell acute lymphoblastic leukaemia risk. <i>Nature Communications</i> , 2019, 10, 5348.	12.8	58
50	Fine-mapping of colorectal cancer susceptibility loci at 8q23.3, 16q22.1 and 19q13.11: refinement of association signals and use of in silico analysis to suggest functional variation and unexpected candidate target genes. <i>Human Molecular Genetics</i> , 2011, 20, 2879-2888.	2.9	56
51	Inherited Variation at Chromosome 12p13.33, Including <i>RAD52</i> , Influences the Risk of Squamous Cell Lung Carcinoma. <i>Cancer Discovery</i> , 2012, 2, 131-139.	9.4	54
52	Common variation at 2q22.3 ( <i>ZEB2</i> ) influences the risk of renal cancer. <i>Human Molecular Genetics</i> , 2013, 22, 825-831.	2.9	54
53	Large-scale Sequencing of Testicular Germ Cell Tumour (TGCT) Cases Excludes Major TGCT Predisposition Gene. <i>European Urology</i> , 2018, 73, 828-831.	1.9	54
54	Low penetrance susceptibility to glioma is caused by the TP53 variant rs78378222. <i>British Journal of Cancer</i> , 2013, 108, 2178-2185.	6.4	51

#	ARTICLE	IF	CITATIONS
55	The TERT variant rs2736100 is associated with colorectal cancer risk. <i>British Journal of Cancer</i> , 2012, 107, 1001-1008.	6.4	50
56	Deciphering the 8q24.21 association for glioma. <i>Human Molecular Genetics</i> , 2013, 22, 2293-2302.	2.9	50
57	CASP8 variants D302H and $\sim$ 652 6N ins/del do not influence the risk of colorectal cancer in the United Kingdom population. <i>British Journal of Cancer</i> , 2008, 98, 1434-1436.	6.4	49
58	Common variation at 10p12.31 near MLLT10 influences meningioma risk. <i>Nature Genetics</i> , 2011, 43, 825-827.	21.4	49
59	Promoter capture Hi-C-based identification of recurrent noncoding mutations in colorectal cancer. <i>Nature Genetics</i> , 2018, 50, 1375-1380.	21.4	49
60	COGENT (COlorectal cancer GENEtics): an international consortium to study the role of polymorphic variation on the risk of colorectal cancer. <i>British Journal of Cancer</i> , 2010, 102, 447-454.	6.4	43
61	Genetic Variants at Chromosomes 2q35, 5p12, 6q25.1, 10q26.13, and 16q12.1 Influence the Risk of Breast Cancer in Men. <i>PLoS Genetics</i> , 2011, 7, e1002290.	3.5	43
62	Genomic landscape of platinum resistant and sensitive testicular cancers. <i>Nature Communications</i> , 2020, 11, 2189.	12.8	43
63	Genome-wide association study of classical Hodgkin lymphoma identifies key regulators of disease susceptibility. <i>Nature Communications</i> , 2017, 8, 1892.	12.8	40
64	Genetic correlation between multiple myeloma and chronic lymphocytic leukaemia provides evidence for shared aetiology. <i>Blood Cancer Journal</i> , 2019, 9, 1.	6.2	40
65	Multiple Hodgkin lymphoma-associated loci within the HLA region at chromosome 6p21.3. <i>Blood</i> , 2011, 118, 670-674.	1.4	37
66	Comprehensive analysis of common mitochondrial DNA variants and colorectal cancer risk. <i>British Journal of Cancer</i> , 2008, 99, 2088-2093.	6.4	36
67	Identification of four new susceptibility loci for testicular germ cell tumour. <i>Nature Communications</i> , 2015, 6, 8690.	12.8	36
68	Comprehensive Evaluation of the Impact of 14 Genetic Variants on Colorectal Cancer Phenotype and Risk. <i>American Journal of Epidemiology</i> , 2012, 175, 1-10.	3.4	33
69	MLH1-93G &gt; A is a risk factor for MSI colorectal cancer. <i>Carcinogenesis</i> , 2011, 32, 1157-1161.	2.8	32
70	Inherited genetic susceptibility to monoclonal gammopathy of unknown significance. <i>Blood</i> , 2014, 123, 2513-2517.	1.4	32
71	Rare disruptive mutations in ciliary function genes contribute to testicular cancer susceptibility. <i>Nature Communications</i> , 2016, 7, 13840.	12.8	32
72	Deciphering the genetics of hereditary non-syndromic colorectal cancer. <i>European Journal of Human Genetics</i> , 2008, 16, 1477-1486.	2.8	31

#	ARTICLE	IF	CITATIONS
73	Genome-wide association analysis of chronic lymphocytic leukaemia, Hodgkin lymphoma and multiple myeloma identifies pleiotropic risk loci. <i>Scientific Reports</i> , 2017, 7, 41071.	3.3	31
74	CYP3A Variation, Premenopausal Estrone Levels, and Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2012, 104, 657-669.	6.3	30
75	Search for inherited susceptibility to radiation-associated meningioma by genomewide SNP linkage disequilibrium mapping. <i>British Journal of Cancer</i> , 2011, 104, 1049-1054.	6.4	29
76	FGFR2 genotype and risk of radiation-associated breast cancer in Hodgkin lymphoma. <i>Blood</i> , 2012, 119, 1029-1031.	1.4	28
77	Cytochrome P450 Allele <i>CYP3A7*1C</i> Associates with Adverse Outcomes in Chronic Lymphocytic Leukemia, Breast, and Lung Cancer. <i>Cancer Research</i> , 2016, 76, 1485-1493.	0.9	28
78	Chromosome 15q25 (CHRNA3-CHRNA5) Variation Impacts Indirectly on Lung Cancer Risk. <i>PLoS ONE</i> , 2011, 6, e19085.	2.5	27
79	The <i>CDH1</i> polymorphism is a risk factor for colorectal cancer. <i>International Journal of Cancer</i> , 2009, 125, 1622-1625.	5.1	26
80	Variation in <i>TP63</i> is Associated with Lung Adenocarcinoma in the UK Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1453-1462.	2.5	25
81	Fine-scale mapping of the 6p25.3 chronic lymphocytic leukaemia susceptibility locus. <i>Human Molecular Genetics</i> , 2010, 19, 1840-1845.	2.9	24
82	Recurrent Coding Sequence Variation Explains Only A Small Fraction of the Genetic Architecture of Colorectal Cancer. <i>Scientific Reports</i> , 2015, 5, 16286.	3.3	24
83	Genome-wide association analysis identifies a meningioma risk locus at 11p15.5. <i>Neuro-Oncology</i> , 2018, 20, 1485-1493.	1.2	23
84	Relationship between 16 susceptibility loci and colorectal cancer phenotype in 3146 patients. <i>Carcinogenesis</i> , 2012, 33, 108-112.	2.8	22
85	Large-scale Analysis Demonstrates Familial Testicular Cancer to have Polygenic Aetiology. <i>European Urology</i> , 2018, 74, 248-252.	1.9	20
86	Common genetic variation at 15q25.2 impacts on chronic lymphocytic leukaemia risk. <i>British Journal of Haematology</i> , 2011, 154, 229-233.	2.5	19
87	Deciphering the genetic architecture of low-penetrance susceptibility to colorectal cancer. <i>Human Molecular Genetics</i> , 2013, 22, 5075-5082.	2.9	19
88	Common Variation at 1q24.1 (ALDH9A1) Is a Potential Risk Factor for Renal Cancer. <i>PLoS ONE</i> , 2015, 10, e0122589.	2.5	19
89	Variant IRF4/MUM1 associates with CD38 status and treatment-free survival in chronic lymphocytic leukaemia. <i>Leukemia</i> , 2010, 24, 877-881.	7.2	18
90	<i>IRF4</i> polymorphism rs872071 and risk of Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2010, 148, 413-415.	2.5	17

#	ARTICLE	IF	CITATIONS
91	Risk of developing chronic lymphocytic leukemia is influenced by HLA-A class I variation. <i>Leukemia</i> , 2013, 27, 255-258.	7.2	17
92	Genome-wide association study implicates immune dysfunction in the development of Hodgkin lymphoma. <i>Blood</i> , 2018, 132, 2040-2052.	1.4	17
93	Genetically predicted physical activity levels are associated with lower colorectal cancer risk: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2021, 124, 1330-1338.	6.4	17
94	MiMiR: a comprehensive solution for storage, annotation and exchange of microarray data. <i>BMC Bioinformatics</i> , 2005, 6, 268.	2.6	16
95	Implementation of genome-wide complex trait analysis to quantify the heritability in multiple myeloma. <i>Scientific Reports</i> , 2015, 5, 12473.	3.3	16
96	Identification of lung cancer histology-specific variants applying Bayesian framework variant prioritization approaches within the TRICL and ILCCO consortia. <i>Carcinogenesis</i> , 2015, 36, 1314-1326.	2.8	15
97	A genome-wide association study identifies susceptibility loci for primary central nervous system lymphoma at 6p25.3 and 3p22.1: a LOC Network study. <i>Neuro-Oncology</i> , 2019, 21, 1039-1048.	1.2	13
98	A genome-wide scan of 10 <sup>6</sup> gene-centric variants and colorectal cancer risk. <i>European Journal of Human Genetics</i> , 2009, 17, 1507-1514.	2.8	12
99	Undefined familial colorectal cancer and the role of pleiotropism in cancer susceptibility genes. <i>Familial Cancer</i> , 2016, 15, 593-599.	1.9	12
100	Common genetic variation contributes significantly to the risk of developing chronic lymphocytic leukemia. <i>Haematologica</i> , 2013, 98, e23-e24.	3.5	10
101	A Retrospective Observational Study of the Relationship between Single Nucleotide Polymorphisms Associated with the Risk of Developing Colorectal Cancer and Survival. <i>PLoS ONE</i> , 2015, 10, e0117816.	2.5	10
102	CanVar: A resource for sharing germline variation in cancer patients. <i>F1000Research</i> , 2016, 5, 2813.	1.6	10
103	Validation of loci at 2q14.2 and 15q21.3 as risk factors for testicular cancer. <i>Oncotarget</i> , 2018, 9, 12630-12638.	1.8	8
104	The association of rs1051730 genotype on adherence to and consumption of prescribed nicotine replacement therapy dose during a smoking cessation attempt. <i>Drug and Alcohol Dependence</i> , 2015, 151, 236-240.	3.2	7
105	Lack of a relationship between the common 18q24 variant rs12953717 and risk of chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2008, 49, 271-272.	1.3	5
106	Identification of New Risk Loci and Regulatory Mechanisms Influencing Genetic Susceptibility to Acute Lymphoblastic Leukaemia. <i>Blood</i> , 2019, 134, 650-650.	1.4	0