

Liang Ding

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6391855/liang-ding-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

1,822
citations

23
h-index

36
g-index

175
ext. papers

2,360
ext. citations

3.8
avg. IF

5.25
L-index

#	Paper	IF	Citations
152	Experimental study and analysis on driving wheels performance for planetary exploration rovers moving in deformable soil. <i>Journal of Terramechanics</i> , 2011 , 48, 27-45	2.2	134
151	Trilateral Teleoperation of Adaptive Fuzzy Force/Motion Control for Nonlinear Teleoperators With Communication Random Delays. <i>IEEE Transactions on Fuzzy Systems</i> , 2013 , 21, 610-624	8.3	109
150	Robust Stabilization of a Wheeled Mobile Robot Using Model Predictive Control Based on Neurodynamics Optimization. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 505-516	8.9	77
149	Foot-Terrain interaction mechanics for legged robots: Modeling and experimental validation. <i>International Journal of Robotics Research</i> , 2013 , 32, 1585-1606	5.7	74
148	Adaptive Neural Network-Based Tracking Control for Full-State Constrained Wheeled Mobile Robotic System. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2017 , 47, 2410-2419	7.3	65
147	Wheel slip-sinkage and its prediction model of lunar rover. <i>Central South University</i> , 2010 , 17, 129-135		57
146	Interaction Mechanics Model for Rigid Driving Wheels of Planetary Rovers Moving on Sandy Terrain with Consideration of Multiple Physical Effects. <i>Journal of Field Robotics</i> , 2015 , 32, 827-859	6.7	53
145	Adaptive Partial Reinforcement Learning Neural Network-Based Tracking Control for Wheeled Mobile Robotic Systems. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2020 , 50, 2512-2523	7.3	52
144	Adaptive neural network tracking control-based reinforcement learning for wheeled mobile robots with skidding and slipping. <i>Neurocomputing</i> , 2018 , 283, 20-30	5.4	42
143	Definition and Application of Variable Resistance Coefficient for Wheeled Mobile Robots on Deformable Terrain. <i>IEEE Transactions on Robotics</i> , 2020 , 36, 894-909	6.5	41
142	Adaptive motion control of wheeled mobile robot with unknown slippage. <i>International Journal of Control</i> , 2014 , 87, 1513-1522	1.5	38
141	Planetary rovers wheel-soil interaction mechanics: new challenges and applications for wheeled mobile robots. <i>Intelligent Service Robotics</i> , 2011 , 4, 17-38	2.6	36
140	Adaptive Neural Network-Based Finite-Time Online Optimal Tracking Control of the Nonlinear System With Dead Zone. <i>IEEE Transactions on Cybernetics</i> , 2021 , 51, 382-392	10.2	35
139	Improved explicit-form equations for estimating dynamic wheel sinkage and compaction resistance on deformable terrain. <i>Mechanism and Machine Theory</i> , 2015 , 86, 235-264	4	33
138	Gait Generation With Smooth Transition Using CPG-Based Locomotion Control for Hexapod Walking Robot. <i>IEEE Transactions on Industrial Electronics</i> , 2016 , 63, 5488-5500	8.9	30
137	A review of heavy-duty legged robots. <i>Science China Technological Sciences</i> , 2014 , 57, 298-314	3.5	30
136	Kinematic Bilateral Teledriving of Wheeled Mobile Robots Coupled With Slippage. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 2147-2157	8.9	29

135	Parameter identification for planetary soil based on a decoupled analytical wheel-soil interaction terramechanics model 2009 ,		28
134	New perspective on characterizing pressure/sinkage relationship of terrains for estimating interaction mechanics. <i>Journal of Terramechanics</i> , 2014 , 52, 57-76	2.2	27
133	Experimental study and analysis of the wheels/steering mechanics for planetary exploration wheeled mobile robots moving on deformable terrain. <i>International Journal of Robotics Research</i> , 2013 , 32, 712-743	5.7	27
132	Longitudinal skid model for wheels of planetary exploration rovers based on terramechanics. <i>Journal of Terramechanics</i> , 2013 , 50, 327-343	2.2	26
131	Slip ratio for lugged wheel of planetary rover in deformable soil: definition and estimation 2009 ,		25
130	Haptic Tele-Driving of Wheeled Mobile Robots Under Nonideal Wheel Rolling, Kinematic Control and Communication Time Delay. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2020 , 50, 336-347	7.3	24
129	Design and terramechanics analysis of a Mars rover utilising active suspension. <i>Mechanism and Machine Theory</i> , 2018 , 128, 125-149	4	22
128	Error-Tolerant Switched Robust Extended Kalman Filter With Application to Parameter Estimation of Wheel-Soil Interaction. <i>IEEE Transactions on Control Systems Technology</i> , 2014 , 22, 1448-1460	4.8	20
127	ADP-Based Online Tracking Control of Partially Uncertain Time-Delayed Nonlinear System and Application to Wheeled Mobile Robots. <i>IEEE Transactions on Cybernetics</i> , 2020 , 50, 3182-3194	10.2	20
126	ROSTDyn: Rover simulation based on terramechanics and dynamics. <i>Journal of Terramechanics</i> , 2013 , 50, 199-210	2.2	19
125	Trajectory tracking control of WMRs with lateral and longitudinal slippage based on active disturbance rejection control. <i>Robotics and Autonomous Systems</i> , 2018 , 107, 236-245	3.5	19
124	Terramechanics-based modeling of sinkage and moment for in-situ steering wheels of mobile robots on deformable terrain. <i>Mechanism and Machine Theory</i> , 2017 , 116, 14-33	4	17
123	Trajectory tracking control of wheeled mobile manipulator based on fuzzy neural network and extended Kalman filtering. <i>Neural Computing and Applications</i> , 2018 , 30, 447-462	4.8	17
122	A multi-mode real-time terrain parameter estimation method for wheeled motion control of mobile robots. <i>Mechanical Systems and Signal Processing</i> , 2018 , 104, 758-775	7.8	17
121	Linear normal stress under a wheel in skid for wheeled mobile robots running on sandy terrain. <i>Journal of Terramechanics</i> , 2017 , 70, 49-57	2.2	15
120	Low Impact Force and Energy Consumption Motion Planning for Hexapod Robot with Passive Compliant Ankles. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2019 , 94, 349-370	2.9	15
119	Motion planning and simulation verification of a hydraulic hexapod robot based on reducing energy/flow consumption. <i>Journal of Mechanical Science and Technology</i> , 2015 , 29, 4427-4436	1.6	14
118	System integration and control design of a maglev platform for space vibration isolation. <i>JVC/Journal of Vibration and Control</i> , 2019 , 25, 1720-1736	2	13

117	. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018 , 23, 352-363	5.5	13
116	Optimized control for longitudinal slip ratio with reduced energy consumption. <i>Acta Astronautica</i> , 2015 , 115, 1-17	2.9	12
115	Robust adaptive control of door opening by a mobile rescue manipulator based on unknown-force-related constraints estimation. <i>Robotica</i> , 2018 , 36, 119-140	2.1	12
114	Kinematic bilateral teleoperation of wheeled mobile robots subject to longitudinal slippage. <i>IET Control Theory and Applications</i> , 2016 , 10, 111-118	2.5	12
113	Online estimation of terrain parameters and resistance force based on equivalent sinkage for planetary rovers in longitudinal skid. <i>Mechanical Systems and Signal Processing</i> , 2019 , 119, 39-54	7.8	12
112	Adaptive Neural Network-Based Finite-Time Tracking Control for Nonstrict Nonaffined MIMO Nonlinear Systems. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2019 , 1-11	7.3	11
111	Trilateral Predictor-Mediated Teleoperation of a Wheeled Mobile Robot With Slippage. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 738-745	4.2	11
110	Adaptive Sliding Mode Control of Mobile Manipulators with Markovian Switching Joints. <i>Journal of Applied Mathematics</i> , 2012 , 2012, 1-24	1.1	11
109	Longitudinal Skid Experimental Investigation for Wheels of Planetary Exploration Rovers. <i>Jixie Gongcheng Xuebao/Chinese Journal of Mechanical Engineering</i> , 2015 , 51, 99	1.3	11
108	Three-layer intelligence of planetary exploration wheeled mobile robots: Robint, virtint, and humint. <i>Science China Technological Sciences</i> , 2015 , 58, 1299-1317	3.5	10
107	Parametric Design and Multiobjective Optimization of Maglev Actuators for Active Vibration Isolation System. <i>Advances in Mechanical Engineering</i> , 2014 , 6, 215358	1.2	10
106	Method for analyzing articulated torques of heavy-duty six-legged robot. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2013 , 26, 801-812	2.5	10
105	Identifying mechanical property parameters of planetary soil using in-situ data obtained from exploration rovers. <i>Planetary and Space Science</i> , 2015 , 119, 121-136	2	10
104	Sinkage definition and visual detection for planetary rovers wheels on rough terrain based on wheel-soil interaction boundary. <i>Robotics and Autonomous Systems</i> , 2017 , 98, 222-240	3.5	9
103	New conditions for global exponential stability of continuous-time neural networks with delays. <i>Neural Computing and Applications</i> , 2013 , 22, 41-48	4.8	9
102	Hydrodynamic calculation and analysis of a complex-shaped underwater robot based on computational fluid dynamics and prototype test. <i>Advances in Mechanical Engineering</i> , 2017 , 9, 168781401773430	1.2	9
101	A method for on-line soil parameters modification to planetary rover simulation. <i>Journal of Terramechanics</i> , 2012 , 49, 325-339	2.2	9
100	Terramechanics Model for Wheel-terrain Interaction of Lunar Rover Based on Stress Distribution. <i>Jixie Gongcheng Xuebao/Chinese Journal of Mechanical Engineering</i> , 2009 , 45, 49	1.3	9

99	An admittance-controlled wheeled mobile manipulator for mobility assistance: Human-Robot interaction estimation and redundancy resolution for enhanced force exertion ability. <i>Mechatronics</i> , 2021 , 74, 102497	3	9
98	A real-time, high fidelity dynamic simulation platform for hexapod robots on soft terrain. <i>Simulation Modelling Practice and Theory</i> , 2016 , 68, 125-145	3.9	9
97	Unknown geometrical constraints estimation and trajectory planning for robotic door-opening task with visual teleoperation assists. <i>Assembly Automation</i> , 2019 , 39, 479-488	2.1	8
96	Minimizing the Energy Consumption for a Hexapod Robot Based on Optimal Force Distribution. <i>IEEE Access</i> , 2020 , 8, 5393-5406	3.5	8
95	Semi-autonomous bilateral teleoperation of six-wheeled mobile robot on soft terrains. <i>Mechanical Systems and Signal Processing</i> , 2019 , 133, 106234	7.8	8
94	Measurement Model and Precision Analysis of Accelerometers for Maglev Vibration Isolation Platforms. <i>Sensors</i> , 2015 , 15, 20053-68	3.8	8
93	Design of Comprehensive High-fidelity/High-speed Virtual Simulation System for Lunar Rover 2008 ,		8
92	Adaptive NN-based finite-time tracking control for wheeled mobile robots with time-varying full state constraints. <i>Neurocomputing</i> , 2020 , 403, 421-430	5.4	8
91	In-situ evaluation of terrain mechanical parameters and wheel-terrain interactions using wheel-terrain contact mechanics for wheeled planetary rovers. <i>Mechanism and Machine Theory</i> , 2020 , 145, 103696	4	8
90	Enhancement of Force Exertion Capability of a Mobile Manipulator by Kinematic Reconfiguration. <i>IEEE Robotics and Automation Letters</i> , 2020 , 5, 5842-5849	4.2	8
89	Enhancement of tensile strength of embedded parts in carbon fiber-reinforced plastic/aluminum honeycomb sandwich structures for vehicle. <i>Composite Structures</i> , 2016 , 152, 800-806	5.3	7
88	The globally asymptotic stability analysis for a class of recurrent neural networks with delays. <i>Neural Computing and Applications</i> , 2013 , 22, 587-595	4.8	7
87	Tracking control of WMRs on loose soil based on mixed H_2/H_∞ control with longitudinal slip ratio estimation. <i>Acta Astronautica</i> , 2017 , 140, 49-58	2.9	7
86	Brain-Inspired Intelligence and Visual Perception. <i>Research on Intelligent Manufacturing</i> , 2020 ,	0.3	7
85	Adaptive Fuzzy Finite-Time Tracking Control for Nonstrict Full States Constrained Nonlinear System With Coupled Dead-Zone Input. <i>IEEE Transactions on Cybernetics</i> , 2020 ,	10.2	6
84	. <i>IEEE Transactions on Vehicular Technology</i> , 2018 , 1-1	6.8	6
83	MPC motion planning-based sliding mode control for underactuated WPS vehicle via Olfati transformation. <i>IET Control Theory and Applications</i> , 2018 , 12, 495-503	2.5	6
82	Longitudinal skid model for wheels of planetary rovers based on improved wheel sinkage considering soil bulldozing effect. <i>Journal of Terramechanics</i> , 2017 , 74, 45-56	2.2	6

81	Path-following control of wheeled planetary exploration robots moving on deformable rough terrain. <i>Scientific World Journal, The</i> , 2014 , 2014, 793526	2.2	6
80	Analysis of driving efficiency for LRV wheels using forced-slip method. <i>Advances in Space Research</i> , 2014 , 54, 2122-2130	2.4	6
79	High slip wheel terrain contact modelling for grouser wheeled planetary rovers traversing on sandy terrains. <i>Mechanism and Machine Theory</i> , 2020 , 153, 104032	4	6
78	Bond strength between carbon fiber reinforced plastic tubes and aluminum joints for racing car suspension. <i>Advances in Mechanical Engineering</i> , 2016 , 8, 168781401667462	1.2	6
77	Reinforcement Learning Neural Network-Based Adaptive Control for State and Input Time-Delayed Wheeled Mobile Robots. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2020 , 50, 4171-4182	7.3	6
76	Semi-Autonomous Bilateral Teleoperation of Hexapod Robot Based on Haptic Force Feedback. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2018 , 91, 583-602	2.9	6
75	Diagonal recurrent neural networks for parameters identification of terrain based on wheel-soil interaction analysis. <i>Neural Computing and Applications</i> , 2017 , 28, 797-804	4.8	5
74	. <i>IEEE Access</i> , 2019 , 7, 91582-91592	3.5	5
73	Attitude-based dynamic and kinematic models for wheels of mobile robot on deformable slope. <i>Robotics and Autonomous Systems</i> , 2016 , 75, 161-175	3.5	5
72	Soil parameter modification used for boosting predictive fidelity of planetary rover slippage. <i>Journal of Terramechanics</i> , 2014 , 56, 173-184	2.2	5
71	Approach to imitate maneuvering of lunar roving vehicle under lunar gravity using a terrestrial vehicle. <i>Mechatronics</i> , 2015 , 30, 383-398	3	5
70	Transmission Mode Research on the Joints of a Multi-Legged Walking Robot. <i>Applied Mechanics and Materials</i> , 2012 , 151, 518-522	0.3	5
69	Neural Network Identification of a Racing Car Tire Model. <i>Journal of Engineering (United States)</i> , 2018 , 2018, 1-11	1.5	5
68	Fault-Tolerant Tripod Gait Planning and Verification of a Hexapod Robot. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2959	2.6	4
67	Locally supervised neural networks for approximating terramechanics models. <i>Mechanical Systems and Signal Processing</i> , 2016 , 75, 57-74	7.8	4
66	A novel bilateral haptic teleoperation approach for hexapod robot walking and manipulating with legs. <i>Robotics and Autonomous Systems</i> , 2018 , 108, 1-12	3.5	4
65	State estimation of a heavy-duty hexapod robot with passive compliant ankles based on the leg kinematics and IMU data fusion. <i>Journal of Mechanical Science and Technology</i> , 2018 , 32, 3885-3897	1.6	4
64	Turning gait planning and simulation validation of a hydraulic hexapod robot 2015 ,		4

63	2010,		4
62	Contact Sequence Planning for Hexapod Robots in Sparse Foothold Environment Based on Monte-Carlo Tree. <i>IEEE Robotics and Automation Letters</i> , 2022 , 7, 826-833	4.2	4
61	Wheels' performance of Mars exploration rovers: Experimental study from the perspective of terramechanics and structural mechanics. <i>Journal of Terramechanics</i> , 2020 , 92, 23-42	2.2	4
60	Payload-agnostic decoupling and hybrid vibration isolation control for a maglev platform with redundant actuation. <i>Mechanical Systems and Signal Processing</i> , 2021 , 146, 106985	7.8	4
59	Dual-Master/Single-Slave Haptic Teleoperation System for Semiautonomous Bilateral Control of Hexapod Robot Subject to Deformable Rough Terrain. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2021 , 1-15	7.3	4
58	Scale effect mechanism research of insect-imitating hexapod robot. <i>Journal of Mechanical Science and Technology</i> , 2019 , 33, 2873-2882	1.6	3
57	Dynamic Modeling and Experimental Validation of Door-Opening Process by a Mobile Manipulator. <i>IEEE Access</i> , 2019 , 7, 80916-80927	3.5	3
56	Design of Underwater Welding Robot Used in Nuclear Plant. <i>Key Engineering Materials</i> , 2014 , 620, 484-489	4	3
55	An omnidirectional mobile operating robot based on mecanum wheel 2017 ,		3
54	Effect of size and shape of joining insert on the strength of sandwich-structured laminate panels for wheeled vehicle body. <i>Journal of Reinforced Plastics and Composites</i> , 2015 , 34, 1823-1832	2.9	3
53	Terramechanics-based high-fidelity dynamics simulation for wheeled mobile robot on deformable rough terrain 2010 ,		3
52	Slippage-Dependent Teleoperation of Wheeled Mobile Robots on Soft Terrains. <i>IEEE Robotics and Automation Letters</i> , 2021 , 6, 4962-4969	4.2	3
51	Optimal-Switched H _∞ Robust Tracking for Maneuvering Space Target. <i>IFAC-PapersOnLine</i> , 2016 , 49, 415-419	4	3
50	Time-Optimal Point Stabilization Control for WIP Vehicles Using Quasi-Convex Optimization and B-Spline Adaptive Interpolation Techniques. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2021 , 51, 3293-3303	7.3	3
49	Optimal Energy Consumption for Mobile Manipulators Executing Door-Opening Task. <i>Mathematical Problems in Engineering</i> , 2018 , 2018, 1-11	1.1	3
48	Static Force Analysis of Foot of Electrically Driven Heavy-Duty Six-Legged Robot under Tripod Gait. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2018 , 31,	2.5	3
47	Surface characteristics of the Zhurong Mars rover traverse at Utopia Planitia. <i>Nature Geoscience</i> , 2022 , 15, 171-176	18.3	3
46	Optimal-switched extended H _∞ filter for nonlinear systems with stochastic uncertainties. <i>International Journal of Robust and Nonlinear Control</i> , 2020 , 30, 2850-2870	3.6	2

45	2016,		2
44	Switch control for operating constrained mechanisms using a rescuing mobile manipulator with multiple working modes 2016,		2
43	Algorithm analysis for a rover simulation platform 2011,		2
42	Dual-User Haptic Teleoperation of Complementary Motions of a Redundant Wheeled Mobile Manipulator Considering Task Priority. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2022 , 1-13	7.3	2
41	Direct method for tension feasible region calculation in multi-redundant cable-driven parallel robots using computational geometry. <i>Mechanism and Machine Theory</i> , 2021 , 158, 104225	4	2
40	Efficient force distribution algorithm for hexapod robot walking on uneven terrain 2016,		2
39	A Local Dynamic Path Planning Approach for WMRs Based on Fuzzy Dual CHOMP 2019,		2
38	Research on feature extraction and segmentation of rover wheel imprint. <i>Journal of Supercomputing</i> , 2020 , 76, 2357-2373	2.5	2
37	Simultaneous control of trajectory tracking and coordinated allocation of rocker-bogie planetary rovers. <i>Mechanical Systems and Signal Processing</i> , 2021 , 151, 107312	7.8	2
36	Fast neural network control of a pseudo-driven wheel on deformable terrain. <i>Mechanical Systems and Signal Processing</i> , 2021 , 152, 107478	7.8	2
35	A new iterative synthetic data generation method for CNN based stroke gesture recognition. <i>Multimedia Tools and Applications</i> , 2018 , 77, 17181-17205	2.5	2
34	Pressing and Rubbing: Physics-Informed Features Facilitate Haptic Terrain Classification for Legged Robots.. <i>IEEE Robotics and Automation Letters</i> , 2022 , 1-1	4.2	2
33	Tension distribution algorithm based on graphics with high computational efficiency and robust optimization for two-redundant cable-driven parallel robots. <i>Mechanism and Machine Theory</i> , 2022 , 172, 104739	4	2
32	Study of space micro-vibration active isolation platform acceleration measurement 2015,		1
31	Sagittal SLIP-anchored task space control for a monopode robot traversing irregular terrain. <i>Frontiers of Mechanical Engineering</i> , 2020 , 15, 193-208	3.3	1
30	Design and control of a novel six-DOF maglev platform for positioning and vibration isolation 2017,		1
29	Dynamic analysis of a cable underwater robot in a nuclear reaction pool 2016,		1
28	Trajectory Tracking Control for WMRs with the Time-Varying Longitudinal Slippage Based on a New Adaptive SMC Method. <i>International Journal of Aerospace Engineering</i> , 2019 , 2019, 1-13	0.9	1

27	A new optimization-driven path planning method with probabilistic completeness for wheeled mobile robots. <i>Measurement and Control</i> , 2019 , 52, 317-325	1.5	1
26	Human-Robot Collaboration for Heavy Object Manipulation: Kinesthetic Teaching of the Role of Wheeled Mobile Manipulator 2021 ,		1
25	A 2-year locomotive exploration and scientific investigation of the lunar farside by the Yutu-2 rover.. <i>Science Robotics</i> , 2022 , 7, eabj6660	18.6	1
24	Teleoperation of wheeled mobile robots subject to longitudinal slipping and lateral sliding by time-domain passivity controller. <i>Mechatronics</i> , 2022 , 81, 102705	3	1
23	Improved Terzaghi-theory-based interaction modeling of rotary robotic locomotors with granular substrates. <i>Mechanism and Machine Theory</i> , 2020 , 152, 103901	4	1
22	. <i>IEEE Access</i> , 2020 , 8, 155477-155491	3.5	1
21	In-situ wheel sinkage estimation under high slip conditions for grouser-wheeled planetary rovers: Another immobility index. <i>Mechanism and Machine Theory</i> , 2021 , 158, 104243	4	1
20	Closed-Form Equations and Experimental Verification for Soft Robot Arm Based on Cosserat Theory* 2019 ,		1
19	Footstep Planning for Hexapod Robots Based on 3D Quasi-static Equilibrium Support Region. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2021 , 103, 1	2.9	1
18	Linear Expressions of Drawbar Pull and Driving Torque for Grouser-Wheeled Planetary Rovers Without Terrain Mechanical Parameters. <i>IEEE Robotics and Automation Letters</i> , 2021 , 6, 8197-8204	4.2	1
17	Enhancing kinematic accuracy of redundant wheeled mobile manipulators via adaptive motion planning. <i>Mechatronics</i> , 2021 , 79, 102639	3	1
16	Human-Robot Variable Impedance Skills Transfer Learning Based on Dynamic Movement Primitives. <i>IEEE Robotics and Automation Letters</i> , 2022 , 1-1	4.2	1
15	High-Fidelity Dynamic Modeling and Simulation of Planetary Rovers Using Single-Input-Multi-Output Joints With Terrain Property Mapping. <i>IEEE Transactions on Robotics</i> , 2022 , 1-10	6.5	1
14	Intelligent assistance for older adults via an admittance-controlled wheeled mobile manipulator with task-dependent end-effectors. <i>Mechatronics</i> , 2022 , 85, 102821	3	1
13	A new local path planning approach based on improved dual covariant Hamiltonian optimization for motion planning method. <i>Advances in Mechanical Engineering</i> , 2019 , 11, 168781401985100	1.2	0
12	Dynamic Modeling and Vibration Analysis for the Vehicles with Rigid Wheels Based on Wheel-Terrain Interaction Mechanics. <i>Shock and Vibration</i> , 2015 , 2015, 1-9	1.1	0
11	Velocity following control of a pseudo-driven wheel for reducing internal forces between wheels. <i>IEEE Robotics and Automation Letters</i> , 2022 , 1-1	4.2	0
10	Estimation of interaction forces with minimal parameters for rigid wheels on deformable terrain using modified Hooke's law. <i>Mechanism and Machine Theory</i> , 2022 , 169, 104663	4	0

9	Suppression in any configuration : A versatile coupling improved multi-objective manipulation framework for modular active vibration isolation system. <i>Mechanical Systems and Signal Processing</i> , 2022 , 166, 108478	7.8	o
8	Adaptive fuzzy control for a hybrid spacecraft system with spatial motion and communication constraints. <i>IEEE Transactions on Fuzzy Systems</i> , 2021 , 1-1	8.3	o
7	VDC-based admittance control of multi-DOF manipulators considering joint flexibility via hierarchical control framework. <i>Control Engineering Practice</i> , 2022 , 124, 105186	3.9	o
6	A novel localization approach for underwater welding vehicles in spent fuel pools via attitude heading reference system and altimeters. <i>International Journal of Advanced Robotic Systems</i> , 2019 , 16, 172988141983054	1.4	
5	Integration and Scheduling of Core Modules. <i>Research on Intelligent Manufacturing</i> , 2020 , 105-141	0.3	
4	Centroid variability modelBased control of HITUWV for automatic underwater welding with enhanced stability and accuracy. <i>Advances in Mechanical Engineering</i> , 2019 , 11, 168781401989021	1.2	
3	Neural Cognitive Computing Mechanisms. <i>Research on Intelligent Manufacturing</i> , 2020 , 69-103	0.3	
2	Wheel Slip Ratio and Sinkage Estimation for Planetary Rovers Moving on Deformable Terrain. <i>Journal of Physics: Conference Series</i> , 2022 , 2203, 012046	0.3	
1	Teleoperation of Wheeled Mobile Robot With Dynamic Longitudinal Slippage. <i>IEEE Transactions on Control Systems Technology</i> , 2022 , 1-15	4.8	