Andrine M Lemieux

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6393098/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Circulating ghrelin changes as a biomarker of the stress response and craving in abstinent smokers. Pharmacology Biochemistry and Behavior, 2022, 218, 173423.	1.3	2
2	Social and early life adversity and chronic health conditions among Tunisian adults. Translational Behavioral Medicine, 2020, 10, 949-958.	1.2	9
3	Article Commentary: Women and Substance Use Disorders in Low- and Middle-Income Countries: A Call for Advancing Research Equity in Prevention and Treatment. Substance Abuse, 2020, 41, 6-10.	1.1	5
4	Using novel mobile sensors to assess stress and smoking lapse. International Journal of Psychophysiology, 2020, 158, 411-418.	0.5	13
5	Circulating orexin changes during withdrawal are associated with nicotine craving and risk for smoking relapse. Addiction Biology, 2019, 24, 743-753.	1.4	11
6	Impact of social violence and childhood adversities on pregnancy outcomes: a longitudinal study in Tunisia. Journal of Global Health, 2019, 9, 020435.	1.2	6
7	Childhood exposure to violence is associated with risk for mental disorders and adult's weight status: a community-based study in Tunisia. Journal of Public Health, 2019, 41, 502-510.	1.0	10
8	Stressful life events are associated with perinatal cigarette smoking. Preventive Medicine, 2019, 118, 264-271.	1.6	27
9	Anger, anxiety, and depressive affect as predictors of stress-induced cortisol production in khat and tobacco users. Addictive Behaviors, 2018, 82, 195-201.	1.7	5
10	Changes in circulating peptide YY and ghrelin are associated with early smoking relapse. Biological Psychology, 2018, 131, 43-48.	1.1	21
11	Exposure to community and collective violence during childhood and tobacco use patterns among young adults in Tunisia. Health and Social Care in the Community, 2018, 26, 935-945.	0.7	11
12	Impact of early life adversity on the stress biobehavioral response during nicotine withdrawal. Psychoneuroendocrinology, 2018, 98, 108-118.	1.3	9
13	Gender differences in adverse childhood experiences, collective violence, and the risk for addictive behaviors among university students in Tunisia. Preventive Medicine, 2017, 99, 99-104.	1.6	54
14	Correlates of khat use during pregnancy: A cross-sectional study. Addictive Behaviors, 2017, 73, 178-184.	1.7	22
15	Early life adversity influences stress response association with smoking relapse. Psychopharmacology, 2017, 234, 3375-3384.	1.5	12
16	Smokers report lower intake of key nutrients than nonsmokers, yet both fall short of meeting recommended intakes. Nutrition Research, 2017, 45, 30-37.	1.3	22
17	Effects of 6-Week Use of Reduced-Nicotine Content Cigarettes in Smokers With and Without Elevated Depressive Symptoms. Nicotine and Tobacco Research, 2017, 19, 59-67.	1.4	49
18	Life adversity is associated with smoking relapse after a quit attempt. Addictive Behaviors, 2016, 60, 71-77.	1.7	10

Andrine M Lemieux

#	Article	IF	CITATIONS
19	Evaluation of a reduced nicotine product standard: Moderating effects of and impact on cannabis use. Drug and Alcohol Dependence, 2016, 167, 228-232.	1.6	23
20	Stress psychobiology in the context of addiction medicine. Progress in Brain Research, 2016, 223, 43-62.	0.9	25
21	Household food insecurity and mental distress among pregnant women in Southwestern Ethiopia: a cross sectional study design. BMC Pregnancy and Childbirth, 2015, 15, 250.	0.9	43
22	Circulating leptin and pain perception among tobacco-dependent individuals. Biological Psychology, 2015, 107, 10-15.	1.1	5
23	Sex Differences in Hormonal Responses to Stress and Smoking Relapse: A Prospective Examination. Nicotine and Tobacco Research, 2015, 17, 382-389.	1.4	52
24	Changes in circulating leptin levels during the initial stage of cessation are associated with smoking relapse. Psychopharmacology, 2015, 232, 3355-3361.	1.5	14
25	Khat use and appetite: An overview and comparison of amphetamine, khat and cathinone. Journal of Ethnopharmacology, 2015, 160, 78-85.	2.0	37
26	Opioid prescribing patterns for non-malignant chronic pain for rural versus non-rural US adults: a population-based study using 2010 NAMCS data. BMC Health Services Research, 2014, 14, 563.	0.9	92
27	A population-based study of edentulism in the US: does depression and rural residency matter after controlling for potential confounders?. BMC Public Health, 2014, 14, 65.	1.2	26
28	Peptide YY and ghrelin predict craving and risk for relapse in abstinent smokers. Psychoneuroendocrinology, 2014, 49, 253-259.	1.3	45
29	Men and suicide in primary care. Disease-a-Month, 2014, 60, 155-161.	0.4	7
30	A review of the current epidemiology and treatment options for prostate cancer. Disease-a-Month, 2014, 60, 150-154.	0.4	20
31	Symptom severity predicts degree of T cell activation in adult women following childhood maltreatment. Brain, Behavior, and Immunity, 2008, 22, 994-1003.	2.0	70
32	Inflammatory and hormonal measures predict neuropsychological functioning in systemic lupus erythematosus and rheumatoid arthritis patients. Journal of the International Neuropsychological Society, 2001, 7, 745-754.	1.2	78
33	Surgical and Psychological Stressors Differentially Affect Cytolytic Responses in the Rhesus Monkey. Brain, Behavior, and Immunity, 1996, 10, 27-43.	2.0	11
34	Abuse-Related Posttraumatic Stress Disorder. Psychosomatic Medicine, 1995, 57, 105-115.	1.3	351
35	Self-discrepancy and natural killer cell activity: Immunological consequences of negative self-evaluation Journal of Personality and Social Psychology, 1993, 64, 1042-1052.	2.6	67