## Aleksander Roberto Zampronio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6393395/publications.pdf

Version: 2024-02-01



Aleksander Roberto

#	Article	IF	CITATIONS
1	Role of central endothelin-1 in hyperalgesia, anhedonia, and hypolocomotion induced by endotoxin in male rats. Experimental Brain Research, 2021, 239, 267-277.	1.5	5
2	Fever Induced by Zymosan A and Polyinosinic-Polycytidylic Acid in Female Rats: Influence of Sex Hormones and the Participation of Endothelin-1. Inflammation, 2021, 44, 321-333.	3.8	3
3	ETA receptors are involved in the febrile response induced by high dose of bacterial endotoxin. Journal of Thermal Biology, 2021, 95, 102804.	2.5	0
4	Change in prostaglandin signaling during sickness syndrome hyperalgesia after ovariectomy in female rats. Behavioural Brain Research, 2021, 410, 113368.	2.2	2
5	A timeâ€dependent contribution of hippocampal CB <sub>1</sub> , CB <sub>2</sub> and PPARγ receptors to cannabidiolâ€induced disruption of fear memory consolidation. British Journal of Pharmacology, 2020, 177, 945-957.	5.4	29
6	Toll-like receptor 4 (TLR4) signaling in the trigeminal ganglion mediates facial mechanical and thermal hyperalgesia in rats. Physiology and Behavior, 2020, 226, 113127.	2.1	14
7	Immune-mediated febrile response in female rats: Role of central hypothalamic mediators. Scientific Reports, 2020, 10, 4073.	3.3	6
8	Intermittent binge-like ethanol exposure during adolescence attenuates the febrile response by reducing brown adipose tissue thermogenesis in rats. Drug and Alcohol Dependence, 2020, 209, 107904.	3.2	5
9	Effects of silymarin on angiogenesis and oxidative stress in streptozotocin-induced diabetes in mice. Biomedicine and Pharmacotherapy, 2018, 108, 232-243.	5.6	16
10	Necroptosis mediates the antineoplastic effects of the soluble fraction of polysaccharide from red wine in Walker-256 tumor-bearing rats. Carbohydrate Polymers, 2017, 160, 123-133.	10.2	20
11	Effects of Binge-Like Ethanol Exposure During Adolescence on the Febrile Response in Rats. Alcoholism: Clinical and Experimental Research, 2017, 41, 507-515.	2.4	9
12	Inhibition of immune responses and related proteins in <i>Rhamdia quelen</i> exposed to diclofenac. Environmental Toxicology and Chemistry, 2017, 36, 2092-2107.	4.3	16
13	Naphthoquinones of <i>Sinningia reitzii</i> and Anti-inflammatory/Antinociceptive Activities of 8-Hydroxydehydrodunnione. Journal of Natural Products, 2017, 80, 1837-1843.	3.0	31
14	A Naphthoquinone from Sinningia canescens Inhibits Inflammation and Fever in Mice. Inflammation, 2017, 40, 1051-1061.	3.8	16
15	Central mediators of the zymosan-induced febrile response. Journal of Basic and Clinical Physiology and Pharmacology, 2017, 28, 555-562.	1.3	9
16	Effects of binge-like ethanol exposure during adolescence on the hyperalgesia observed during sickness syndrome in rats. Pharmacology Biochemistry and Behavior, 2017, 160, 63-69.	2.9	10
17	Involvement of Central Endothelin ETA and Cannabinoid CB1 Receptors and Arginine Vasopressin Release in Sepsis Induced by Cecal Ligation and Puncture in Rats. Shock, 2016, 46, 290-296.	2.1	12
18	Effects of trophic exposure to diclofenac and dexamethasone on hematological parameters and immune response in freshwater fish. Environmental Toxicology and Chemistry, 2016, 35, 975-982.	4.3	45

Aleksander Roberto

#	Article	IF	CITATIONS
19	Evidence of substance P autocrine circuitry that involves TNF-α, IL-6, and PGE2 in endogenous pyrogen-induced fever. Journal of Neuroimmunology, 2016, 293, 1-7.	2.3	24
20	Endocannabinoids, through opioids and prostaglandins, contribute to fever induced by key pyrogenic mediators. Brain, Behavior, and Immunity, 2016, 51, 204-211.	4.1	9
21	Antinociceptive Activity of the Ethanolic Extract, Fractions, and Aggregatin D Isolated from Sinningia aggregata Tubers. PLoS ONE, 2015, 10, e0117501.	2.5	13
22	Central mediators involved in the febrile response: effects of antipyretic drugs. Temperature, 2015, 2, 506-521.	3.0	40
23	Central mediators involved in the febrile response induced by polyinosinic–polycytidylic acid: Lack of involvement of endothelins and substance P. Journal of Neuroimmunology, 2015, 278, 100-107.	2.3	15
24	Etanercept reduces thermal and mechanical orofacial hyperalgesia following inflammation and neuropathic injury. European Journal of Pain, 2014, 18, 957-967.	2.8	17
25	The contribution of transient receptor potential ankyrin 1 (TRPA1) to the in vivo nociceptive effects of prostaglandin E2. Life Sciences, 2014, 105, 7-13.	4.3	26
26	Effects of anti-inflammatory drugs in primary kidney cell culture of a freshwater fish. Fish and Shellfish Immunology, 2014, 40, 296-303.	3.6	35
27	Involvement of brain cytokines in zymosan-induced febrile response. Journal of Applied Physiology, 2014, 116, 1220-1229.	2.5	21
28	Peripheral substance P and neurokinin-1 receptors have a role in inflammatory and neuropathic orofacial pain models. Neuropeptides, 2013, 47, 199-206.	2.2	56
29	Antinociceptive and Antiâ€inflammatory Activities of the Ethanolic Extract, Fractions and 8â€Methoxylapachenol from <i><scp>S</scp>inningia allagophylla</i> Tubers. Basic and Clinical Pharmacology and Toxicology, 2013, 113, 1-7.	2.5	10
30	Analgesic effects of the ethanolic extract from Magnolia ovata (Magnoliaceae) trunk bark and of N-acetylxylopine, a semi-synthetic analogue of xylopine. Phytomedicine, 2011, 18, 143-147.	5.3	4
31	Central substance P NK1 receptors are involved in fever induced by LPS but not by IL-1Î <sup>2</sup> and CCL3/MIP-1α in rats. Brain Research, 2011, 1384, 161-169.	2.2	19
32	Kinin B1 and B2 receptors contribute to orofacial heat hyperalgesia induced by infraorbital nerve constriction injury in mice and rats. Neuropeptides, 2010, 44, 87-92.	2.2	29
33	Opposing Actions of Endothelin-1 on Glutamatergic Transmission onto Vasopressin and Oxytocin Neurons in the Supraoptic Nucleus. Journal of Neuroscience, 2010, 30, 16855-16863.	3.6	21
34	Antipyretic and anti-inflammatory properties of the ethanolic extract, dichloromethane fraction and costunolide from Magnolia ovata (Magnoliaceae). Journal of Ethnopharmacology, 2009, 124, 369-376.	4.1	69
35	Endogenous opioids: role in prostaglandin-dependent and -independent fever. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2008, 294, R411-R420.	1.8	29
36	Cholinergic control of inflammatory and febrile responses to endotoxin. FASEB Journal, 2007, 21, A441.	0.5	0

Aleksander Roberto

#	Article	IF	CITATIONS
37	Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs. Pain, 2006, 123, 64-74.	4.2	63
38	Nimesulide-induced antipyresis in rats involves both cyclooxygenase-dependent and independent mechanisms. European Journal of Pharmacology, 2006, 543, 181-189.	3.5	8
39	Central endothelin ETBreceptors mediate IL-1-dependent fever induced by preformed pyrogenic factor and corticotropin-releasing factor in the rat. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2006, 290, R164-R171.	1.8	30
40	Effect of MKâ€801, memantine and lamotrigine on cold and heat hypernociception in trigeminal neuropathic pain. FASEB Journal, 2006, 20, A777.	0.5	0
41	Involvement of bradykinin, cytokines, sympathetic amines and prostaglandins in formalin-induced orofacial nociception in rats. British Journal of Pharmacology, 2004, 141, 1175-1184.	5.4	110
42	Induction of secretory and tumoricidal activities in peritoneal macrophages activated by an acidic heteropolysaccharide (ARAGAL) from the gum of Anadenanthera colubrina (Angico branco). Immunology Letters, 2004, 93, 189-197.	2.5	37
43	Role of Glucocorticoids in Febrile Response in Rabbits. Annals of the New York Academy of Sciences, 1997, 813, 327-337.	3.8	3