

A O Bergenfelz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6393837/a-o-bergenfelz-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers

1,957
citations

21
h-index

44
g-index

65
ext. papers

2,284
ext. citations

3.9
avg, IF

4.75
L-index

#	Paper	IF	Citations
63	Complications to thyroid surgery: results as reported in a database from a multicenter audit comprising 3,660 patients. <i>Langenbeck's Archives of Surgery</i> , 2008 , 393, 667-73	3.4	456
62	Unilateral versus bilateral neck exploration for primary hyperparathyroidism: a prospective randomized controlled trial. <i>Annals of Surgery</i> , 2002 , 236, 543-51	7.8	302
61	Anaplastic thyroid carcinoma: three protocols combining doxorubicin, hyperfractionated radiotherapy and surgery. <i>British Journal of Cancer</i> , 2002 , 86, 1848-53	8.7	185
60	Unilateral versus bilateral neck exploration for primary hyperparathyroidism: five-year follow-up of a randomized controlled trial. <i>Annals of Surgery</i> , 2007 , 246, 976-80; discussion 980-1	7.8	146
59	Prediction of permanent hypoparathyroidism after total thyroidectomy. <i>World Journal of Surgery</i> , 2014 , 38, 2613-20	3.3	67
58	Risk of recurrent laryngeal nerve palsy in patients undergoing thyroidectomy with and without intraoperative nerve monitoring. <i>British Journal of Surgery</i> , 2016 , 103, 1828-1838	5.3	52
57	Mortality in patients with permanent hypoparathyroidism after total thyroidectomy. <i>British Journal of Surgery</i> , 2018 , 105, 1313-1318	5.3	51
56	Use of the harmonic scalpel versus conventional haemostatic techniques in patients with Grave disease undergoing total thyroidectomy: a prospective randomised controlled trial. <i>Langenbeck's Archives of Surgery</i> , 2008 , 393, 675-80	3.4	51
55	Multifactorial risk profile for bone fractures in primary hyperparathyroidism. <i>World Journal of Surgery</i> , 2002 , 26, 1463-7	3.3	45
54	Scandinavian Quality Register for Thyroid and Parathyroid Surgery: audit of surgery for primary hyperparathyroidism. <i>Langenbeck's Archives of Surgery</i> , 2007 , 392, 445-51	3.4	44
53	Randomized clinical trial comparing open with video-assisted minimally invasive parathyroid surgery for primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2010 , 97, 177-84	5.3	40
52	Postoperative elevated serum levels of intact parathyroid hormone after surgery for parathyroid adenoma: sign of bone remineralization and decreased calcium absorption. <i>World Journal of Surgery</i> , 2000 , 24, 1323-9	3.3	36
51	Risk factors for complications after adrenalectomy: results from a comprehensive national database. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 315-322	3.4	34
50	Measurement of parathyroid hormone in patients with primary hyperparathyroidism undergoing first and reoperative surgery. <i>British Journal of Surgery</i> , 1998 , 85, 1129-32	5.3	33
49	Permanent Hypoparathyroidism After Total Thyroidectomy in Children: Results from a National Registry. <i>World Journal of Surgery</i> , 2018 , 42, 2858-2863	3.3	29
48	Hypocalcaemia after total thyroidectomy for Graves' disease and for benign atoxic multinodular goitre. <i>Langenbeck's Archives of Surgery</i> , 2012 , 397, 1133-7	3.4	29
47	Changing biochemical presentation of primary hyperparathyroidism. <i>Langenbeck's Archives of Surgery</i> , 2010 , 395, 925-8	3.4	29

46	Morbidity in patients with permanent hypoparathyroidism after total thyroidectomy. <i>Surgery</i> , 2020 , 167, 124-128	3.6	28
45	Preoperative normal level of parathyroid hormone signifies an early and mild form of primary hyperparathyroidism. <i>World Journal of Surgery</i> , 2003 , 27, 481-5	3.3	24
44	Side localization of parathyroid adenomas by simplified intraoperative venous sampling for parathyroid hormone. <i>World Journal of Surgery</i> , 1996 , 20, 358-60	3.3	23
43	Intraoperative fall in plasma levels of intact parathyroid hormone after removal of one enlarged parathyroid gland in hyperparathyroid patients. <i>The European Journal of Surgery</i> , 1991 , 157, 109-12		21
42	Improving outcomes in emergency surgery. <i>British Journal of Surgery</i> , 2014 , 101, e1-2	5.3	19
41	Surgery for primary hyperparathyroidism performed under local anaesthesia. <i>British Journal of Surgery</i> , 1992 , 79, 931-4	5.3	17
40	Intraoperative monitoring of intact PTH during surgery for primary hyperparathyroidism. <i>Langenbecks Archiv Fur Chirurgie</i> , 1994 , 379, 50-3		17
39	Serum levels of uric acid and diabetes mellitus influence survival after surgery for primary hyperparathyroidism: a prospective cohort study. <i>World Journal of Surgery</i> , 2007 , 31, 1393-400; discussion 1401-2	3.3	15
38	Faster acquisition of laparoscopic skills in virtual reality with haptic feedback and 3D vision. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2017 , 26, 269-277	2.1	14
37	A Nested Case-Control Study on the Risk of Surgical Site Infection After Thyroid Surgery. <i>World Journal of Surgery</i> , 2018 , 42, 2454-2461	3.3	14
36	Hyperthyroxinemia after surgery for primary hyperparathyroidism. <i>Langenbecks Archiv Fur Chirurgie</i> , 1994 , 379, 178-81		13
35	Simball Box for Laparoscopic Training With Advanced 4D Motion Analysis of Skills. <i>Surgical Innovation</i> , 2016 , 23, 309-16	2	12
34	Performance and perception of haptic feedback in a laparoscopic 3D virtual reality simulator. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2019 , 28, 309-316	2.1	11
33	Complications of surgery for gastro-entero-pancreatic neuroendocrine neoplasias. <i>Langenbecks Archives of Surgery</i> , 2020 , 405, 137-143	3.4	10
32	Sentinel Lymph Node Biopsy in Thyroid Cancer. <i>World Journal of Surgery</i> , 2020 , 44, 142-147	3.3	9
31	Effect of intraoperative nerve monitoring on postoperative vocal cord palsy rates after thyroidectomy: European multicentre registry-based study. <i>BJS Open</i> , 2020 , 4, 821-829	3.9	8
30	Presentation and Outcomes After Surgery for Primary Hyperparathyroidism During an 18-Year Period. <i>World Journal of Surgery</i> , 2016 , 40, 356-64	3.3	7
29	Results of a Fifteen-Year Follow-up Program in Patients Operated with Unilateral Neck Exploration for Primary Hyperparathyroidism. <i>World Journal of Surgery</i> , 2016 , 40, 582-8	3.3	6

28	Pancreastatin plasma levels in patients with primary hyperparathyroidism. <i>World Journal of Surgery</i> , 2000 , 24, 1579-83	3.3	6
27	Biochemical variables associated with bone density in patients with primary hyperparathyroidism. <i>The European Journal of Surgery</i> , 1992 , 158, 473-6		6
26	European multicentre study on outcome of surgery for sporadic primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2020 ,	5.3	6
25	Hypoparathyroidism after total thyroidectomy in patients with previous gastric bypass. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 273-280	3.4	5
24	Intraoperative secretion of intact parathyroid hormone and amino-terminal parathyroid hormone fragments from normal parathyroid glands associated with solitary parathyroid adenoma. <i>World Journal of Surgery</i> , 1997 , 21, 30-4; discussion 34-5	3.3	5
23	Prediction of changes in bone density after operation for primary hyperparathyroidism. <i>Annales Chirurgiae Et Gynaecologiae</i> , 1993 , 82, 245-9		4
22	Rates of RLN and SLN Injury: Data from National Quality Registries and the Literature 2016 , 3-16		4
21	Hemithyroidectomy: long-term effects on parathyroid function--preliminary report. <i>World Journal of Surgery</i> , 2001 , 25, 1155-9	3.3	3
20	Complications after medullary thyroid carcinoma surgery: multicentre study of the SQRTPA and EUROCRINE databases. <i>British Journal of Surgery</i> , 2021 , 108, 691-701	5.3	3
19	Evaluating risk factors for re-exploration due to postoperative neck hematoma after thyroid surgery: a nested case-control study. <i>Langenbeck's Archives of Surgery</i> , 2019 , 404, 815-823	3.4	3
18	Identification of Warning Signs During Selection of Surgical Trainees. <i>Journal of Surgical Education</i> , 2019 , 76, 684-693	3.4	3
17	VIP- and PACAP-containing nerve fibers in human parathyroid glands and adenomas: comparison of innervation pattern with animal species. <i>Annals of the New York Academy of Sciences</i> , 1996 , 805, 661-5	6.5	2
16	Adrenalectomy for incidental and symptomatic pheochromocytoma: retrospective multicentre study based on the Eurocrine database. <i>British Journal of Surgery</i> , 2021 , 108, 1199-1206	5.3	2
15	Central lymph node dissection and permanent hypoparathyroidism after total thyroidectomy for papillary thyroid cancer: population-based study. <i>British Journal of Surgery</i> , 2020 ,	5.3	2
14	Functional recovery of the parathyroid glands after surgery for primary hyperparathyroidism. <i>Surgery</i> , 1994 , 116, 827-36	3.6	1
13	Parathyroid hormone secretion after operation for primary hyperparathyroidism. <i>Surgery</i> , 1993 , 113, 649-54	3.6	1
12	Mortality after surgery for primary hyperparathyroidism: results from a nationwide cohort. <i>British Journal of Surgery</i> , 2021 , 108, 858-863	5.3	1
11	Health-related quality of life in patients undergoing adrenalectomy: report from a Swedish National Audit. <i>Langenbeck's Archives of Surgery</i> , 2019 , 404, 807-814	3.4	1

10	Complications after medullary thyroid carcinoma surgery: multicentre study of the SQRTPA and EUROCRINE databases. <i>British Journal of Surgery</i> , 2020 ,	5.3	1
9	Different approaches to selection of surgical trainees in the European Union. <i>BMC Medical Education</i> , 2021 , 21, 363	3.3	0
8	Impact of Adrenalectomy on Morbidity in Patients with Non-Functioning Adrenal Cortical Tumours, Mild Hypercortisolism and Cushing's Syndrome as Assessed by National and Quality Registries. <i>World Journal of Surgery</i> , 2021 , 45, 3099-3107	3.3	0
7	Substantial intrinsic variability in chemoradiosensitivity of newly established anaplastic thyroid cancer cell-lines. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 337-343	1.6	
6	Normal preoperative levels of parathyroid hormone signify a mild form of primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2002 , 87, 1265-1265	5.3	
5	Risk profile for bone fractures in primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2002 , 87, 1268-1269	5.3	
4	Immunoheterogeneity of parathyroid hormone pre- and postoperatively in primary hyperparathyroidism. <i>Langenbecks Archiv Fur Chirurgie</i> , 1995 , 380, 119-24		
3	Stapling in thyroid surgery. A prospective study. <i>Annales Chirurgiae Et Gynaecologiae</i> , 1992 , 81, 48-50		
2	New Technique to Reduce the Risk for Hypocalcemia in Thyroid Surgery. <i>JAMA Surgery</i> , 2020 , 155, 112-113	5.3	
1	Author response to: European multicentre study on outcome of surgery for sporadic primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2021 , 108, e416	5.3	